

ALL FREQUENCIES

Frequencies

Notes

Output Created		01-NOV-2000 16:11:02

Comments		

Input	Data	F:\sawtooth
software\ci3\Studies\Lerc\Colorado.sav		

	Filter	<none>

	weight	<none>

	Split File	<none>

	N of Rows in Working Data File	1579

Missing Value	Definition of Missing	User-defined missing values are
treated as missing.		

Handling		

cases with valid data.	Cases Used	Statistics are based on all

ALL FREQUENCIES

```

----- |
| Syntax | FREQUENCIES
| |
| timelyfd reasonfd | VARIABLES=source solvsafe
| |
| | dscssafe resolve brngup
| |
| taskplan cnsdinpt | responsv enghinfo tools observe
| |
| | modify intract crewtalk
| |
| appreciat injure | getinfo approach product comfort
| |
| | foreman safecoor gencontr
| |
| toolcnt1 rspnsble | danger workerin paprwork toolid
| |
| | realsafe manysafe trade
| |
| ronler4 | tradeyrs status2 age sex longyrs
| |
| | /ORDER= ANALYSIS .
| |
| |
| ----- | ----- |
----- |

```

```

| Resources | Total Values Allowed | 18724
| | ----- |
----- |

```

```


| | Elapsed Time | 0:00:00.49
| |
| ----- | ----- |
----- |

```

¢

Statistics

ALL FREQUENCIES



¢

Frequency Table

Data Source

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Colo Batch1	1068	67.6	67.6	67.6
	Spanish	70	4.4	4.4	72.1
	Colo FedEx	3	.2	.2	72.3
	Nightshift	99	6.3	6.3	78.5
	Ronler Acres	339	21.5	21.5	100.0

ALL FREQUENCIES

	Total	1579	100.0	100.0	
-----	-----	-----	-----	-----	-----

¢

safety problems are solved within a reasonable time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Always	353	22.4	22.4	22.4
	Often	600	38.0	38.0	60.4
	Sometimes	558	35.3	35.3	95.7
	Never	51	3.2	3.2	98.9
	No answer	17	1.1	1.1	100.0
	Total	1579	100.0	100.0	

¢

Crew gets timely feedback on safety issues

		Frequency	Percent	Valid Percent	Cumulative
Percent					

		ALL FREQUENCIES			
Valid	Always	299	18.9	18.9	18.9
	-----	-----	-----	-----	-----
	Often	534	33.8	33.8	52.8
	-----	-----	-----	-----	-----
	Sometimes	550	34.8	34.8	87.6
	-----	-----	-----	-----	-----
	Never	110	7.0	7.0	94.6
	-----	-----	-----	-----	-----
	Spanish-No Answer	70	4.4	4.4	99.0
	-----	-----	-----	-----	-----
	No answer	16	1.0	1.0	100.0
	-----	-----	-----	-----	-----
	Total	1579	100.0	100.0	
	-----	-----	-----	-----	-----

¢

Crew gets reasonable feedback on safety issues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Always	348	22.0	22.0	22.0
	-----	-----	-----	-----	-----
	Often	600	38.0	38.0	60.0
	-----	-----	-----	-----	-----

ALL FREQUENCIES

	Sometimes	513	32.5	32.5	92.5
	-----	-----	-----	-----	-----
	Never	74	4.7	4.7	97.2
	-----	-----	-----	-----	-----
	No answer	44	2.8	2.8	100.0
	-----	-----	-----	-----	-----
	Total	1579	100.0	100.0	
-----	-----	-----	-----	-----	-----

¢

safety issues are discussed within our crew

		Frequency	Percent	Valid Percent	Cumulative Percent
-----	-----	-----	-----	-----	-----
Valid	Always	821	52.0	52.0	52.0
	-----	-----	-----	-----	-----
	Often	527	33.4	33.4	85.4
	-----	-----	-----	-----	-----
	Sometimes	169	10.7	10.7	96.1
	-----	-----	-----	-----	-----
	Never	31	2.0	2.0	98.0
	-----	-----	-----	-----	-----
	No answer	31	2.0	2.0	100.0
	-----	-----	-----	-----	-----
	Total	1579	100.0	100.0	
-----	-----	-----	-----	-----	-----

¢

Crew is able to resolve safety issues

ALL FREQUENCIES

		Frequency	Percent	Valid Percent	Cumulative Percent
valid	Always	623	39.5	39.5	39.5
	Often	599	37.9	37.9	77.4
	Sometimes	267	16.9	16.9	94.3
	Never	31	2.0	2.0	96.3
	No answer	59	3.7	3.7	100.0
	Total	1579	100.0	100.0	

¢

My foreman encourages me to bring up safety issues

		Frequency	Percent	Valid Percent	Cumulative Percent
valid	Always	852	54.0	54.0	54.0
	Often	375	23.7	23.7	77.7
	Sometimes	197	12.5	12.5	90.2
	Never	112	7.1	7.1	97.3
	No answer	43	2.7	2.7	100.0

ALL FREQUENCIES

	Total	1579	100.0	100.0	
-----	-----	-----	-----	-----	-----

¢

My foreman is responsive when I bring up safety issues

		Frequency	Percent	Valid Percent	Cumulative Percent
-----	-----	-----	-----	-----	-----
Valid	Always	895	56.7	56.7	56.7
	-----	-----	-----	-----	-----
	Often	423	26.8	26.8	83.5
	-----	-----	-----	-----	-----
	Sometimes	178	11.3	11.3	94.7
	-----	-----	-----	-----	-----
	Never	51	3.2	3.2	98.0
	-----	-----	-----	-----	-----
	No answer	32	2.0	2.0	100.0
	-----	-----	-----	-----	-----
	Total	1579	100.0	100.0	
-----	-----	-----	-----	-----	-----

¢

I get enough info allow me to perform tasks safely

		Frequency	Percent	Valid Percent	Cumulative Percent
-----	-----	-----	-----	-----	-----
Valid	Always	733	46.4	46.4	46.4
	-----	-----	-----	-----	-----
	Often	572	36.2	36.2	82.6

ALL FREQUENCIES

	Frequency	Percent	Valid Percent	Cumulative Percent
Sometimes	213	13.5	13.5	96.1
Never	36	2.3	2.3	98.4
No answer	25	1.6	1.6	100.0
Total	1579	100.0	100.0	

¢

I get the tools and equipment I need to perform tasks safely

	Frequency	Percent	Valid Percent	Cumulative Percent
valid Always	643	40.7	40.7	40.7
Often	507	32.1	32.1	72.8
Sometimes	339	21.5	21.5	94.3
Never	55	3.5	3.5	97.8
No answer	35	2.2	2.2	100.0
Total	1579	100.0	100.0	

¢

How often I give safety feedback to co-workers

ALL FREQUENCIES

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Always	615	38.9	38.9	38.9
	Often	618	39.1	39.1	78.1
	Sometimes	268	17.0	17.0	95.1
	Never	56	3.5	3.5	98.6
	No answer	22	1.4	1.4	100.0
	Total	1579	100.0	100.0	

¢

How often task planning is done before a job is started

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Always	946	59.9	59.9	59.9
	Often	378	23.9	23.9	83.9
	Sometimes	178	11.3	11.3	95.1
	Never	52	3.3	3.3	98.4
	No answer	25	1.6	1.6	100.0

ALL FREQUENCIES

	Total	1579	100.0	100.0	

¢

How often input is considered in developing the task plan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Always	576	36.5	36.5	36.5
	Often	576	36.5	36.5	73.0
	Sometimes	277	17.5	17.5	90.5
	Never	100	6.3	6.3	96.8
	No answer	50	3.2	3.2	100.0
	Total	1579	100.0	100.0	

¢

How often the task plan is modified for safety problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Always	601	38.1	38.1	38.1
	Often	508	32.2	32.2	70.2

ALL FREQUENCIES

	-----	-----	-----	-----	-----
	Sometimes	322	20.4	20.4	90.6
	-----	-----	-----	-----	-----
	Never	113	7.2	7.2	97.8
	-----	-----	-----	-----	-----
	No answer	35	2.2	2.2	100.0
	-----	-----	-----	-----	-----
	Total	1579	100.0	100.0	
	-----	-----	-----	-----	-----

¢

Interactions with the foreman

	-----	-----	-----	-----	-----
	Frequency	Percent	Valid Percent	Cumulative Percent	
	-----	-----	-----	-----	-----
Valid	Positive	1124	71.2	71.2	71.2
	-----	-----	-----	-----	-----
	Neutral	262	16.6	16.6	87.8
	-----	-----	-----	-----	-----
	Negative	48	3.0	3.0	90.8
	-----	-----	-----	-----	-----
	No answer	145	9.2	9.2	100.0
	-----	-----	-----	-----	-----
	Total	1579	100.0	100.0	
	-----	-----	-----	-----	-----

¢

Crew talks about safety issues

-----	-----	-----	-----	-----
-------	-------	-------	-------	-------

ALL FREQUENCIES

	Frequency	Percent	Valid Percent	Cumulative Percent
valid Too much	108	6.8	6.8	6.8
About right	1148	72.7	72.7	79.5
Not enough	170	10.8	10.8	90.3
No answer	153	9.7	9.7	100.0
Total	1579	100.0	100.0	

¢

Knows how to get info about safety problems

Percent	Frequency	Percent	Valid Percent	Cumulative
valid Strongly Agree	513	32.5	32.5	32.5
Agree	936	59.3	59.3	91.8
Disagree	82	5.2	5.2	97.0
Strongly Disagree	24	1.5	1.5	98.5

ALL FREQUENCIES

	No answer	24	1.5	1.5	100.0
	Total	1579	100.0	100.0	

¢

Knows how to approach mgmt to get safety problems fixed

	Frequency	Percent	Valid Percent	Cumulative
valid Strongly Agree	474	30.0	30.0	30.0
Agree	868	55.0	55.0	85.0
Disagree	155	9.8	9.8	94.8
Strongly Disagree	45	2.8	2.8	97.7
No answer	37	2.3	2.3	100.0
Total	1579	100.0	100.0	

ALL FREQUENCIES

----- | ----- | ----- | ----- | ----- |

¢

Employer's concern for safety is second to production

----- | ----- | ----- | ----- |

Percent	Frequency	Percent	Valid Percent	Cumulative
---------	-----------	---------	---------------	------------

----- | ----- | ----- | ----- |

valid Strongly Agree	260	16.5	16.5	16.5
------------------------	-----	------	------	------

----- | ----- | ----- | ----- |

Agree	412	26.1	26.1	42.6
-------	-----	------	------	------

----- | ----- | ----- | ----- |

Disagree	610	38.6	38.6	81.2
----------	-----	------	------	------

----- | ----- | ----- | ----- |

Strongly Disagree	246	15.6	15.6	96.8
-------------------	-----	------	------	------

----- | ----- | ----- | ----- |

No answer	51	3.2	3.2	100.0
-----------	----	-----	-----	-------

----- | ----- | ----- | ----- |

Total	1579	100.0	100.0	
-------	------	-------	-------	--

----- | ----- | ----- | ----- |

¢

Comfort level of giving feedback to fellow workers

ALL FREQUENCIES

Percent		Frequency	Percent	Valid Percent	Cumulative
	Valid Strongly Agree	454	28.8	28.8	28.8
	Agree	908	57.5	57.5	86.3
	Disagree	136	8.6	8.6	94.9
	Strongly Disagree	40	2.5	2.5	97.4
	No answer	41	2.6	2.6	100.0
	Total	1579	100.0	100.0	

¢

Crew appreciates comments on their work practices

Percent		Frequency	Percent	Valid Percent	Cumulative
---------	--	-----------	---------	---------------	------------

ALL FREQUENCIES

valid	Strongly Agree	230	14.6	14.6	14.6
	-----	-----	-----	-----	-----
	Agree	907	57.4	57.4	72.0
	-----	-----	-----	-----	-----
	Disagree	309	19.6	19.6	91.6
	-----	-----	-----	-----	-----
	Strongly Disagree	63	4.0	4.0	95.6
	-----	-----	-----	-----	-----
	No answer	70	4.4	4.4	100.0
	-----	-----	-----	-----	-----
	Total	1579	100.0	100.0	
	-----	-----	-----	-----	-----

¢

If a crew talks about safety issues there will be fewer injuries

Percent		Frequency	Percent	Valid Percent	Cumulative
	-----	-----	-----	-----	-----
valid	Strongly Agree	691	43.8	43.8	43.8
	-----	-----	-----	-----	-----
	Agree	712	45.1	45.1	88.9

ALL FREQUENCIES

	Disagree	92	5.8	5.8	94.7
	Strongly Disagree	24	1.5	1.5	96.2
	No answer	60	3.8	3.8	100.0
	Total	1579	100.0	100.0	

¢

Comfort level with foremen commenting about my work practices

Percent		Frequency	Percent	Valid Percent	Cumulative
	Strongly Agree	501	31.7	31.7	31.7
	Agree	887	56.2	56.2	87.9
	Disagree	112	7.1	7.1	95.0
	Strongly Disagree	31	2.0	2.0	97.0

ALL FREQUENCIES

	No answer	48	3.0	3.0	100.0
	Total	1579	100.0	100.0	

¢

Comfort level with safety coordinators commenting about my work

Percent		Frequency	Percent	Valid Percent	Cumulative
	valid Strongly Agree	426	27.0	27.0	27.0
	Agree	815	51.6	51.6	78.6
	Disagree	206	13.0	13.0	91.6
	Strongly Disagree	84	5.3	5.3	97.0
	No answer	48	3.0	3.0	100.0

ALL FREQUENCIES

	Total	1579	100.0	100.0	

¢

Comfort level with gen. contractors commenting about my work

Percent		Frequency	Percent	Valid Percent	Cumulative

	valid Strongly Agree	330	20.9	20.9	20.9

	Agree	778	49.3	49.3	70.2

	Disagree	277	17.5	17.5	87.7

	Strongly Disagree	137	8.7	8.7	96.4

	No answer	57	3.6	3.6	100.0

	Total	1579	100.0	100.0	

¢

ALL FREQUENCIES

If a job is too dangerous I don't do it until it is safe

Percent	Frequency	Percent	Valid Percent	Cumulative	
Valid	Strongly Agree	929	58.8	58.8	58.8
	Agree	499	31.6	31.6	90.4
	Disagree	63	4.0	4.0	94.4
	Strongly Disagree	27	1.7	1.7	96.1
	No answer	61	3.9	3.9	100.0
	Total	1579	100.0	100.0	

¢

workplace would be safer if mgmt got input from workers

Percent	Frequency	Percent	Valid Percent	Cumulative
---------	-----------	---------	---------------	------------

ALL FREQUENCIES

valid	Strongly Agree	664	42.1	42.1		42.1
	Agree	676	42.8	42.8		84.9
	Disagree	149	9.4	9.4		94.3
	Strongly Disagree	29	1.8	1.8		96.1
	No answer	61	3.9	3.9		100.0
	Total	1579	100.0	100.0		

¢

Task planning doesn't have much practical effect

Percent		Frequency	Percent	Valid Percent	Cumulative
valid	Strongly Agree	207	13.1	13.1	13.1

		ALL FREQUENCIES			
	Agree	430	27.2	27.2	40.3
	-----	-----	-----	-----	
	Disagree	618	39.1	39.1	79.5
	-----	-----	-----	-----	
	Strongly Disagree	256	16.2	16.2	95.7
	-----	-----	-----	-----	
	No answer	68	4.3	4.3	100.0
	-----	-----	-----	-----	
	Total	1579	100.0	100.0	
	-----	-----	-----	-----	

¢

Task planning is a good tool for identifying safety problems

		Frequency	Percent	Valid Percent	Cumulative
	-----	-----	-----	-----	
	Percent				
	-----	-----	-----	-----	
	valid Strongly Agree	464	29.4	29.4	29.4
	-----	-----	-----	-----	
	Agree	837	53.0	53.0	82.4
	-----	-----	-----	-----	
	Disagree	162	10.3	10.3	92.7
	-----	-----	-----	-----	

ALL FREQUENCIES

	Strongly Disagree	51	3.2	3.2	95.9
	No answer	65	4.1	4.1	100.0
	Total	1579	100.0	100.0	

¢

Task planning is a good tool for controlling safety problems

Valid Percent		Frequency	Percent	Valid Percent	Cumulative
	Strongly Agree	415	26.3	26.3	26.3
	Agree	755	47.8	47.8	74.1
	Disagree	280	17.7	17.7	91.8
	Strongly Disagree	62	3.9	3.9	95.8
	No answer	67	4.2	4.2	100.0

ALL FREQUENCIES

	Total	1579	100.0	100.0	

¢

I am responsible for my own safety at the workplace

	Frequency	Percent	Valid Percent	Cumulative
valid Strongly Agree	963	61.0	61.0	61.0
Agree	470	29.8	29.8	90.8
Disagree	69	4.4	4.4	95.1
Strongly Disagree	18	1.1	1.1	96.3
No answer	59	3.7	3.7	100.0
Total	1579	100.0	100.0	

ALL FREQUENCIES

¢

Workers are most in touch with safety issues that affect them

Percent	Frequency	Percent	Valid Percent	Cumulative
Valid Strongly Agree	639	40.5	40.5	40.5
Agree	758	48.0	48.0	88.5
Disagree	87	5.5	5.5	94.0
Strongly Disagree	29	1.8	1.8	95.8
No answer	66	4.2	4.2	100.0
Total	1579	100.0	100.0	

¢

There are safety hazards that can not be controlled

--	--	--	--	--

ALL FREQUENCIES

Percent		Frequency	Percent	Valid Percent	Cumulative
	valid Strongly Agree	479	30.3	30.3	30.3
	Agree	918	58.1	58.1	88.5
	Disagree	94	6.0	6.0	94.4
	Strongly Disagree	37	2.3	2.3	96.8
	No answer	51	3.2	3.2	100.0
	Total	1579	100.0	100.0	

¢

Trade

Percent		Frequency	Percent	Valid Percent	Cumulative
	valid Pipefitter/plumber	417	26.4	26.4	26.4

ALL FREQUENCIES

	Sprinkler fitter	13	.8	.8		27.2
	Carpenter	156	9.9	9.9		37.1
	Electrician	559	35.4	35.4		72.5
	Sheet metal	99	6.3	6.3		78.8
	Laborer	70	4.4	4.4		83.2
	Insulator	21	1.3	1.3		84.5
	Painter	13	.8	.8		85.4
	Operating Engineer	17	1.1	1.1		86.4
	Iron worker	10	.6	.6		87.1
	Cement Mason	3	.2	.2		87.3

ALL FREQUENCIES					
	Bricklayer	1	.1	.1	87.3
	-----	-----	-----	-----	
	Other: Craft	61	3.9	3.9	91.2
	-----	-----	-----	-----	
	Other: Non-craft	83	5.3	5.3	96.5
	-----	-----	-----	-----	
	No answer	56	3.5	3.5	100.0
	-----	-----	-----	-----	
	Total	1579	100.0	100.0	
	-----	-----	-----	-----	

¢

Number of years in this trade

Percent		Frequency	Percent	Valid Percent	Cumulative
	-----	-----	-----	-----	
Valid	Less than 6 months	38	2.4	2.4	2.4
	-----	-----	-----	-----	
	1	105	6.6	6.6	9.1
	-----	-----	-----	-----	
	2	36	2.3	2.3	11.3
	-----	-----	-----	-----	

ALL FREQUENCIES

3	47	3.0	3.0	14.3	

4	64	4.1	4.1	18.4	

5	75	4.7	4.7	23.1	

6	74	4.7	4.7	27.8	

7	40	2.5	2.5	30.3	

8	40	2.5	2.5	32.9	

9	19	1.2	1.2	34.1	

10	84	5.3	5.3	39.4	

11	27	1.7	1.7	41.1	

12	46	2.9	2.9	44.0	

13	26	1.6	1.6	45.7	

ALL FREQUENCIES

	14	26	1.6	1.6	47.3
	15	64	4.1	4.1	51.4
	16	21	1.3	1.3	52.7
	17	22	1.4	1.4	54.1
	18	35	2.2	2.2	56.3
	19	15	.9	.9	57.3
	20	95	6.0	6.0	63.3
	21	31	2.0	2.0	65.2
	22	36	2.3	2.3	67.5
	23	20	1.3	1.3	68.8

ALL FREQUENCIES

24	23	1.5	1.5	70.2		
-----	-----	-----	-----	-----		
25	80	5.1	5.1	75.3		
-----	-----	-----	-----	-----		
26	27	1.7	1.7	77.0		
-----	-----	-----	-----	-----		
27	19	1.2	1.2	78.2		
-----	-----	-----	-----	-----		
28	23	1.5	1.5	79.7		
-----	-----	-----	-----	-----		
29	11	.7	.7	80.4		
-----	-----	-----	-----	-----		
30	72	4.6	4.6	84.9		
-----	-----	-----	-----	-----		
31	11	.7	.7	85.6		
-----	-----	-----	-----	-----		
32	17	1.1	1.1	86.7		
-----	-----	-----	-----	-----		
33	10	.6	.6	87.3		
-----	-----	-----	-----	-----		
34	11	.7	.7	88.0		

ALL FREQUENCIES

	35	28	1.8	1.8	89.8
	36	9	.6	.6	90.4
	37	9	.6	.6	90.9
	38	5	.3	.3	91.3
	39	6	.4	.4	91.6
	40	18	1.1	1.1	92.8
	41	2	.1	.1	92.9
	42	4	.3	.3	93.2
	43	2	.1	.1	93.3
	44	1	.1	.1	93.4

ALL FREQUENCIES

45	1	.1	.1		93.4	
----- ----- -----						

47	1	.1	.1		93.5	
----- ----- -----						

48	1	.1	.1		93.5	
----- ----- -----						

50	4	.3	.3		93.8	
----- ----- -----						

55	1	.1	.1		93.9	
----- ----- -----						

61	1	.1	.1		93.9	
----- ----- -----						

71	1	.1	.1		94.0	
----- ----- -----						

No answer	95	6.0	6.0		100.0	
----- ----- -----						

Total	1579	100.0	100.0			
----- ----- -----						

¢

Job status on this job

ALL FREQUENCIES

Percent		Frequency	Percent	Valid Percent	Cumulative
	valid Apprentice	219	13.9	13.9	13.9
	Journeyman	852	54.0	54.0	67.8
	Foreman	183	11.6	11.6	79.4
	General Foreman	64	4.1	4.1	83.5
	Superintendent	30	1.9	1.9	85.4
	Office/admin	34	2.2	2.2	87.5
	Other	105	6.6	6.6	94.2
	No answer	92	5.8	5.8	100.0
	Total	1579	100.0	100.0	

ALL FREQUENCIES

¢

Age of respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
valid	18	11	.7	.7	.7
	19	9	.6	.6	1.3
	20	18	1.1	1.1	2.4
	21	22	1.4	1.4	3.8
	22	19	1.2	1.2	5.0
	23	25	1.6	1.6	6.6
	24	33	2.1	2.1	8.7
	25	25	1.6	1.6	10.3
	26	27	1.7	1.7	12.0
	27	28	1.8	1.8	13.7
	28	35	2.2	2.2	16.0
	29	30	1.9	1.9	17.9

ALL FREQUENCIES

30	51	3.2	3.2	21.1
-----	-----	-----	-----	-----
31	32	2.0	2.0	23.1
-----	-----	-----	-----	-----
32	27	1.7	1.7	24.8
-----	-----	-----	-----	-----
33	36	2.3	2.3	27.1
-----	-----	-----	-----	-----
34	26	1.6	1.6	28.8
-----	-----	-----	-----	-----
35	46	2.9	2.9	31.7
-----	-----	-----	-----	-----
36	51	3.2	3.2	34.9
-----	-----	-----	-----	-----
37	41	2.6	2.6	37.5
-----	-----	-----	-----	-----
38	52	3.3	3.3	40.8
-----	-----	-----	-----	-----
39	27	1.7	1.7	42.5
-----	-----	-----	-----	-----
40	48	3.0	3.0	45.5
-----	-----	-----	-----	-----
41	51	3.2	3.2	48.8
-----	-----	-----	-----	-----
42	43	2.7	2.7	51.5
-----	-----	-----	-----	-----
43	42	2.7	2.7	54.1
-----	-----	-----	-----	-----
44	36	2.3	2.3	56.4
-----	-----	-----	-----	-----
45	55	3.5	3.5	59.9
-----	-----	-----	-----	-----

ALL FREQUENCIES

	46	40	2.5	2.5	62.4	
	-----	-----	-----	-----	-----	
	47	38	2.4	2.4	64.9	
	-----	-----	-----	-----	-----	
	48	45	2.8	2.8	67.7	
	-----	-----	-----	-----	-----	
	49	29	1.8	1.8	69.5	
	-----	-----	-----	-----	-----	
	50	55	3.5	3.5	73.0	
	-----	-----	-----	-----	-----	
	51	29	1.8	1.8	74.9	
	-----	-----	-----	-----	-----	
	52	31	2.0	2.0	76.8	
	-----	-----	-----	-----	-----	
	53	44	2.8	2.8	79.6	
	-----	-----	-----	-----	-----	
	54	38	2.4	2.4	82.0	
	-----	-----	-----	-----	-----	
	55	23	1.5	1.5	83.5	
	-----	-----	-----	-----	-----	
	56	19	1.2	1.2	84.7	
	-----	-----	-----	-----	-----	
	57	20	1.3	1.3	85.9	
	-----	-----	-----	-----	-----	
	58	20	1.3	1.3	87.2	
	-----	-----	-----	-----	-----	
	59	19	1.2	1.2	88.4	
	-----	-----	-----	-----	-----	
	60	14	.9	.9	89.3	
	-----	-----	-----	-----	-----	
	61	11	.7	.7	90.0	

ALL FREQUENCIES

	62	3	.2	.2	90.2
	63	7	.4	.4	90.6
	64	5	.3	.3	90.9
	65	4	.3	.3	91.2
	66	1	.1	.1	91.3
	67	2	.1	.1	91.4
	68	1	.1	.1	91.5
	74	1	.1	.1	91.5
	75	1	.1	.1	91.6
	79	1	.1	.1	91.6
	90	1	.1	.1	91.7
	94	1	.1	.1	91.8
	No answer	130	8.2	8.2	100.0
	Total	1579	100.0	100.0	

¢

ALL FREQUENCIES

		Frequency	Percent	Valid Percent	Cumulative Percent
valid	Male	1403	88.9	88.9	88.9
	Female	87	5.5	5.5	94.4
	No answer	89	5.6	5.6	100.0
	Total	1579	100.0	100.0	

¢

Number of months working on this site

		Frequency	Percent	Valid Percent	Cumulative Percent
valid	Less than 4 weeks	71	4.5	4.5	4.5
	1	289	18.3	18.3	22.8
	2	296	18.7	18.7	41.5
	3	205	13.0	13.0	54.5

ALL FREQUENCIES

	4	136	8.6	8.6	63.1
	5	76	4.8	4.8	68.0
	6	102	6.5	6.5	74.4
	7	63	4.0	4.0	78.4
	8	47	3.0	3.0	81.4
	9	24	1.5	1.5	82.9
	10	13	.8	.8	83.7
	11	5	.3	.3	84.0
	12	16	1.0	1.0	85.1
	13	5	.3	.3	85.4

ALL FREQUENCIES

	14	8	.5	.5	85.9
	-----	-----	-----	-----	

	15	2	.1	.1	86.0
	-----	-----	-----	-----	

	16	4	.3	.3	86.3
	-----	-----	-----	-----	

	17	1	.1	.1	86.3
	-----	-----	-----	-----	

	18	8	.5	.5	86.8
	-----	-----	-----	-----	

	20	5	.3	.3	87.1
	-----	-----	-----	-----	

	21	1	.1	.1	87.2
	-----	-----	-----	-----	

	22	3	.2	.2	87.4
	-----	-----	-----	-----	

	23	2	.1	.1	87.5
	-----	-----	-----	-----	

	24	30	1.9	1.9	89.4
	-----	-----	-----	-----	

	25	1	.1	.1	89.5

ALL FREQUENCIES

	28	5	.3	.3	89.8
	30	7	.4	.4	90.2
	33	1	.1	.1	90.3
	34	2	.1	.1	90.4
	36	28	1.8	1.8	92.2
	37	1	.1	.1	92.3
	38	2	.1	.1	92.4
	39	1	.1	.1	92.5
	40	2	.1	.1	92.6
	41	1	.1	.1	92.7

ALL FREQUENCIES					
	42	4	.3	.3	92.9
	-----	-----	-----	-----	

	45	2	.1	.1	93.0
	-----	-----	-----	-----	

	48	13	.8	.8	93.9
	-----	-----	-----	-----	

	49	1	.1	.1	93.9
	-----	-----	-----	-----	

	50	1	.1	.1	94.0
	-----	-----	-----	-----	

	54	2	.1	.1	94.1
	-----	-----	-----	-----	

	60	12	.8	.8	94.9
	-----	-----	-----	-----	

	72	4	.3	.3	95.1
	-----	-----	-----	-----	

	No Answer	77	4.9	4.9	100.0
	-----	-----	-----	-----	

	Total	1579	100.0	100.0	
	-----	-----	-----	-----	

¢

ALL FREQUENCIES

Employer

Cumulative Percent		Frequency	Percent	Valid Percent	
	Valid	ATG	62	3.9	18.3
		Rosendin Electric	49	3.1	14.5
		Dryer and Sons Electric	14	.9	4.1
		CCE	14	.9	4.1
		Fullman	106	6.7	31.3
		TCM	7	.4	2.1
		Streimer	25	1.6	7.4
		PCI	15	.9	4.4
		Protocol Inc	9	.6	2.7

ALL FREQUENCIES

	Hoffman	2	.1	.6	89.4
	other	36	2.3	10.6	100.0
	Total	339	21.5	100.0	
Missing	System	1240	78.5		
Total		1579	100.0		

¢