

**ODOT Assessing Public Inconvenience on Highway and
Construction Projects—Trucker Survey
Codebook (from SPSS)**

List of variables on the working file

Name (Position) Label

respnum\$ (1)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F9
Write Format: F9

time\$ (2)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F6
Write Format: F6

hello1 (3)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

hello1a (4)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

hello2 (5)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

cooperat (6)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

zone (7) Traveled Through Construction Zone

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

Value Label

1 YES
2 NO
7 REFUSED

- 8 DON'T KNOW
9 NO ANSWER

zone1 (8) Number of Times Traveled Through Zone

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F1

Write Format: F1

Value Label

- 1 1-2 TIMES
2 3-5 TIMES
3 6-10 TIMES
4 11-20 TIMES
5 21-100 TIMES
6 > 100 TIMES
7 REFUSED
8 DON'T KNOW
9 NO ANSWER

zone3 (9) Frequency of Zone Passage

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F1

Write Format: F1

Value Label

- 1 LESS THAN ONCE A WEEK
2 ABOUT ONCE A WEEK
3 TWO TO FOUR TIMES PER WEEK
4 ONCE A DAY
5 TWICE A DAY
6 MORE THAN TWICE A DAY
7 REFUSED
8 DON'T KNOW
9 NO ANSWER

altrout (10) Possible to Avoid Zone Using Alternate Route

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F1

Write Format: F1

Value Label

- 1 YES
2 NO

- 3 OTHER (SPECIFY)
- 7 REFUSED
- 8 DON'T KNOW
- 9 NO ANSWER

delay1 (11) Delayed by Construction?
Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

Value Label

- 1 YES
- 2 NO
- 7 REFUSED
- 8 DON'T KNOW
- 9 NO ANSWER

delay2 (12) Frequency of Delay
Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

Value Label

- 1 ALWAYS
- 2 OFTEN
- 3 SOMETIMES
- 4 RARELY
- 7 REFUSED
- 8 DON'T KNOW
- 9 NO ANSWER

—

delay3 (13) Duration of Average Delay in Minutes
Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F2
Write Format: F2

Value Label

- 96 96 OR MORE MINUTES
- 97 REFUSED
- 98 DON'T KNOW
- 99 NO ANSWER

delay4 (14) Duration of Longest Delay in Minutes
Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F2

Write Format: F2

Value Label

96	96 OR MORE
97	REFUSED
98	DON'T KNOW
99	NO ANSWER

delay6 (15) Was Delay Reasonable?

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F1

Write Format: F1

Value Label

1	YES
2	NO
7	REFUSED
8	DON'T KNOW
9	NO ANSWER

—

delay7b (16) Longest Acceptable Delay with Advance Notice

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F2

Write Format: F2

Value Label

96	96 OR MORE MINUTES
97	REFUSED
98	DON'T KNOW
99	NO ANSWER

delay8b (17) Longest Acceptable Delay without Advance Notice

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F2

Write Format: F2

Value Label

96	96 OR MORE MINUTES
97	REFUSED
98	DON'T KNOW
99	NO ANSWER

inconv1 (18) Other Inconveniences in Zone

Measurement Level: Scale

Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

Value Label

- 1 YES
- 2 NO
- 7 REFUSED
- 8 DON'T KNOW
- 9 NO ANSWER

—

easy1a (19) Ease of Understanding Directions Through Zone

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

Value Label

- 1 VERY EASY
- 2 SOMEWHAT EASY
- 3 SOMEWHAT DIFFICULT
- 4 VERY DIFFICULT
- 5 (IF VOLUNTEERED) IT HAS VARIED
- 7 REFUSED
- 8 DON'T KNOW
- 9 NO ANSWER

easy2a (20) Ease of Accessing Intersections Through Zone

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

Value Label

- 7 REFUSED
- 8 DON'T KNOW
- 9 NO ANSWER

easy3a (21) Overall Ease of Travel Through Zone

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

Value Label

- 1 VERY EASY
- 2 SOMEWHAT EASY
- 3 SOMEWHAT DIFFICULT

- 4 VERY DIFFICULT
- 5 IF VOLUNTEERED - IT HAS VARIED
- 6 OTHER (SPECIFY)
- 7 REFUSED
- 8 NO ANSWER
- 9 DON'T KNOW

inform (22) Most Information From Source

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F2

Write Format: F2

Value Label

- 1 TELEVISION
- 2 RADIO
- 3 NEWSPAPERS
- 5 READER BOARDS
- 6 ORANGE CONSTRUCTION SIGNS
- 7 FLAGGERS
- 8 LEAFLETS
- 9 MAIL TO HOME OR WORKPLACE
- 10 INTERNET OR WORLD WIDE WEB
- 11 WORD OF MOUTH
- 12 NEIGHBORHOOD OR PUBLIC MEETINGS
- 13 PLACE OF WORK OR VOLUNTEER
- 14 CABLE TELEVISION
- 15 TELEPHONE CALLS TO ODOT
- 16 GLOBAL POSITIONING SYSTEM
- 17 CB RADIO'S
- 18 CELL PHONES
- 19 OTHER - SPECIFY
- 97 REFUSED
- 98 DON'T KNOW
- 99 NO ANSWER

lisceyrs (23) Number of Years Driving

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F2

Write Format: F2

Value Label

- 0 -> LESS THAN ONE YEAR
- 84 -> 84 OR MORE YEARS
- 97 REFUSED
- 98 DON'T KNOW
- 99 NO ANSWER

drivoft (24) Days Per Week Driving

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F2

Write Format: F2

Value Label

97 REFUSED
98 DON'T KNOW
99 NO ANSWER

drivmil (25) Miles Driven Per Day

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F3

Write Format: F3

Value Label

996 996 MILES OR MORE
997 REFUSED
998 DON'T KNOW
999 NO ANSWER

driveorg (26) Percentage of Miles in Oregon

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F3

Write Format: F3

commkts (27) R's Firm Hauls Commodities?

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F1

Write Format: F1

Value Label

1 YES
2 NO
7 REFUSED
8 DON'T KNOW
9 NO ANSWER

—

payload (28) Gross Vehicle Weight at Full Capacity

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F5

Write Format: F5

Value	Label
-------	-------

99996	99996 POUNDS OR MORE
99997	REFUSED
99998	DON'T KNOW
99999	NO ANSWER

scenario (29) Detour or Delays?

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F1

Write Format: F1

Value	Label
-------	-------

1	DETOUR WITH SHORTER PROJECT
2	LONGER PROJECT WITH NO DETOUR
3	NO PREFERENCE
4	OTHER - SPECIFY
7	REFUSED
8	DON'T KNOW
9	NO ANSWER

almstfin (30)

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F1

Write Format: F1

sex (31) Sex

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F1

Write Format: F1

Value	Label
-------	-------

1	MALE
2	FEMALE
7	REFUSED
8	DON'T KNOW
9	NO ANSWER

—

age (32) Age

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F2

Write Format: F2

Value	Label
-------	-------

- 96 96 OR MORE
- 97 REFUSED
- 98 DON'T KNOW
- 99 NO ANSWER

ending1 (33)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

ending2 (34)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

Value Label

- 1 VERY IMPORTANT
- 2 SOMEWHAT IMPORTANT
- 3 NOT IMPORTANT
- 7 REFUSED
- 8 DON'T KNOW
- 9 NO ANSWER

ending3 (35)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

Value Label

- 1 A GREAT DEAL
- 2 SOME
- 3 A LITTLE
- 4 NOT AT ALL
- 7 REFUSED
- 8 DON'T KNOW
- 9 NO ANSWER

—

ending4 (36)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F1
Write Format: F1

attnum (37)

Measurement Level: Scale
Column Width: 8 Alignment: Right

Print Format: F4
Write Format: F4

nffcode (38)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F4
Write Format: F4

pdispos (39)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F4
Write Format: F4

ager (40) Age (Categorized)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F8.2
Write Format: F8.2

Value	Label
1.00	18 THRU 29
2.00	30 THRU 39
3.00	40 THRU 49
4.00	50 THRU 59
5.00	60 THRU 69
6.00	70 OR OLDER
7.00	REFUSED
8.00	DON'T KNOW
9.00	NO ANSWER

—

dlay3r (41) Duration of Average Delay in Minutes (Categorized)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F8.2
Write Format: F8.2

Value	Label
1.00	FIVE MINUTES OR LESS
2.00	SIX TO TEN MINUTES
3.00	ELEVEN TO FIFTEEN MINUTES
4.00	SIXTEEN TO THIRTY MINUTES
5.00	THIRTY-ONE TO FORTY-FIVE MINUTES
6.00	FORTY-SIX TO SIXTY MINUTES
7.00	SIXTY-ONE MINUTES OR MORE
97.00	REFUSED
98.00	DON'T KNOW
99.00	NO ANSWER

dlay4r (42) Duration of Longest Delay in Minutes (Categorized)

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F8.2

Write Format: F8.2

Value Label

1.00	FIVE MINUTES OR LESS
2.00	SIX TO TEN MINUTES
3.00	ELEVEN TO FIFTEEN MINUTES
4.00	SIXTEEN TO THIRTY MINUTES
5.00	THIRTY-ONE TO FORTY-FIVE MINUTES
6.00	FORTY-SIX TO SIXTY MINUTES
7.00	SIXTY-ONE MINUTES OR MORE
97.00	REFUSED
98.00	DON'T KNOW
99.00	NO ANSWER

—

dlay7br (43) Longest Acceptable Delay w/ Advance Notice (Categorized)

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F8.2

Write Format: F8.2

Value Label

1.00	FIVE MINUTES OR LESS
2.00	SIX TO TEN MINUTES
3.00	ELEVEN TO FIFTEEN MINUTES
4.00	SIXTEEN TO THIRTY MINUTES
5.00	THIRTY-ONE TO FORTY-FIVE MINUTES
6.00	FORTY-SIX TO SIXTY MINUTES
7.00	SIXTY-ONE MINUTES OR MORE
97.00	REFUSED
98.00	DON'T KNOW
99.00	NO ANSWER

dlay8br (44) Longest Acceptable Delay w/o Advance Notice (Categorized)

Measurement Level: Scale

Column Width: 8 Alignment: Right

Print Format: F8.2

Write Format: F8.2

Value Label

1.00	FIVE MINUTES OR LESS
2.00	SIX TO TEN MINUTES
3.00	ELEVEN TO FIFTEEN MINUTES
4.00	SIXTEEN TO THIRTY MINUTES
5.00	THIRTY-ONE TO FORTY-FIVE MINUTES
6.00	FORTY-SIX TO SIXTY MINUTES

7.00 SIXTY-ONE MINUTES OR MORE
97.00 REFUSED
98.00 DON'T KNOW
99.00 NO ANSWER

—

lyrsr (45) Number of Years Driving (Categorized)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F8.2
Write Format: F8.2

Value	Label
1.00	FIVE YEARS OR LESS
2.00	SIX TO TEN YEARS
3.00	ELEVEN TO FIFTEEN YEARS
4.00	SIXTEEN TO TWENTY YEARS
5.00	TWENTY-ONE TO TWENTY-FIVE YEARS
6.00	TWENTY-SIX TO THIRTY YEARS
7.00	THIRTY-ONE TO FORTY YEARS
8.00	FORTY-ONE OR MORE YEARS
97.00	REFUSED
98.00	DON'T KNOW
99.00	NO ANSWER

drvmilr (46) Miles Driven Per Day (Categorized)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F8.2
Write Format: F8.2

Value	Label
1.00	100 MILES OR LESS
2.00	101 TO 200 MILES
3.00	201 TO 300 MILES
4.00	301 TO 400 MILES
5.00	401 MILES OR MORE
7.00	REFUSED
8.00	DON'T KNOW
9.00	NO ANSWER

—

pyloadr (47) Gross Vehicle Weight at Full Capacity (Categorized)

Measurement Level: Scale
Column Width: 8 Alignment: Right
Print Format: F8.2
Write Format: F8.2

Value	Label
1.00	70,000 OR LESS
2.00	70,001 TO 80,000
3.00	80,001 TO 99,000
4.00	99,001 OR MORE
7.00	REFUSED
8.00	DON'T KNOW
9.00	NO ANSWER

-