

HISTORICAL VERSUS NARRATIVE TRUTH: CLARIFYING THE ROLE OF EXOGENOUS TRAUMA IN THE ETIOLOGY OF MPD AND ITS VARIANTS

George K. Ganaway, M.D.

George K. Ganaway, M.D., is Clinical Assistant Professor of Psychiatry at the Emory University School of Medicine and Program Director of the Ridgeview Center for Dissociative Disorders.

For reprints write George K. Ganaway, M.D., Program Director, Ridgeview Center for Dissociative Disorders, Ridgeview Institute, 3995 South Cobb Drive, Smyrna, Georgia 30080.

ABSTRACT

The author notes a current trend toward viewing multiple personality disorder (MPD) and its variants as a form of chronic post-traumatic stress disorder based solely on exogenous childhood trauma, and cautions against prematurely reductionistic hypotheses. He focuses on Kluft's Third Etiological Factor, which includes the various developmental, biological, interpersonal, sociocultural, and psychodynamic shaping influences and substrates that determine the form taken by the dissociative defense. He hypothesizes a credibility continuum of childhood and contemporary memories arising primarily from exogenous trauma at one end, and endogenous trauma (stemming from intrapsychic adaptational needs) at the other. The author offers alternative multidetermined explanations for certain unverified trauma memories that currently are being accepted and validated as factual experiences by many therapists. He describes some potentially deleterious effects of validating unverified trauma memories during psychotherapy, and recommends that the MPD patients' need for unconditional credibility be responded to in the same manner as other transference-generated productions.

INTRODUCTION

Despite the renaissance and growing acceptance by the mental health profession of multiple personality disorder (MPD) as a distinct clinical syndrome during the present decade, a healthy degree of controversy remains over certain aspects of diagnosis and treatment. For example, some MPD authorities prefer that amnesia be included as a diagnostic criterion for this disorder, while others are concerned this might result in a number of false negative diagnoses in individuals who otherwise fit the descriptive criteria by history and mental status examination (Kluft, Steinberg, & Spitzer, 1988; Ross, 1989). From a treatment standpoint, therapeutic pluralism best describes the variety of psychotherapeutic approaches currently offered by clinicians (Kluft, 1988b).

To date there has been general agreement among

authorities, however, regarding the etiology of MPD. Since its introduction in 1984, Kluft's Four-Factor Theory has provided a useful conceptual framework for understanding the complex origins of this syndrome. Kluft hypothesized that MPD represents the final common pathway of a wide variety of contributing influences interacting in various combinations. Factor 1, a possibly inherited dissociation potential, phenomenologically is seen as a high capacity for autohypnotic trance experiences. Factor 2 comprises life experiences that traumatically overwhelm non-dissociative adaptive ego defense mechanisms. Factor 3 consists of certain shaping influences and substrates that are thought to determine the form taken by the dissociative defense. Factor 4 is the absence or inadequate provision of soothing, restorative experiences for the traumatized child by significant others (Kluft, 1984).

Factors 1, 2 and 4 have received considerable attention by investigators in the field, who convincingly have demonstrated a link between unrepaired traumatic early life experiences and the development of multiplicity or its variants in the dissociation-prone child. In the process of establishing MPD as a chronic dissociative post-traumatic stress disorder, however, Kluft's third factor appears to have gotten short shrift.

Osler said, "It is much more important to know what sort of patient has a disease than what sort of disease a patient has" (Connery, 1982). Yet in contrast to the rising flood of works being published on the cause-and-effect role of childhood trauma in the creation and perpetuation of disagggregated self states (Kluft, 1988c), there has been a conspicuous drought in the area of studies focusing on dissociation-prone personality development from a biological, genetic, and psychodynamic perspective. With a few exceptions (e.g., Bliss, 1984, 1986, 1988; Ulman & Brothers, 1988; Young, 1988a, 1988b; Carlson & Putnam, 1989), the MPD literature remains remarkably barren of papers addressing the influential etiological effects of such inherent mechanisms and potentials as hypnotic trance logic, absorption, imaginative involvement, fantasy-proneness, and other personality traits and characteristics of the highly hypnotizable; or links to object relational concepts such as self- and object-representations, introjection, internalization, identification, projection, projective identification and splitting. Similarly, few have written about such childhood extrinsic influences as experiences of contradictory parental demands (Spiegel, 1986) and reinforced role-playing, or contemporary extrinsic influences such as the audiovisual media and literature,

tactical errors in interview technique, and effects of previous therapy (Kluft, 1984).

The purpose of this paper is to utilize Kluft's third factor as a springboard for exploring the issue of the veracity of adult MPD patient memories of childhood and contemporary trauma experiences. In addressing the sensitive issue of patient credibility it is the author's intent to impugn neither the data collected by investigators in the field who believe most or all MPD patient memories to be factual historical accounts nor the honesty and integrity of MPD patients and their therapists. Rather it is hoped that by scrutinizing the shaping influences that determine the form that is taken by the dissociative defense and the way that experience is remembered, this paper will generate lively discussion over current trends in investigative and therapeutic endeavors.

In order to approach the subject thoughtfully, the author first will examine why the credibility issue has heretofore conspicuously been neglected in the MPD literature, and offer a rationale for its current exploration.

THE STRUGGLE FOR SCIENTIFIC CREDIBILITY

The past decade has witnessed an almost exponential increase in the number of published articles on childhood trauma (especially physical and sexual abuse) and its potential causative link to the development of chronic disturbances of object relations and adaptive ego functioning. Many of these works have focused on the dissociative defenses and dissociative states as they are manifested in multiple personality disorder and its variants, producing chronic functional disturbances of memory and identity (Putnam, 1985; Kluft, 1985a, 1985b, 1986, 1987). Some investigators also have begun to study the relationship between child abuse, especially incest, and the development of non-dissociative post-traumatic stress symptoms or severe character pathology, such as borderline and narcissistic personality disorders (Donaldson & Gardner, 1985; Beck & van der Kolk, 1987; Goodwin, 1985b, 1988; Herman, Russell, & Trocki, 1986; Herman & van der Kolk, 1987; Ulman & Brothers, 1988).

With more accurate reporting of the prevalence of intrafamilial physical and sexual child abuse in the 1970s and 1980s, Freud's repudiation of the seduction theory has been under legitimate fire (Masson, 1984; Bliss, 1988). As Wilbur's case of Sybil (Schreiber, 1973) became widely known publicly in the early 1970s and Allison began reporting on his work with MPD (Allison, 1974; Allison & Schwarz, 1980), the link between child abuse and multiple personality came under the scrutiny of additional investigators and therapists studying and treating cases similar to theirs (Putnam, Guroff, Silberman, Barban, & Post, 1986; Kluft, 1985a).

From the outset, however, one of the central methodological problems in the scientific investigation of such a link has been difficulty obtaining independent corroboration of the abuse histories. Most studies to date have been retrospective and based on uncorroborated self-reported historical data from diagnosed adult MPD patients (Putnam, 1985; Kluft, 1985b; Putnam, 1986; Putnam et al., 1986). Further

complicating the picture is the fact that frequently these data have been based on memory material obtained during therapist-induced hypnosis or spontaneous autohypnotic trance states. The assumed veracity of memories recovered during hypnosis has come under as much legitimate fire as has Freud's repudiation of his seduction hypothesis (e.g., Orne, 1979; Lawrence & Perry, 1988).

More recently investigators have begun to focus on prospective studies in which children who have experienced documented abuse are being screened at regular intervals for evidence of developing psychopathology, including dissociative syndromes. Preliminary findings are reinforcing the hypothesis that dissociation as a defense and/or a state phenomenon is likely to prove much more prevalent in the abused child than in matched controls (Putnam, 1985, 1986, 1989). Additionally, childhood cases of MPD have been discovered and treated by therapists who more easily are able retrospectively to confirm factual trauma experiences (Fagan & McMahon, 1984; Kluft, 1985b, 1986; Riley & Mead, 1988; Putnam, 1989).

Some investigators have attempted to verify self-reported abuse histories in adult dissociative patients (Schreiber, 1973; Bliss, 1984; Bliss & Bliss, 1985; Herman & Schatzow, 1987). Kluft, who made no effort to seek such documentations, nonetheless obtained external corroboration in 15 percent of a cohort of 105 MPD patients he personally treated (Putnam, 1985), and Coons and Milstein (1984, 1986) were able to obtain some type of independent verification of abuse histories in 85% of a group of 20 MPD patients.

Sufficient evidence has accumulated during the past two decades to say with some confidence that there is a suspected causal link between traumatic childhood experiences and multiple personality disorder. As yet, however, it has not been *proven* that childhood trauma *causes* MPD (Putnam, 1989). Investigators begin to tread on shaky ground when they try to extrapolate on the basis of relatively small samples of corroborated abuse data, since there may remain undiscovered additional links in the causal chain of influences leading to the common phenomenological presentation of multiplicity. Various biological predispositions, psychodynamic mechanisms, and sociocultural factors may play yet unformulated key roles in the development of a dissociative diathesis.

Herein lies much of the sensitivity surrounding the issue of credibility. From Freud's repudiation of the seduction theory until quite recently, the road to credibility for abused children and adult survivors has been entirely uphill throughout the twentieth century (Goodwin, 1985a; Haugaard & Reppucci, 1988; Summit, 1989; Ross, 1989). Now that society is more willing to air its family secrets and the movement to "believe the children" has gained momentum, there is perhaps a reluctance on the part of those in the vanguard to pause and take a closer look at the direction in which the scientific study and treatment of dissociative disorders may be heading.

PATIENT AND THERAPIST SENSITIVITY TO SKEPTICISM

Kluft (1988c) arbitrarily has defined extremely complex multiples as those having 26 or more alters. As therapists' caseloads of MPD patients rapidly expand due to their improved diagnostic acumen, increasing numbers of these extremely complex multiples are being identified and treated. Many of these recently diagnosed patients are recovering memories during therapy sessions of abuse experiences of such a progressively bizarre and exotic quality and incredible quantity as to test the credulity of even the most empathic and open-minded therapist. The most widely addressed and publicized example of this has been a virtual epidemic of MPD patients reporting childhood and sometimes contemporary adult involvement in multigenerational satanic cults (Braun & Sachs, 1988; Young, 1988c; Lyons, 1988; Braun, 1989a, 1989b; Ganaway, 1989a; Johnston, 1989). Some of these patients have appeared on television talk shows (at times supported by their therapists) recounting participation in multiple human sacrifices. Members of the Cult Crime Impact Network estimate that if these reports are accurate, as many as 50,000 human sacrifices a year are being carried out by a nationwide covert network of satanic cults (Price, 1989; Johnston, 1989). Snowden estimates that 250 therapists nationwide are working with satanic ritual abuse cases, with one psychologist alone, for example, treating as many as thirty victims on a regular basis (Price, 1989).

Prior to the rise in reported satanic ritual abuse memories, MPD investigators and therapists could more comfortably address patient reports of childhood trauma as being largely fact-based in the light of at least some level of independently corroborated histories in the literature. This is becoming more difficult from a scientific perspective, now, as therapists are enjoined by patients to validate increasingly bizarre memory material.

Now that a theory of traumatic origin has gained a solid foothold in the MPD field, the author has observed a trend toward facile acceptance and expressed validation of uncorroborated trauma memories by therapists who have become sensitized to years of accusations that MPD patients' memories are purely fantasy (Kluft, 1988a; Ganaway, 1989a). In the wake of the current wave of extensive, incredible, often unverifiable abuse accounts, however, therapists who continue to feel compelled to suspend their critical judgment in active support of the veridicality of all of their patients' reconstructed traumatic memories may be placing the MPD field in particular and research on child abuse in general at risk. There is danger of sacrificing what hard-won scientific credibility they have earned in the service of providing what mistakenly may be considered an unequivocal healing experience for the patient. Such assumptions are mistaken, because it will be shown later in this paper that there may be antitherapeutic consequences of the validation of uncorroborated memory material in MPD patients.

Unless scientifically documented proof is forthcoming, patients and therapists who validate and publicly defend the unsubstantiated veracity of these reports may find themselves developing into a cult of their own, validating each

others' belief systems while ignoring (and being ignored by) the scientific and psychotherapeutic community at large.

THE NEED FOR AN ALL-INCLUSIVE THEORY

Circa 1510 Leonardo da Vinci said, "Experience does not err, it is only your judgement that errs in promising itself results which are not caused by your experiments" (Boorstin, 1983). More recently, in a plenary presentation at the Third International Conference on Multiple Personality/Dissociative States, Nemiah (1986), acknowledging the important contribution of MPD investigators and therapists in validating a fact-based childhood trauma link in the development of multiplicity, cautioned against letting the theoretical pendulum swing so far away from previous hypotheses as to dismiss established psychoanalytic theory altogether. That, indeed, could result in throwing the baby out with the bath water. He suggested instead that MPD be considered a product of a mutually potentiating combination of both factual trauma and childhood phase-specific sexual fantasy and conflict. In so doing, Nemiah was one of the first implicitly to urge that Kluft's Factor 3 not be ignored in etiological formulations.

A viable new theory not only must successfully incorporate existing theories, but also must provide a logical and reasonably parsimonious explanation for previously unexplained phenomena. An etiological theory for MPD that relies entirely on fact-based exogenous trauma to account for the development of multiplicity fails to explain related dissociative syndromes for which no exogenous trauma can be identified. For example, such a theory would not explain the existence of seemingly autonomous alter-like entities in spiritualists and channelers without abuse histories, or the MPD-like syndrome seen in alleged victims of UFO alien abduction schemes (Evans, 1987; Klass, 1989; Ganaway, 1989a).

In the remainder of this paper the author will examine the aspects of Kluft's Third Etiological Factor that impact on the veracity of MPD patient trauma memories, using his own case material to demonstrate the need for integrating psychodynamic principles with experimental hypnosis findings and sociocultural factors in the ongoing study and treatment of multiple personality disorder and its variants. Drawing from Kluft's outline of the shaping influences and substrates that are hypothesized to determine the form taken by the dissociative defense (Kluft, 1984), the personality features and peculiar characteristics of cognition and memory in the highly hypnotizable individual will be examined. Relevant childhood and contemporary interpersonal and sociocultural influences will be touched upon. Psychodynamic and neurophysiological issues will be explored. Also, using a synthesis of these shaping influences, alternative explanations will be considered to account for the manifest content of certain trauma memories in MPD patients and individuals with related dissociative phenomena. Finally, the potential impact on progress and outcome of different therapeutic approaches to traumatic memory material will be discussed.

THE GRADE FIVE SYNDROME: HYPNOTIZABILITY AND MPD

Bliss (1984, 1986, 1988) has postulated that the crux of the syndrome of multiple personality disorder represents an unrecognized abuse of self-hypnosis. While this may be a gross oversimplification of the syndrome, there remains little doubt that hypnotizability plays a vital role in the etiology and proliferation of multiplicity (Kluft, 1984; Frischholz, 1985; Bliss, 1984, 1986; Putnam, 1985).

Each year in doing consultation clinics for the pre-conference workshops at the International Conferences on Multiple Personality/Dissociative States, the author continues to be surprised at the number of experienced therapists who have yet to grasp that they are treating patients who in effect are continually moving in and out of hypnotic trance states, no matter what the therapists' intent may be regarding the use of hypnotic techniques. On one occasion when the author was cautioning that memories recovered in a hypnoid state should be understood as an admixture of fact and confabulatory material, one consultee argued that this could not possibly be the case with her MPD client, as she never used hypnosis in therapy sessions; child alters simply would emerge spontaneously in vivid reenactments of their trauma.

Those familiar with the characteristics of the most highly hypnotizable individuals recognize that a propensity for spontaneous trance experiences, spontaneous age regressions under hypnosis, and the revivification of memories in the present tense are hallmarks of this somewhat unique group. Spiegel (1974) distinguished this population of high hypnotizables by labeling them *The Grade Five Syndrome*, after his schema for measuring what he believes to be a biologically derived continuum of hypnotizability that remains fixed and measurable in adulthood on an arbitrarily-devised scale of 0 to 5. Fives, the most hypnotizable, are relatively uncommon, constituting less than 5 percent of the general population.

Fives, or "highs," also share a particular configuration of personality traits or characteristics that may become exaggerated and contribute to their psychopathology when psychobiological decompensation occurs (Spiegel & Spiegel, 1978). There is a *posture of trust* in interpersonal situations described by Spiegel as "an intense beguilingly innocent expectation of support from others in a somewhat atavistic, prelinguistic mode...that goes beyond reasonable limits to become postured and demanding." This can become a pathological compliance with people in the environment, including the therapist. *Suspension of critical judgement* refers to the readiness to replace current premises and beliefs with new ones without the careful cognitive screening that usually takes place in less hypnotizable persons. This is consistent with another characteristic of this group, *trance logic*, which was originally described by Orne (1959) as the capacity to be unaware of even extreme logical incongruity. Highs have little difficulty with an hypnotically induced hallucination, for example, of the therapist sitting in two different places in the interview room at the same time.

Highs are known as well for an intense *capacity for concentration* or focused attention, and for dissociating as they are

doing so. This trait has been observed and measured experimentally by others as *absorption* (Hilgard, 1977). They also possess an *excellent memory*, often being able to store and recall especially visual detail in the manner that a sponge absorbs water. Spiegel notes that this learning is usually uncritical and all-inclusive, which is in part explained by the above-noted suspension of critical judgement, as well as by another characteristic of this group: a marked propensity for *affiliation with new events* with an almost magnetic attraction. Finally, a *fixed personality core* is present underneath what appears on the surface to be this marvelously malleable overlay — so fixed as to be massively resistant to negotiation or change. Spiegel described examples of clearly demonstrated conversion symptoms in these patients which, although removable under hypnosis, always returned in the waking state. There was so much secondary gain (hidden psychodynamic significance) in certain symptoms as to make them virtually nonnegotiable in terms of permanently breaching the dissociative defense and deprogramming them from the trance logic (Spiegel & Spiegel, 1978).

In the first 2 1/2 years as director of a hospital-based dissociative disorders program, the author personally treated or interviewed in consultation a total of 82 individuals who met DSM-III-R diagnostic criteria for dissociative disorders. Of these, 54 (66%) met the criteria for adult MPD. Virtually all of the patients in the MPD group also met Spiegel's criteria for the Grade Five Syndrome. Considerable space has been devoted here to this syndrome of personality characteristics because of the obvious similarities in the two groups and the implications regarding learning, remembering and relating to others in every day life as well as in the therapy setting. Before discussing these, however, additional pertinent findings in the experimental hypnosis field will be reviewed.

HYPNOTIZABILITY AND MEMORY

While the excellent rote and eidetic memory demonstrated by Grade Five Syndrome individuals might lead to the hypothesis that memories recovered in trance states by this group would be especially rich, vivid and accurate in detail, formal experiments have demonstrated that this hypothesis is only half right; they are indeed vivid and rich in detail, but not necessarily accurate. The experimental hypnosis literature is replete with studies clearly demonstrating that it is not possible to distinguish accurate from inaccurate details of hypnotically retrieved memories without independent verification; hypnosis tends to increase "recall" of both (Orne, 1979; Orne, Whitehouse, Dinges, & Orne, 1988; Perry, D'Eon, & Tallant, 1988; Sheehan, 1988a; Laurence & Perry, 1988). Furthermore, virtually every study that has examined the subjects' confidence in the veracity of their memories has demonstrated that hypnosis increases confidence in the veracity of both correct and incorrect recalled material (Laurence & Perry, 1988; Sheehan, 1988b).

Further compounding the risk of inaccuracy of memories in the MPD patient is evidence that high hypnotizables feel more compelled than low hypnotizables to fill in memory gaps with confabulated fantasies when pressed for details

(Spiegel & Spiegel, 1978; Orne, 1979; Laurence & Perry, 1988). This finding is consistent with the previously described personality traits and characteristics of Grade Fives. H. Spiegel (1978) has described a *compulsive triad* consisting of compulsive compliance, source amnesia and rationalization that is particularly common in highs and predisposes them to respond even in the waking state to leading questions as if they were suggestions or commands without conscious awareness that they are so doing (Ganaway, 1988). He, Orne (1979) and others have demonstrated experimentally how the formation of an entire belief system with its own set of supporting pseudomemories can be cued by a simple suggestion from the interviewer, and, if not extinguished, could potentially become part of the subject's permanent sense of narrative truth.

These data suggest that MPD patients should be considered at high risk for contamination by pseudomemories in the hands of therapists who unwittingly or not, verbally or otherwise, cue them to respond to the therapists' expectations or needs. Therapists need not be the source of the contamination, however. There is evidence as well that other exogenous sources such as books, movies, or special childhood and adult relationships may provide material that can be assimilated in a dissociated state and later be recalled under hypnosis as original material believed by the subject to be personal experience. The most publicized examples of this have been reincarnation stories elicited during hypnotic age regressions (Laurence & Perry, 1988; Planer, 1988; Young, 1988b).

In such cases as these it reasonably could be hypothesized that the assimilation of the exogenous material in a dissociated state served particular psychodynamic defensive needs during a window of vulnerability in the subject's life. Since MPD patients typically have begun to establish a matrix of dissociated self states by early childhood, there would be ample opportunities for the introjection of externally derived "raw materials" into the fabric of the evolving internal landscape or "inscape" to flesh out physical characteristics of alters and to fill in gaps in their experiential histories. The resultant system of alters and the internal world in which they live would then represent the evolution of an admixture of genuine and "borrowed" experiences, further refined and elaborated by the patients' defensive and restitutional fantasies (Young, 1988b).

HYPNOTIZABILITY AND FANTASY-PRONENESS

The association of a robust level of imaginative involvement (the fantasy-prone personality) with high hypnotizability has been known for years (Hilgard, J., 1965, 1970; Hilgard, E., 1977; Wilson & Barber, 1983; Zlotogorski, Hahneman, & Wiggs, 1987; LeBaron, Zeltzer, & Fanurik, 1988; Rhue & Lynn, 1989). In the multiple personality disorder patient, however, the role of fantasy in establishing and maintaining the defensive network of alters and the mental matrix in which they reside is just now beginning to be understood and appreciated (Bliss, 1986, 1988; Ulman & Brothers, 1988; Young, 1988a, 1988b).

Considering the pre-operational level of cognitive func-

tioning that exists during the early childhood period when multiplicity is thought to take shape (Piaget, 1962; Phillips, 1975) and the Grade Five personality characteristics of the population at risk for multiplicity, it should be no surprise that rich imaginative involvement plays a key role in determining the form taken by the dissociative defense. Within the world of trance logic the uniqueness and vastness of the internal system is limited only by the creativity and psychodynamic needs of the constructor. Created alters may take the form of children, adolescents or adults of either sex, or not be human at all (Bliss, 1986; Smith, 1989). The author has encountered demons, angels, sages, lobsters, chickens, tigers, a gorilla, a unicorn, and "God" among the alters of MPD patients he has interviewed, to name only a few. The inscapes in which they exist have ranged from labyrinthine tunnels and mazes to castles in enchanted forests, high-rise office buildings, and even a separate galaxy. One male alter in an adult female multiple described a parallel internal existence with the host personality part since his creation at age 5 during prolonged and well documented father-daughter incest. The girl had imagined that if she were a boy she would be left alone. In the elaborate world she created inside the mind, the male alter grew up, married, bought a house, drove a pickup, had children, played with them in the snow on the front lawn of their imaginary home, and led an apparently fulfilled life, while the female host through the years continued to lead a constricted and schizoid lifestyle in the real world. Memories of the male alter's experiences were reported as being every bit as certain and real as the host's.

The above example reinforces Young's (1988b) observation that the structuralization of fantasy in the formation of alter personalities often serves a defensive purpose of mastery and restitution in the wake of genuine trauma.

NARRATIVE TRUTH VERSUS HISTORICAL TRUTH

It is a small but cautious step from Young's (1988b) observations on fantasy to the more controversial position that memories of the actual trauma thought to activate the dissociative defense sometimes may represent illusion, hallucination, or pure fantasy. The intention of the author in taking this step is not to discount the validity of exogenous childhood trauma, but to implore investigators and therapists to maintain good critical judgement when encountering clearly controversial memory material.

The degree to which fantasy is incorporated into the development of dissociative defenses may vary from patient to patient, but can be expected to be present to some degree in every multiple, since it represents one of the basic ingredients necessary to construct the often elaborate inscape, or internal world of alters living by the laws of trance logic. In this regard it is no coincidence to discover that multiplicity appears to have its developmental origins in the preoperational, somewhat primary process cognitions of early childhood (Kluft, 1985b, 1986; Riley & Mead, 1988). Fantasy and magical thinking not only are normal and acceptable at this time (Piaget, 1962), but often a preferable alternative to an external environment that by comparison may be perceived

as dull, unstimulating, and unproviding of narcissistic need gratification (situations of marked deprivation of good enough mothering), or conversely perceived as so pervasively traumatic as to be massively overwhelming to the psyche in a life-threatening sense (situations of severe recurrent physical, sexual and/or emotional abuse with recurrent boundary violations). Many pathological families no doubt mix both of these with capricious overly intrusive nurturing in a confusing and unpredictable manner that creates continuous double bind cognitive distortions (Spiegel, 1986). This clinical picture sets an ideal stage for the use of self-hypnosis, absorption, and imaginative involvement as coping mechanisms of choice.

In guiding the MPD patient through the uncovering of early life experiences and exploring the matrix of the dissociative defense, then, the therapist should be prepared to encounter a mixture of fact and fantasy. As in psychodynamic psychotherapy with other disorders, the reconstruction of memory is subject to so much defensive distortion as to require the label of narrative truth, or psychical reality, as opposed to historical truth, or fact-based reality (Spence, 1982). This particularly holds true for the highly hypnotizable MPD patients, who additionally are vulnerable to distortion effects from intrusive inquiry or iatrogenic dissociation. Kluft (1984) cautions, "In a given patient, one may find episodes of photographic recall, confabulation, screen phenomena, confusion between dreams or fantasies and reality, irregular recollection, and willful misrepresentation. One awaits a goodness of fit among several forms of data, and often must be satisfied to remain uncertain" (p. 14).

FANTASY, HALLUCINATION AND ILLUSION AS ADAPTATIONAL AIDS

The manner in which confabulations and distortions of fact-based experiences of perceived trauma develop in MPD and its variants is no less complex and convoluted than the overall incorporation of fantasy itself in a defensive and restitutive role. It would be a prodigious task well beyond the scope of this paper to tease out the various interwoven extrinsic influences and intrapsychic needs that lead to the resultant perceived experiences that are reported to the therapist. Religious beliefs and sociocultural mores, values and expectations interface with pre-existing perhaps genetically encoded archetypal images to shape the form that the fantasies will take (Stevens, 1982; Hufford, 1982; Kenny, 1986; Evans, 1987; Campbell, 1988; Planer, 1988). Meanwhile the script for the internal acting out of a given fantasy is being written according to intrapsychic and interpersonal psychological needs.

While this process may be so complex and idiosyncratic as to defy generalizations, in the author's sample of treated dissociative patients, alters associated with fantasied traumatic memories have been observed to be serving two main psychodynamic needs in particular for mastering perceived victimization in the real world. These are: 1) a defensive need to screen intolerable, conflict-ridden, fact-based traumatic experiences from consciousness (e.g., the perpetrator is a villainous knight in a past-life rape memory rather than a

close relative in the present life); and 2) a defensive/restitutive need in the face of overwhelming feelings of badness, guilt, shame and low self esteem following prolonged narcissistic injury. This is done by imparting a grandiose sense of specialness to the created alter or to the otherwise mundane and apparently senseless real-life situation (in the above example the alter experiencing the past-life trauma might be a famous historical figure, perhaps a queen, or the special situation might be that the alter undergoes martyr-like victimization in the name of a God-sent mission). The following examples from the author's own case material help to illustrate the variety of ways that fantasy, hallucination, and illusion are used in this manner by the multiple in the course of protecting and preserving the integrity of the dissociative defense matrix to act as a buffer with reality.

Reported traumatic memories considered to be fantasy and/or illusion (which may or may not include introjection of extrinsically encountered characters, themes, ideas or entire stories) include: abuse experiences reported by alters claiming to represent pre-incarnations ("past lives"); malevolent demon possessions by alters claiming to be invading spirits from outside the body; pre-birth traumata creating intrauterine dissociative splits (there is no anatomical or physiological basis for sentience prior to 20 weeks gestation, and no meaningful EEG pattern of electrical activity until roughly 30 weeks [Hall, 1989]); and childhood ritual abuse memories of having the heart removed and replaced with an animal heart while fully conscious.

The author has encountered contemporary scenarios, as well, that demonstrate the power of the internal system's creative imagination to manufacture simulated trauma through self-hypnosis as a form of psychodynamic resistance to disruption of the dissociative defense during therapy. Consider the following case vignette:

Ms. A, a 31 year-old female, urgently telephoned her psychiatrist to report that an internal persecutory alter had just emerged and deeply slashed her vagina with a razor blade, leaving her with profuse hemorrhaging. She was instructed immediately to arrange for assessment and treatment at a nearby hospital emergency room, after which she was admitted to the hospital's psychiatric unit. On his arrival the psychiatrist was surprised to learn that a careful gynecological examination by the emergency room physician had revealed virtually no evidence of physical injury. During a subsequent interview it was determined that the alter in question had induced a vivid autohypnotic hallucinatory experience in the host in an effort to frighten her into cancelling further therapy sessions. At a later date the same alter caused the patient to hallucinate a scene of her body covered in blood hanging in the shower stall of her bathroom.

The use of fantasy, hallucination and illusion by the multiple in the psychodynamic formation of screen memories has obvious appeal for its adaptational value, serving to conceal from patient and therapist perhaps more prosaic but still less acceptable factual traumatic memory material,

as shown in the next case illustration:

Sarah, the host alter in a 50 year-old multiple, was shocked when Carrie, a heretofore unknown 5 year-old part spontaneously emerged during a therapy session to relive in vivid detail her participation in a bizarre ritual abuse mass murder on a mountainside not far from her childhood home. After witnessing 12 little girls from her Sunday school class bound, raped and brutally murdered, this alter, who had been given the number "13," was spared by the cult leader (identified as a member of her church) and was taken to his home and later released.

Following abreaction of this memory the patient looked to her psychiatrist for validation or invalidation of the memories as factual, adding that other alters were telling her that Carrie had many more heinous crimes of this type to reveal. The therapist remained neutral, allowing the patient to explore further her associations to this new material. Two sessions later Sherry, a previously known child alter, spontaneously emerged to confess that, as painful as it was to admit to herself, she had created Carrie to absorb the terror she had felt when her grandmother would read to her murder stories out of detective magazines when babysitting. While perceiving her mother, father, and sister all as chronically abusive, the patient had revered her grandmother as the only nurturing and protective figure in her childhood. It had been preferable to screen out the unthinkable reality that even her grandmother had been emotionally abusive by ingeniously creating an alter who would remember the crime stories as actual experiences witnessed by or participated in by the patient.

In the above illustration, had the author become focused on and overfascinated by the manifest content of Carrie's abreaction, very possibly both patient and therapist could have been led down a prolonged diversionary path of fictional detective story reenactments, while her grandmother's pristine image was safely preserved. This type of creative resistance may prove more prevalent than MPD therapists would prefer to think, especially in the extremely complex multiple with layered systems of apparently deeper and darker secrets of elaborate criminal abuse activities. It underscores the need for circumspection by the therapist when encountering controversial memory material.

SATANIC RITUAL ABUSE: FACT OR URBAN LEGEND?

At no time is the need for prudence in dealing with traumatic memories more apparent than when treating MPD patients with ritual abuse histories. During the past four years, the author and others working with extremely complex multiples in psychotherapy have been encountering memories of increasingly bizarre and heinous criminal ritual abuse in the context of an alleged vast covert network of highly organized transgenerational satanic cults. (Braun

& Sachs, 1988; Young, 1988c; Braun, 1989a, 1989b; Ganaway, 1989a; Johnston, 1989). As many as 50 percent of admissions to a 14-bed specialized dissociative disorders inpatient unit under the direction of the author are arriving with or are uncovering during their hospital stays memories of participation in ritual abuse scenarios in the context of organized cults with satanic overtones. Patients there and elsewhere in North America are reporting vividly detailed memories of cannibalistic revels, and experiences such as being used by cults during adolescence as serial baby breeders to provide untraceable infants for ritual sacrifices (Lyons, 1988; Stratford, 1988; Johnston, 1989; Ganaway, 1989a).

No less than 12 papers were presented at the Sixth International Conference on Multiple Personality/Dissociative States regarding diagnostic and treatment approaches for the MPD patient/ritually abused cult survivor, as well as an additional full day post-conference workshop devoted exclusively to critical issues in the treatment of satanic ritual abuse. Clearly this has become a very high profile topic and a source of considerable controversy both inside and outside of the field of dissociative disorders.

The crux of the controversy lies not in the question of whether or not these individuals actually are experiencing what they report to therapists — the author consistently has been impressed with the honesty and intensity of their terror, rage, guilt, depression, suicidality, and overall behavioral dysfunction accompanying the awareness of cult involvement. The question is, rather, to what degree do these vividly reenacted experiences represent purely factual accounts of multigenerational cult activities with actual human sacrifices as described, versus fantasy and/or illusion borrowing its core material from literature, movies, TV, other patients' accounts or unintentional therapist suggestion?

Many investigators, therapists, and clergymen in the MPD field and elsewhere consider the existence of such criminal cult activity to be proven fact, focusing on the most efficient way to "deprogram" satanic cult survivors (Smith & Pazder, 1980; Stratford, 1988; Kahaner, 1988; Johnston, 1989; Braun, 1989b; Greaves, 1989; Young, 1989). Such a focus, while well-intentioned, may be premature considering the lack of any hard scientific evidence corroborating patient accounts of this type of widespread organized criminal cult activity (Lyons, 1988; Mulhern, 1988; Lanning, 1989). In years of coordinated efforts, local, state and federal law enforcement agencies including the FBI Behavioral Sciences Unit have been unable to validate the existence of such cults, let alone document evidence of human sacrifices (Sperry, 1988).

This is not to say that dangerous cults do not exist. Galanter (1989a, 1989b) and others have scientifically documented the existence of and potential for psychological harm and violence within movements such as Moon's Unification Church, the People's Temple, the Children of God, and a host of other highly organized religious, quasi-religious and mystical cults (Evans, 1973; Mulhern, 1988; West, 1988). Relatively small scale criminal activity with self-styled cult overtones has been documented periodically as well, such as the Manson case (Lyons, 1988); the Sellers case

(Dawkins & Higgins, 1989), involving quasi-satanistic influences; and the April, 1989, ritual murders in Matamoros, Mexico, involving a highly distorted adaptation of Santeria and Palo Mayombe.

The documentation of MPD patients' satanic cult involvement is a much thornier issue, however. The very dramatic, widespread, highly consistent yet elusively unverifiable nature of these organized satanic ritual abuse accounts has led some sociologists and social psychologists to categorize them under the rubric, "urban legends" (Lyons, 1988).

There are several possibilities that alone or in combination could explain the phenomenology of MPD satanic ritual abuse accounts, ranging from factual to imagined experiences. These possibilities include:

1. Factually detailed childhood and/or contemporaneous memories of actual transgenerational organized satanic cult involvement, with real or illusory human sacrificial rituals.

2. Factually detailed childhood and/or contemporaneous memories of actual ritual abuse either by self-styled cultists dabbling in satanism or non-cult abusers wishing to create the *illusion* of an organized satanic cult, with real or illusory sacrifices to ensure compliance, secrecy, and poor credibility on the part of the forced participants.

3. Fantasy, illusion, and hallucination-mediated screen memories in the form of childhood or contemporaneous organized satanic cult involvement, *internally* derived as a part of the defensive and restitutive role of the dissociative network of elaborated alters. Likely to combine an admixture of "borrowed" ideas, characters, symbols, myths, and fictionalized accounts of satanism from exogenous sources with idiosyncratic internal system beliefs. Once activated internally, an entire parallel world of cult characters could then manufacture memories of ritual abuse trauma that would be indistinguishable from factual memories.

4. Same as number 3 above, but *externally* derived contemporaneously as the result of unintentional implantation of suggestion or expectation by a therapist or other perceived authority figure with whom the patient desires a special relationship, interest and/or approval. Once seeded, the internal system of alters would begin to manufacture an elaborate pseudohistory of ritual abuse memories that may conveniently replace previously unsatisfactory internal explanations for intolerable but more prosaic childhood trauma.

There is as yet no unimpeachable evidence to validate possibilities 1 and 2 (Lyons, 1988; Sperry, 1988; Lanning, 1989); neither have they categorically been proven false. Arguments that nearly identical detailed accounts of rituals from many different patients enhance their validity (Hill & Goodwin, 1989; Braun, 1989) are countered by authorities who cite the number of books (e.g., *Michelle Remembers* and *Satan's Underground*) and TV shows currently disseminating these accounts, as well as massive networking among patients and therapists across the country who are sharing detailed information and cross-validating each other's histo-

ries (Mulhern, 1988). This media blitz already has reached the point where complex multiples not contaminated with the expectation of finding hidden satanic ritual abuse memories may soon become the exception rather than the rule.

One hears anecdotal reports of patients and some therapists being contacted and even threatened by cult members, as well as claims of the discovery of exogenous cult cues or triggers for suicidal or homicidal pre-programmed behaviors planted in greeting cards, letters, tapes, and telephone calls (Braun & Sachs, 1988; Braun, 1989; Young, 1989; Beere, 1989). In such cases an equally plausible explanation must be considered that satanically-oriented alters within the patient or an MPD peer are creating such disturbances as a resistance to progress in therapy, or to validate each other's experiential memories. Over-interpretations of available data on the part of the treaters also must be considered.

Therapists who readily accept exogenous cult programming as a given fact that requires no scientific validation interestingly may be engaging in an evolutionary U-turn in the scientific study of dissociative disorders. By focusing predominantly on external agents (cult cues and triggers) to account for the patient's behavior in a given situation, the therapist is returning to the concept of "psychological causality." This concept is the common denominator in culturally determined possession states such as *amok* and *latah*, and is defined as "the belief that events occur because someone or something that has become personified has willed its occurrence" (Putnam, 1989).

With respect to this cultural expectation factor, it is interesting to note that little contemporaneous exogenous cult cueing or triggering is observed on the inpatient unit directed by the author, where the nursing staff is instructed to approach cult ritual abuse memories with no greater degree of fascination or precaution than is demonstrated for more prosaic abuse accounts of other patients. Mail and phone calls are not screened; the patient's internal system is expected to monitor its own behavioral responses, and usually does. Yet these patients qualitatively are the same as those who apparently are plagued by alleged external cues in other programs where cult awareness is a priority.

Until further scientific evidence is available to support possibilities 1 or 2 versus 3 or 4, the prudent choice for a given therapist, following the principle of Occam's Razor (Sheaffer, 1986), would be the one that contains the *fewest speculative elements*. For the cognitive-behaviorist, 1 or 2 might seem less speculative, relying on an extrapolation of the demonstrated cause-and-effect relationship between factual trauma and MPD (Ross, 1989). For the psychodynamicist, however, 3 and 4 may be more appealing, as they offer a more parsimonious explanation for those who place a premium on the psychodynamic underpinnings of the phenomenology.

In looking for clues for or against the factual origin of satanic cult memories, it might prove valuable to compare these individuals to another group of alleged serial trauma survivors currently receiving considerable national attention: victims of UFO extraterrestrial abductions.

CLOSE ENCOUNTERS OF THE DISSOCIATIVE KIND

Reports of UFO sightings have been under the scrutiny of government and lay investigators for over forty years, but the scientific community still awaits the first shred of hard evidence that we have, in fact, been under the surveillance of extraterrestrial intelligence (Sheaffer, 1986; Klass, 1989).

An interesting epiphenomenon of UFO fascination during the past two decades has been a growing number of published biographical accounts of individuals purporting to have been serially abducted and experimented upon by extraterrestrials (Hopkins, 1981, 1987; Sheaffer, 1986; Strieber, 1987, 1988; Evans, 1987; Klass, 1989; Bird, 1989).

Close examination of these abduction accounts by anyone familiar with the satanic cult ritual abuse memories of complex MPD patients reveals an interesting parallel between the clinical phenomenologies of the two groups. UFO abductees are easily hypnotizable, highly imaginative, and typically uncover their first memories of an abduction experience during hypnotic interrogation by self-proclaimed UFO abduction experts who have been consulted because the subjects have experienced unexplained episodes of missing time coupled with post-traumatic stress symptoms of increased startle response, anxiety attacks, insomnia, depression, guilt, feelings of unsafeness, or of being stalked or monitored (Sheaffer, 1986; Klass, 1989). Typically these individuals have read about or seen movie or TV accounts of UFO abductions and, drawn in by an identification with the core dissociative symptoms, seize upon the UFO abduction hypothesis as the only "logical" explanation for their own dissociative experiences (Strieber, 1987, 1988).

During hypnotic interviews these individuals typically provide vivid, detailed accounts of being forcibly taken to a chamber in a spacecraft where they are undressed, fastened to a table, and subjected to a ritual of tissue cutting and/or violations of various orifices of the body by a central alien figure while other figures surround them to observe. Eventually they are returned to earth, but not before being programmed to keep the abduction a secret. Some are able to show previously unexplained scars on the body as alleged proof of their abductions (Sheaffer, 1986; Strieber, 1987; Klass, 1989; Bird, 1989).

During subsequent hypnotic sessions often they will spontaneously age-regress, experiencing revived memories of serial abductions dating back into early childhood or infancy (Strieber, 1987, 1988). A number of female abductees have uncovered memories of being serially abducted for experimental breeding purposes. They would be impregnated by the extraterrestrials, who later return to kidnap the fetus to use in their experiments. One of Hopkins' (1987) hypnosis interviewees recounted having had as many as nine ova or embryos taken serially between 1977 and 1985. Despite the heinous nature of these crimes, few victims have reported them to legal authorities (Klass, 1989).

Once abductees become aware of these memories, often they begin to experience additional bizarre phenomena resembling florid dissociative pathology, including voices inside the head of alleged extraterrestrials "telepathically" communicating messages, advice or warnings; automatic

handwritings and other influences on the body; hallucinated images of aliens (visions); or other strange happenings such as possessions disappearing or magically moving about (Hopkins, 1979, 1987; Strieber, 1987, 1988). Another commonly reported phenomenon is being followed or harassed by "men in black," mysterious individuals who are thought to be sent by the aliens to warn or threaten abductees that they are not to talk to others about their experiences (Sheaffer, 1986).

Skeptics of these accounts of serial abductions and harassments by "men in black" cite the unscientific methodology used by the self-styled UFO experts who are identifying the hundreds of such cases now sweeping the nation (Sheaffer, 1986; Klass, 1989; Bird, 1989). Klass (1989) details the manner in which Hopkins "advertises" for new cases through his books, particularly looking for individuals who have experienced repeated episodes of unexplained time losses or distortions, unexplained lesions or scars on the body, mysterious somatic complaints, and other signs and symptoms that would make an excellent checklist for detecting undiagnosed MPD cases. He then screens the hundreds of respondents and selects certain interesting cases to interview under hypnosis, more often than not turning up strikingly similar, heavily detailed "abduction" experiences in individuals who never have met one another. Klass, citing Orne (1979) and others on the validity problem with memories recovered under hypnosis and the high risk of iatrogenic factors in Hopkins' lay hypnosis interview techniques, labels Hopkins the "Typhoid Mary" of covert UFO abductions (Klass, 1989).

Evans has studied these and other types of "entity" encounters in depth, and along with Bird (1989) and Sheaffer (1986), suggests that these individuals are having psychological experiences that are accomplishing something that they, for internal reasons, need to have happen (Klass, 1989; Evans, 1987). The following case example demonstrates how a pre-existing relatively unstructured system of alters may be dynamically influenced by a charismatic authority figure when an individual with a pre-existing dissociative syndrome is in a window of psychological need-vulnerability.

Salley, a college educated woman in her late 30s, presented in a suicidal state with classical symptoms of MPD. Her score on the Dissociative Experiences Scale was well above 40. She also met DSM-III-R diagnostic criteria for borderline personality disorder. She reported internal voices belonging to perceived autonomous internal self-states who repeatedly were fighting with her for executive control of the body. When successful, they often were self-defeating or self-harming. She had grown up with harsh, disapproving Christian fundamentalist parents, and had renounced traditional religious dogma at an early age after observing hypocrisy in her church. While attending a private Christian school she became aware of the creation of a number of "false-self" parts of her mind who alternately would role play to meet the demands of her parents and others. Internally, she continued to flounder in the absence of a cohesive sense of identity or an acceptable ontological

belief system.

In her 20s, Salley was attracted by the charismatic leader of a new age UFO cult whose dogma suddenly made sense out of her dissociative experiences. It was explained to her that the various internal parts represented simply cosmic detritus that through cult commitment would be shed prior to the final harvesting of the chosen few who would join the leader in another dimension of the universe. Following this epiphany, Salley's internal system of alters reconfigured to organize around her newfound beliefs. Later while proselytizing for the cult, she experienced UFO close encounters of the third kind, witnessing spacecraft land and aliens emerge.

This case, and no doubt many others of the hundreds of identified UFO sighting and abduction cases, illustrate the influential impact that trusted authority figures may have on the structuralization of fantasy for defensive and restitutive reasons in vulnerable individuals with latent or clinical dissociative disorders.

The similarities are remarkable between accounts of these individuals and accounts of MPD patients who uncover satanic cult ritual abuse memories often under hypnotic interview conditions. Considering the current lack of scientific evidence corroborating either UFO abduction or cult abuse memories, it is not unreasonable to consider that possibility 4, the exogenously seeded manufacture of elaborate screen memories in a need-vulnerable individual, may account for some satanic cult ritual abuse memories.

Once the existing alters are reconfigured to incorporate the cult material (or new systems of alters are created to serve the purpose), the stage is then set for the internal, or sometimes external, acting out of the cult fantasies. This brings fresh meaning to possibly more prosaic childhood trauma experiences that previously were so unsatisfactorily understood (e.g., indiscriminate beatings, rapes, deprivation, or incarcerations) that they begged for better definition. A secondary gain would be the eliciting of the interest, fascination and approval of the therapist/cult abuse expert, who like Hopkins, may eagerly be seeking validation for his or her own idiosyncratic beliefs. In such cases therapy might be derailed for months (or years) onto a satanic siding, while the original childhood trauma goes unclarified, unfronted, and uninterpreted.

Satanic cult deprogramming efforts in the context of confabulated as opposed to factual cult abuse memories conceivably could take on the quality of a Space Invaders video game played by the therapist against the imaginatively manufactured cult system of alters: as one layer of cult cues, triggers or suicidally-programmed alters is neutralized, another layer descends into the field of battle, until either the therapist tires of the game, or the host personality runs out of quarters.

A final comment on the screen memory possibility is in order before leaving the subject. Eventually someone will postulate that because of the uncanny similarities, alien abduction experiences in fact must be screen memories for factual covert satanic ritual abuse. Perhaps so. But in view of the lack of scientific evidence supporting either type of

report, using that logic it would have to be considered just as likely that some satanic ritual abuse experiences may be screen memories for factual alien abductions.

FURTHER PSYCHODYNAMIC AND NEUROPHYSIOLOGICAL CONSIDERATIONS

Among the various shaping influences and substrates determining the form taken by the dissociative defense, Kluft postulates certain inherent potentials for psychodynamic dividedness that are tapped by the highly hypnotizable individual who is experiencing what is perceived as overwhelming stress on the developing ego's adaptive capacities (Kluft, 1984). In this category he includes imaginary companionship, the process of introjection, internalization and identification, and along developmental lines, libidinal, narcissistic and object relational considerations.

As noted earlier, Nemiah (1986) has cautioned against altogether discounting the importance of libidinal fantasies in shaping the dissociative diathesis that results in MPD. Ulman and Brothers (1988), viewing multiplicity from a perspective of self psychology, hypothesize that severe childhood trauma results in the shattering and faulty restoration of archaic narcissistic fantasies. Fink (1988) points out the need for a psychodynamic theory that integrates both narcissistic and libidinal levels of experience in the traumatized patient.

Regardless of theoretical differences among various psychodynamic schools, accumulating empirical evidence suggests that dissociation serves both defensive and restorative roles in the traumatically overwhelmed child, with fantasy acting as a vehicle for mastering otherwise untenable life experiences (Young, 1988b; Ulman & Brothers, 1988).

No doubt there are many reasons why specific themes are chosen for development by a patient in shaping fantasy-based trauma memories as a means of coping with fact-based trauma. Impinging on the psychodynamic formulation would be aforementioned extrinsic religious, sociocultural and interpersonal (object relational) influences, as well as perhaps neuroanatomical and neurophysiological factors.

Galin (1974), Jaynes (1976), and Sidtis (1986) are among those who have theorized on the implications of left and right cerebral hemisphere specialization with respect to cognitive style; the left for an analytical logical mode, and the right for a holistic Gestalt mode (favoring visual and spatial over verbal cognitive functions, and emotion over logic). Spiegel and Spiegel (1978) note an obvious parallel between the right hemisphere cognitive style and the personality characteristics of highly hypnotizable individuals. Scientists studying commissurotomy patients have experimentally demonstrated this striking duality. Gazzaniga suggests that the brain is organized into modules capable of actions, moods, and responses (Restak, 1988). He labels one such left hemisphere module or system the "interpreter," which explains and organizes various independent experiences and behaviors of other modules to provide a subjective illusion of unity. In effect, the left brain absolutely insists on interpreting actions. It demands an explanation for all perceptions, mood changes and behaviors, and if it is not

provided a logical one (as occurs in the commissurotomy patient) it literally will make one up to diminish cognitive dissonance (Gazzaniga, 1988).

The psychodynamic implications of such a neurophysiological model may be demonstrated in a hypothetical example of how a pseudohistory of ritual abuse memories might develop in a dissociative patient. Consider the fantasy-prone highly hypnotizable child who lives in the setting of a dysfunctional family and is constantly being subjected to double binding cognitive distortions and boundary violations (Spiegel, 1986), leading to mobilization of the dissociative defense. With increased fragmentation and compartmentalization of strongly affect-laden experiences and increasingly bizarre and paralogical right-brain mediated dissociative phenomena occurring in the context of trance logic, the left brain interpreter finds itself having to confabulate a logical explanation for illogical, senseless experiences that the right brain is willing to accept without critical judgement. Various primitive internal right brain images and externally derived religious and sociocultural influences are then drawn upon in the left brain's confabulatory process that eventually results in a new set of memories that become part of the patient's narrative truth (Jaynes, 1976). Psychodynamically, the need is present in the pre-operationally thinking child to ascribe some higher, or at least more logical, meaning to a confusing dichotomy of events and personae he or she witnesses, for example, in the hands of a caretaker/abuser relative. The father who appears to be the pillar of Christian morality and ethics by day may inflict upon the child senseless pain, suffering and humiliation typified by no less than Satan himself when abusing her in the darkness of night (Ganaway, 1989a). The structuralization of the fantasy into a satanic ritual abuse scenario with a clear-cut good versus evil distinction would provide the needed logical explanation for confusing experiences, as well as serving a restorative function by allowing the child to experience the grandiose belief that she is, in fact, enduring the suffering not because she simply is bad or defective, but because she is special — perhaps being groomed to become a high priestess some day.

Regardless of how heinous the confabulated ritual abuse experiences may be, they are more tolerable to the patient than having his or her fact-based experiences go frustratingly unexplained.

Another psychodynamic factor in this scenario might be the patient's counter-phobic need repeatedly to endure and survive in fantasy progressively more life-threatening traumatic experiences in an attempt to convince herself that she can master and survive the equally frightening, albeit mundane, traumas of the real world. Secondary gain also may come from stimulated release of endogenous opioids through repeated internal or external reenactment of progressively more severe trauma fantasies (so-called "trauma addiction"), with the patient having become desensitized to the level of endogenous opioids stimulated by more prosaic factual trauma (van der Kolk, 1989).

The adaptive role of fantasy-based screen memories is worth mentioning here again, as well. The MPD patient is able to build so convincing a set of diversionary pseudo-

memories as to keep both unsuspecting patient and over-fascinated therapist busy for weeks or months sorting them out and working them through, while the more conflictual fact-based trauma may remain safely screened.

Finally, object relational concepts may play an important role not only in the choice and timing of fantasies, but in the insatiable need to be believed that is seen in this patient population.

Working in therapy on an outpatient and inpatient basis with a number of high and lower functioning MPD patients, the author consistently has observed certain recurrent transference/countertransference paradigms that appear to correspond to expected internal object relations units in victims of childhood trauma (Ganaway, 1989b). The two that concern us here are represented by: 1) the rescued, safe, nurtured, protected, and believed child self-representation affectively connected by love and devotion to the introjected "good parent" object-representation who unconditionally meets all of these needs; and 2) the victimized, disbelieved, ignored, abandoned, discounted, betrayed child self-representation affectively connected by a mixture of depression, rage, disappointment, mistrust, fear, guilt, shame and self-blame to an abuse-enabler internal object-representation (often the neglectful "non-abusive" parent) who failed to intervene in the trauma scenario. The latter object relations unit usually reflects the patient's perceived childhood reality, while the former represents the fantasied wish for what ideally could have been.

Through the defense mechanism of projective identification (Ogden, 1982, 1989) both the idealized parent and the unwanted abuse-enabler object-representations at varying times are projected into the therapist with the intention that these roles will be acted out by the therapist under the unconscious control and direction of the patient.

Experienced MPD therapists are aware of these patients' excessive neediness and proneness to push limits and violate boundaries in the therapy setting (Greaves, 1988; Chu, 1988). Often this is in the service of acting out in a repetition compulsion the pathological but comfortably familiar disturbed early childhood relationships. The expectation of abuse and the fantasy of unconditional, unlimited acceptance and caretaking invariably are reflected in the transference.

In this context, the need to be believed can be seen as more than just the realistic expectation that the therapist will work with the patient to uncover and process the patient's experiential truth; it becomes a core aspect of the repetition compulsion to re-enact the traumatic relationship between the victim and the abuse-enabler. Starting out with the unrealistic wish for unconditional credibility, the patient may find him- or herself in an ever-increasing spiral of therapist-testing to see what it will take finally to provoke the expected rejection and disbelief that will replicate the original relationship and justify the unacceptable feelings of rage and betrayal that properly should be directed to the original abuse-enabler. Should the therapist agree to become the container for the projections, the trap has been set. What follows may be a series of, "If you believed that, then will you believe this?" questions to the point of therapist incredulity

and morbid patient satisfaction that the expected betrayal and disappointment finally has occurred.

As noted earlier, the MPD patient is especially skilled in the adaptive use of fantasy unconsciously to meet defensive needs. If the above scenario of projective identification is not recognized by the therapist as another manifestation of the patient's pathological acting out in the transference of early object relations disturbances, there may be a risk of catalyzing increased production of confabulatory historical material to fuel the repetition compulsion.

Other object relations disturbances as well may be acted out in the transference. The self-blaming patient who as a child tried earnestly to please and win approval of the feared abuser in a vain effort to master her own victimization (Spiegel, 1986) may act out this relationship in the transference by dutifully and agonizingly reenacting one lengthy abuse scene after another in therapy sessions, believing this is what the therapist wants and needs. The manifest content of the reenacted factual trauma experiences might be reconfigured and redressed by the use of unconscious fantasy to fit whatever theme appears to fascinate the therapist most.

TREATMENT IMPLICATIONS IN THE CONTEXT OF UNCORROBORATED TRAUMA MEMORIES

Despite the growing trend toward treating multiple personality and its variants purely as a subtype of post-traumatic stress disorder, the evidence presented in this paper supports a broader treatment approach incorporating traditional psychodynamic psychotherapy that focuses on the developmentally dependent overall adaptive ego functioning of the individual rather than solely on the syndrome itself. The jury is still out on the question of what components of multiplicity belong on DSM-III-R Axis I and what components are more compatible with an Axis II diagnosis. Very possibly there someday may be recognized a "Dissociative Character Disorder" in addition to a disaggregate self state (Kluft, 1988c) Axis I diagnosis that would integrate the developmental dynamics and phenomenology of borderline and narcissistic personality disorders with traits of high hypnotizability, fantasy-proneness, and other characteristics of Spiegel's Grade Five Syndrome (it is interesting to note the considerable overlap of the two on comparison). In one recent study, no significant differences were found between mean scale MMPI scores of 10 MPD patients and 10 BPD patients (Kemp, Gilverton, & Torem, 1988).

Therapy of particularly the more complex MPD patients often addresses concomitant serious character pathology, in particular borderline defense mechanisms such as primitive denial, projective identification, borderline-type splitting, primitive idealization, devaluation, and omnipotence. Boundary issues must be consistently addressed. Langs' (1982) concept of secure-frame therapy is useful in stressing the importance of maintaining firm limits and good boundaries during the psychotherapy of MPD patients. The need for constant monitoring of limit and boundary issues is well documented in the literature (Greaves, 1988; Chu, 1988; Kluft, 1988c) and is born out of an awareness of the marked disturbances in the normal development of early object

relations, a consequence of the severely dysfunctional, traumatizing family system that fails to provide stimulus barriers and restorative experiences (Kluft's Etiological Factors 2 and 4).

Maintaining a neutral therapeutic stance on the veracity of uncorroborated trauma memories is one of the many ground rules necessary for maintaining a secure therapy frame with this patient population, no less important than other limit and boundary issues. The patient ultimately must reinternalize the insatiable need for external validation (in the same manner as other transference wishes for rescue, protection and nurturing) in order to work through the mistrust of her own perceptions and memories until finally reaching a level of self-validation that will give her a sense of mastery over what once was a fragmented internal world of interwoven fact, fantasy, and illusion. At some point during the process it will be crucial to focus on the original object of the fantasied wish to be unconditionally believed and work through the feelings of rage, betrayal, disappointment, self-doubt, and invalidation that for so long have been displaced onto safer objects.

The therapist who agrees to take from the patient the responsibility for believing or disbelieving the historical truth of her memories runs the same risk as the therapist who agrees to take on the total responsibility for keeping an ambivalently suicidal patient alive. Once the therapist has made that verbal commitment, it frees up the patient internally to be wholly for death, and a resultant power struggle ensues. Similar power struggles may occur when the therapist agrees to validate unverified memories as anything more than the patient's own narrative truth. This frees the patient to *disbelieve* all of her own trauma experiences, which then unconsciously may be acted out as described earlier by testing the limits of the therapist's credulity with fantasy-based accounts of increasingly incredible trauma memories until the therapist either interprets the defensive maneuver or finally is provoked into verbally discrediting the patient. The reverse process likewise may occur if the therapist presents an actively skeptical stance. Neutrality proves to be the most therapeutic approach, then, in the absence of independent corroboration of facts.

Fenichel (1954) described a somewhat similar psychodynamic mechanism in explaining pseudologia fantastica as a means of facilitating repression or denial. If a patient's prevarications are believed by another person, then what is known to be untrue seems real and believable. If what is untrue seems true, then that which seems true might be untrue. In this way, more prosaic factual exogenous trauma memories may be dismissed as imaginary.

No matter how compelling seems the need to validate every traumatic memory in the service of promoting a healing experience, it must be kept in mind that the patient has on the deepest level, deeper than the transference wish to be believed, protected, and nurtured, entered into a therapeutic alliance with the good faith and expectation that the therapist always will remain firmly grounded in reality, and will help the patient carefully sift through the mixture of fact, fantasy and illusion, eventually to settle on what the patient must decide is his or her final truth.

Kluft (1988c) endorses this viewpoint in his observations on the treatment of extremely complex MPD. Interventions he considers contraindicated on the basis of adverse expected responses include, "the expression of fascination, surprise, excitement, dismay, belief, disbelief, or the voicing of any opinion that could cause the alters to feel a need to demonstrate their authenticity" (p. 53).

It remains to be determined if there are different subgroups of child and adult multiples that beg definition and possibly warrant different treatment approaches. Such a typology might include perhaps a population of multiples whose dissociative symptoms and experiential memories arise exclusively as a response to factual (exogenous) trauma (Type I); another whose symptoms stem entirely from fantasized (endogenous) trauma (Type II); and a third consisting of an admixture of the two (Type III). The author predicts that a "credibility continuum" for MPD eventually will be defined that will range from purely factual memories to purely fictional, with the majority of multiples demonstrating some combination of fact-based childhood/adult trauma experiences and fantasy-derived defensive and/or restitutive screen memories incorporating symbolism, condensation, displacement, and other mental mechanisms similar to those operational in the formation of dreams. At least one investigator has noted the marked similarity between the inner world of alter personalities and dream content (Marmer, 1980).

SUMMARY

Kluft's Four-Factor Theory of Etiology has yet to be improved upon as an all-inclusive explanation for the development of multiple personality and its variants. In outlining his four factors, he respects the complexity of the dissociative defense and expresses his understanding that multiple personality is the final pathway of a wide variety of combinations of influences (Kluft, 1984).

The author has focused on Factor 3, Kluft's list of various shaping influences and substrates that determine the form that will be taken by the dissociative defense in the development of MPD, as a useful conceptual framework within which the sensitive and somewhat controversial topic of the veracity of trauma memories has been explored. Clearly there is much investigation yet to be done in this area, and predictably it will require a multidisciplinary approach in view of the complex interplay among psychobiological, developmental, psychodynamic, interpersonal, situational, religious, and sociocultural influences that ultimately determine the phenomenological presentation and natural history of the disorder in a given individual.

Some potentially deleterious effects of validating unverified trauma memories during the psychotherapy of MPD and its variants have been described, and recommendations made for treating the patient's credibility concerns in the same manner as other transference-generated productions. It has been the purpose of this paper to provoke lively discussion and to stimulate further research into the intrinsic and extrinsic shaping influences and substrates that remain largely unexplored yet vitally important keys to

unraveling the dissociative conundrum. ■

REFERENCES

- Allison, R.B. (1974). A new treatment approach for multiple personalities. *American Journal of Clinical Hypnosis*, 17, 15.
- Allison, R.B., & Schwarz, T. (1980). *Minds in many pieces*. New York: Rawson, Wade.
- Beck, J., & van der Kolk, B.A. (1987). Reports of childhood incest and current behavior of chronically hospitalized psychotic women. *American Journal of Psychiatry*, 144, 1474-1476.
- Bird, E. (1989). Invasion of the mind snatchers. *Psychology Today*, September, 64-66.
- Beere, D. (1989, October). "Satanic programming" designed to undercut therapy. Paper presented at the Sixth International Conference on Multiple Personality/Dissociative States, Chicago, IL.
- Bliss, E. L. (1984). Spontaneous self-hypnosis in multiple personality disorder. *Psychiatric Clinics of North America*, 7, 135-148.
- Bliss, E.L. (1986). *Multiple personality, allied disorders and hypnosis*. New York: Oxford University Press.
- Bliss, E.L. (1988). A reexamination of Freud's basic concepts from studies of multiple personality disorder. *DISSOCIATION*, 1 (3), 36-40.
- Bliss, J., & Bliss, E. (1985). *Prism: Andrea's world*. New York: New American Library.
- Boorstin, D.J. (1983). *The discoverers*. New York: Vintage Books.
- Braun, B.G. (1989a). Psychotherapy of the survivor of incest with a dissociative disorder. *Psychiatric Clinics of North America*, 12, 307-323.
- Braun, B.G. (1989b, October). *Psychology and brain chemistry in the programming of human beings*. Paper presented at the Sixth International Conference on Multiple Personality/Dissociative States, Chicago, IL.
- Braun, B.G., & Sachs, R.G. (1988, October). *Recognition of possible cult involvement in MPD patients*. Paper presented at the Fifth International Conference on Multiple Personality/Dissociative States, Chicago, IL.
- Campbell, J. (1988). *The power of myth*. New York: Doubleday.
- Carlson, E.B., & Putnam, F.W. (1989). Integrating research on dissociation and hypnotizability: Are there two pathways to hypnotizability? *DISSOCIATION*, 2 (1), 32-38.
- Chu, J.A. (1988). Ten traps for therapists in the treatment of trauma survivors. *DISSOCIATION*, 1 (4), 24-32.
- Connery, D. (1982). *The inner source: Exploring hypnosis with Dr. Herbert Spiegel*. New York: Holt, Rinehart and Winston.
- Coons, P.M., & Milstein, V. (1984). Rape and post-traumatic stress in multiple personality. *Psychological Reports*, 55, 839-845.
- Coons, P.M., & Milstein, V. (1986). Psychosexual disturbances in multiple personality: Characteristics, etiology, and treatment. *Journal of Clinical Psychiatry*, 47, 106-110.

- Dawkins, V.L., & Higgins, N.D. (1989). *Devil child*. New York: St. Martin's Press.
- Donaldson, M.A., & Gardner, R. (1985). Diagnosis and treatment of traumatic stress among women after childhood incest. In C.R. Figley (Ed.), *Trauma and its wake: The study and treatment of post traumatic stress disorder* (pp. 356-377). New York: Brunner/Mazel.
- Evans, C. (1973). *Cults of unreason*. New York: Dell Publishing Company.
- Evans, H. (1987). *Gods, spirits, cosmic guardians*. Wellingsborough, Northamptonshire: The Aquarian Press.
- Fagan, J., & McMahon, P. (1984). Incipient multiple personality in children. *Journal of Nervous and Mental Disease*, 172, 26-36.
- Fenichel, O. (1954). The economics of pseudologia phantastica. *Collected Papers*, New York: WW Norton. Quoted in Ford, C.V., King, B.H., & Hollender, M.H. (1988). Lies and liars: Psychiatric aspects of prevarication. *American Journal of Psychiatry*, 145, 554-562.
- Fink, D.L. (1988). Book review: *The shattered self: a psychoanalytic study of trauma*. DISSOCIATION, 1 (4), 59-60.
- Frischholz, E.J. (1985). The relationship among dissociation, hypnosis and child abuse in the development of multiple personality disorder. In R.P. Kluft (Ed.), *Childhood antecedents of multiple personality* (pp. 99-126). Washington, DC: American Psychiatric Press.
- Galanter, M. (1989a). *Cults and new religious movements: A report of the American Psychiatric Association*. Washington, DC: American Psychiatric Association.
- Galanter, M. (1989b). *Cults: Faith, healing, and coercion*. New York: Oxford University Press.
- Galín, D. (1974). Implications for psychiatry of left and right cerebral specialization: A neurophysiological context for unconscious processes. *Archives of General Psychiatry*, 31, 572-583.
- Ganaway, G.K. (1988, October). *Combining hypnosis and medication in the management of violent alter personalities*. Paper presented at the Fifth International Conference on Multiple Personality/Dissociative States, Chicago, IL.
- Ganaway, G.K. (1989a, April). *Exploring the credibility issue in multiple personality disorder and related dissociative phenomena*. Paper presented at the Fourth Regional Conference on Multiple Personality and Dissociative States, Akron, Ohio.
- Ganaway, G.K. (1989b, October). *The benefits of psychoanalytically informed hospital treatment on a specialized MPD unit*. Paper presented at the Sixth International Conference on Multiple Personality/Dissociative States, Chicago, IL.
- Gazzaniga, M.S. (1988). Transcript of interview from The infinite voyage: Fires of the mind, a production of WQED/Pittsburg and The National Academy of Sciences. Kent, OH: PTV Publications.
- Goodwin, J. (1985a). Credibility problems in multiple personality disorder patients and abused children. In R.P. Kluft (Ed.), *Childhood antecedents of multiple personality* (pp. 1-19). Washington, DC: American Psychiatric Press.
- Goodwin, J. (1985b). Post-traumatic symptoms in incest victims. In R. Pynoos & S. Eth (Eds.), *Post traumatic stress disorder in children* (pp. 155-168). Washington, DC: American Psychiatric Press.
- Goodwin, J. (1988). Post-traumatic symptoms in abused children. *Journal of Traumatic Stress*, 1, 475-488.
- Greaves, G.B. (1988). Common errors in the treatment of multiple personality disorder. DISSOCIATION, 1 (1), 61-66.
- Greaves, G.B. (1989, October). *A cognitive-behavioral approach to the treatment of MPD ritually abused satanic cult survivors*. Paper presented at the Sixth International Conference on Multiple Personality/Dissociative States, Chicago, IL.
- Hall, E. (1989). When does life begin? A conversation with Clifford Grobstein. *Psychology Today*, September, 42-46.
- Haugaard, J., & Reppucci, N. (1988). *The sexual abuse of children: A comprehensive guide to current knowledge and interview strategies*. San Francisco: Jossey-Bass.
- Herman, J., Russell, D., & Trocki, K. (1986). Long-term effects of incestuous abuse in childhood. *American Journal of Psychiatry*, 143, 1293-1296.
- Herman, J.L., & Schatzow, E. (1987). Recovery and verification of memories of childhood sexual trauma. *Psychoanalytic Psychology*, 4 (1), 1-14.
- Herman, J.L., & van der Kolk, B. (1987). Traumatic antecedents of borderline personality disorder. In B.A. van der Kolk (Ed.), *Psychological Trauma* (pp. 111-126). Washington, DC: American Psychiatric Press.
- Hilgard, E.R. (1977/1986). *Divided consciousness: Multiple controls in human thought and action*. New York: John Wiley & Sons.
- Hilgard, J.R. (1965). Personality and hypnotizability: Inferences from case studies. In E.R. Hilgard (Ed.), *Hypnotic susceptibility*. New York: Harcourt, Brace & World.
- Hilgard, J.R. (1970). *Personality and hypnosis: A study of imaginative involvement*. Chicago: University of Chicago Press.
- Hill, S., & Goodwin, J. (1989). Satanism: Similarities between patient accounts and pre-inquisition historical sources. DISSOCIATION, 2 (1), 39-44.
- Hopkins, B. (1981). *Missing time*. New York: Ballentine Books.
- Hopkins, B. (1987). *Intruders: The incredible visitations at Copley Woods*. New York: Random House.
- Hufford, D.J. (1982). *The terror that comes in the night: An experience-centered study of supernatural assault traditions*. Philadelphia: University of Pennsylvania Press.
- Jaynes, J. (1976). *The origins of consciousness in the breakdown of the bicameral mind*. Boston: Houghton Mifflin Company.
- Johnston, J. (1989). *The edge of evil: The rise of satanism in North America*. Dallas: Word Publishing.
- Kahaner, L. (1988). *Cults that kill: Probing the underworld of occult crime*. New York: Warner Books, Inc.
- Kemp, K., Gilverton, A.D., & Torem, M. (1988). The differential diagnosis of multiple personality disorder from borderline personality disorder. DISSOCIATION, 1 (4), 41-46.

- Kenny, M.G. (1986). *The passion of Ansel Bourne: Multiple personality in American culture*. Washington, DC: Smithsonian Institution Press.
- Klass, P.J. (1989). *UFO abductions: A dangerous game*. New York: Prometheus Books.
- Kluft, R.P. (1984). Treatment of multiple personality. *Psychiatric Clinics of North America*, 7, 9-29.
- Kluft, R.P. (1985a). Introduction: Multiple personality disorder in the 1980s. In R.P. Kluft (Ed.), *Childhood antecedents of multiple personality* (pp. viii-xiv). Washington, DC: American Psychiatric Press.
- Kluft, R.P. (1985b). Childhood multiple personality disorder: Predictors, clinical findings and treatment results. In R.P. Kluft (Ed.), *Childhood antecedents of multiple personality* (pp. 168-196). Washington, DC: American Psychiatric Press.
- Kluft, R.P. (1986). Treating children who have multiple personality disorder. In B.G. Braun (Ed.), *Treatment of multiple personality disorder* (pp. 79-105). Washington, DC: American Psychiatric Press.
- Kluft, R.P. (1987). An update on multiple personality disorder. *Hospital and Community Psychiatry*, 38, 363-373.
- Kluft, R.P. (1988a). Editorial: Ubi sumus? quo vademus? *DISSOCIATION*, 1 (3), 1-2.
- Kluft, R.P. (1988b). Editorial: Today's therapeutic pluralism. *DISSOCIATION*, 1 (4), 1-2.
- Kluft, R.P. (1988c). The phenomenology and treatment of extremely complex multiple personality disorder. *DISSOCIATION*, 1, (4), 47-58.
- Kluft, R.P., Steinberg, M., & Spitzer, R.L. (1988). DSM-III-R revisions in the dissociative disorders: An exploration of their derivation and rationale. *DISSOCIATION*, 1 (1), 39-46.
- Lanning, K.V. (1989). Satanic, occult, ritualistic crime: A law enforcement perspective. *The Police Chief*, October, 1-11.
- Langs, R. (1982). *Psychotherapy: a basic text*. New York: Jason Aronson.
- Laurence, J.R., & Perry, C. (1988). *Hypnosis, will & memory*. New York: The Guilford Press.
- LeBaron, S., Zeltzer, L.K. & Fanurik, D. (1988). Imaginative involvement and hypnotizability in childhood. *International Journal of Clinical and Experimental Hypnosis*, 36, 284-295.
- Lyons, A. (1988). *Satan wants you: The cult of devil worship in America*. New York: The Mysterious Press.
- Marmer, S.S. (1980). The dream in dissociative states. In J.M. Natterson (Ed.), *The dream in clinical practice*. New York: Jason Aronson, Inc.
- Masson, J.M. (1984). *The assault on truth. Freud's suppression of the seduction theory*. New York: Farrar, Strauss and Giroux.
- Mulhern, Sherrill (1988, October). *Untitled oral presentation at workshop on identification and treatment of victims of ritual cult abuse*. Fifth International Conference on Multiple Personality/Dissociative States, Chicago, IL.
- Nemiah, J.C. (1986, September). *Child abuse: Remembered fact or fantasy? A reconsideration*. Paper presented at the Third International Conference on Multiple Personality/Dissociative States, Chicago, Illinois.
- Ogden, T. H. (1982). *Projective identification and psychotherapeutic technique*. New York: Jason Aronson.
- Ogden, T.H. (1989). *The primitive edge of experience*. Northvale, NJ: Jason Aronson Inc.
- Orne, M.T. (1959). The nature of hypnosis: artifact and essence. *Journal of Abnormal Social Psychology*, 58, 277-299.
- Orne, M.T. (1979). The use and misuse of hypnosis in court. *International Journal of Clinical and Experimental Hypnosis*, 27, 311-341.
- Orne, M.T., Whitehouse, W.G., Dinges, D.F., & Orne, E.C. (1988). Reconstructing memory through hypnosis: Forensic and clinical implications. In H.M. Pettinati (Ed.), *Hypnosis and Memory*. New York: The Guilford Press.
- Perry, W.P., Laurence, J.R., D'Eon, J., & Tallant, B. (1988). Hypnotic age regression techniques in the elicitation of memories: Applied uses and abuses. In H.M. Pettinati (Ed.), *Hypnosis and Memory*. New York: The Guilford Press.
- Phillips, J.L. (1975). *The origins of intellect: Piaget's theory* (2nd ed.). San Francisco: W.H. Freeman and Company.
- Piaget, J. (1962). *Play, dreams and imitation in childhood*. New York: W.W. Norton & Company.
- Planer, F.E. (1988). *Superstition*. Buffalo, NY: Prometheus Books.
- Price, N. (1989). *New age, the occult, and lion country*. Old Tappan, NJ: Fleming H. Revell Company.
- Putnam, F.W. (1985). Dissociation as a response to extreme trauma. In R.P. Kluft (Ed.), *Childhood antecedents of multiple personality* (pp. 65-97). Washington, DC: American Psychiatric Press.
- Putnam, F.W. (1986). The treatment of multiple personality: State of the art. In B.G. Braun (Ed.), *Treatment of multiple personality disorder* (pp. 175-198). Washington, DC: American Psychiatric Press.
- Putnam, F.W. (1989). *Diagnosis and treatment of multiple personality disorder*. New York: The Guilford Press.
- Putnam, F.W., Guroff, J.J., Silberman, E.K., Barban, L., & Post, R.M. (1986). The clinical phenomenology of multiple personality disorder: Review of 100 recent cases. *Journal of Clinical Psychiatry*, 47, 285-293.
- Restak, R.M. (1988). *The mind*. Toronto: Bantam Books.
- Ross, C.A. (1989). *Multiple personality disorder: Diagnosis, clinical features, and treatment*. New York: John Wiley & Sons.
- Rhue, J., & Lynn, S. (1989). Fantasy proneness, hypnotizability, and absorption - A re-examination. *International Journal of Clinical and Experimental Hypnosis*, 37, 100-106.
- Riley, R.L., & Mead, J. (1988). The development of symptoms of multiple personality disorder in a child of three. *DISSOCIATION*, 1 (3), 41-46.

- Schreiber, F.R. (1973). *Sybil*. Chicago: Henry Regnery Company.
- Sheaffer, R. (1986). *The UFO verdict*. New York: Prometheus Books.
- Sheehan, P. (1988b). Memory distortion in hypnosis. *International Journal of Clinical and Experimental Hypnosis*, 36, 296-311.
- Sidtis, J.J. (1986). Can neurological disconnection account for psychiatric dissociation? In J.J. Quen (Ed.), *Split minds/split brains: Historical and current perspectives* (pp. 127-147). New York: New York University Press.
- Smith, M., & Pazder, L. (1980). *Michelle remembers*. New York: Congdon & Lattes.
- Smith, S.G. (1989). Multiple personality disorder with human and non-human subpersonality components. *DISSOCIATION*, 2 (1), 52-56.
- Sparry, D. (1989). *The occult and devil worship*. Seminar presented at Charter Peachford Hospital, Atlanta, GA, February 9.
- Spence, D.P. (1982). *Narrative truth and historical truth: Meaning and interpretation in psychoanalysis*. New York: W.W. Norton & Company.
- Spiegel, D. (1986). Dissociation, double binds and posttraumatic stress in multiple personality disorder. In B.G. Braun (Ed.), *Treatment of multiple personality disorder* (pp. 61-79). Washington, DC: American Psychiatric Press.
- Spiegel, H. (1974). The grade 5 syndrome: the highly hypnotizable person. *International Journal of Clinical and Experimental Hypnosis*, 22, 303-319.
- Spiegel, H., & Spiegel, D. (1978). *Trance and treatment*. New York: Basic Books.
- Stevens, A. (1983). *Archetypes: A natural history of the self*. New York: Quill.
- Stratford, L. (1988). *Satan's underground*. Eugene, Oregon: Harvest House Publishers.
- Strieber, W. (1987). *Communion*. New York: Beech Tree Books.
- Strieber, W. (1988). *Transformation*. New York: Beech Tree Books.
- Summit, R.C. (1989). The centrality of victimization: Regaining the focal point of recovery for survivors of child sexual abuse. *Psychiatric Clinics of North America*, 12, 413-430.
- Ulman, R.B., & Brothers, D. (1988). *The shattered self*. Hillsdale, NJ: The Analytic Press.
- van der Kolk, B.A. (1989). The compulsion to repeat the trauma: Reenactment, revictimization, and masochism. In R.P. Kluft (Ed.), *Psychiatric Clinics of North America*, 12, 389-411.
- West, L. J. (1988, October). *Understanding and treating cult victims*. Paper presented at the Fifth International Conference on Multiple Personality/Dissociative States, Chicago, IL.
- Wilson, S., & Barber, T.X. (1983). The fantasy-prone personality: implications for understanding imagery, hypnosis, and parapsychological phenomena. In *Imagery: Current theory, research and application*. New York: John Wiley and Sons.
- Young, W.C. (1988a). Psychodynamics and dissociation: All that switches is not split. *DISSOCIATION*, 1, (1) 33-38.
- Young, W.C. (1988b). Observations on fantasy in the formation of multiple personality disorder. *DISSOCIATION*, 1, (3) 13-20.
- Young, W.C. (1988c, October). *Issues in the treatment of cult abuse victims*. Paper presented at the Fifth International Conference on Multiple Personality/Dissociative States, Chicago, IL.
- Young, W.C. (1989, October). *Triggers, programs and cues in survivors of ritual abuse*. Paper presented at the Sixth International Conference on Multiple Personality/Dissociative States, Chicago, IL.
- Zlotogorski, Z., Hahneman, L., & Wiggs, E. (1987). Personality characteristics of hypnotizability. *American Journal of Clinical Hypnosis*, 30, 51-56.