



Oregon

Theodore R. Kulongoski, Governor

Department of Land Conservation and Development

635 Capitol Street NE, Suite 150

Salem, Oregon 97301-2524

Phone: (503) 373-0050

First Floor/Coastal Fax: (503) 378-6033

Second Floor/Director's Office Fax: (503) 378-5518

Third Floor/Measure 37 Fax: (503) 378-5318

Web Address: <http://www.oregon.gov/LCD>

NOTICE OF ADOPTED AMENDMENT

August 18, 2010

TO: Subscribers to Notice of Adopted Plan
or Land Use Regulation Amendments

FROM: Angela Houck, Plan Amendment Program Specialist

SUBJECT: City of Ukiah Plan Amendment
DLCD File Number 001-10



The Department of Land Conservation and Development (DLCD) received the attached notice of adoption. A copy of the adopted plan amendment is available for review at the DLCD office in Salem and the local government office.

Appeal Procedures*

DLCD ACKNOWLEDGMENT or DEADLINE TO APPEAL: Monday, August 30, 2010

This amendment was submitted to DLCD for review 45 days prior to adoption and the jurisdiction determined that emergency circumstances required expedited review. Pursuant to ORS 197.830 (2)(b) only persons who participated in the local government proceedings leading to adoption of the amendment are eligible to appeal this decision to the Land Use Board of Appeals (LUBA).

If you wish to appeal, you must file a notice of intent to appeal with the Land Use Board of Appeals (LUBA) no later than 21 days from the date the decision was mailed to you by the local government. If you have questions, check with the local government to determine the appeal deadline. Copies of the notice of intent to appeal must be served upon the local government and others who received written notice of the final decision from the local government. The notice of intent to appeal must be served and filed in the form and manner prescribed by LUBA, (OAR Chapter 661, Division 10). Please call LUBA at 503-373-1265, if you have questions about appeal procedures.

***NOTE: THE APPEAL DEADLINE IS BASED UPON THE DATE THE DECISION WAS MAILED BY LOCAL GOVERNMENT. A DECISION MAY HAVE BEEN MAILED TO YOU ON A DIFFERENT DATE THAN IT WAS MAILED TO DLCD. AS A RESULT YOUR APPEAL DEADLINE MAY BE EARLIER THAN THE ABOVE DATE SPECIFIED.**

Cc: Donna Neumann, City of Ukiah
Grant Young, DLCD Regional Representative
Gloria Gardiner, DLCD Urban Planning Specialist
Christine Shirley, FEMA Specialist

<paa> YA





FORM **2**

DLCD

Notice of Adoption

In person electronic mailed

DEPT OF

AUG 11 2010

**LAND CONSERVATION
AND DEVELOPMENT**

For Office Use Only

This Form 2 must be mailed to DLCD within **5-Working Days after the Final Ordinance is signed** by the public Official Designated by the jurisdiction and all other requirements of ORS 197.615 and OAR 660-018-000

Jurisdiction: **City of Ukiah**

Local file number: **2010-05-04#2/#45**

Date of Adoption: **August 3, 2010**

Date Mailed: **August 9, 2010**

Was a Notice of Proposed Amendment (Form 1) mailed to DLCD? Yes No Date:

Comprehensive Plan Text Amendment

Comprehensive Plan Map Amendment

Land Use Regulation Amendment

Zoning Map Amendment

New Land Use Regulation

Other:

Summarize the adopted amendment. Do not use technical terms. Do not write "See Attached".

Adoption of a revised Floodplain Ordinance, floodplain study and floodplain maps in order to comply with FEMA requirements. The adopted Ordinance is attached and the Floodplain maps are incorporated by reference as "The Flood Insurance Study for Umatilla County, Oregon and Incorporated Areas dated September 3, 2010.

The floodplain study and new floodplain maps for the City of Ukiah are available at DLCD through the Natural Hazard Coordinator.

Does the Adoption differ from proposal? Please select one

Plan Map Changed from: _____ to: _____

Zone Map Changed from: _____ to: _____

Location: _____ Acres Involved: _____

Specify Density: Previous: _____ New: _____

Applicable statewide planning goals:

1 **2** **3** **4** **5** **6** **7** **8** **9** **10** **11** **12** **13** **14** **15** **16** **17** **18** **19**

Was an Exception Adopted? YES NO

Did DLCD receive a Notice of Proposed Amendment...

45-days prior to first evidentiary hearing?

Yes No

If no, do the statewide planning goals apply?

Yes No

If no, did Emergency Circumstances require immediate adoption?

Yes No

DLCD file No. _____

Please list all affected State or Federal Agencies, Local Governments or Special Districts:

Local Contact: **Donna Neumann/ Laura Foley**

Phone: (541) 427-3121/ 989-848-2308
Extension:

Address: PO Box 265

Fax Number: 541-427-3900

City: Ukiah

Zip: 97880

E-mail Address: cityofukiah@centurytel.net

ADOPTION SUBMITTAL REQUIREMENTS

This Form 2 must be received by DLCD no later than 5 days after the ordinance has been signed by the public official designated by the jurisdiction to sign the approved ordinance(s)

per ORS 197.615 and OAR Chapter 660, Division 18

1. This Form 2 must be submitted by local jurisdictions only (not by applicant).
2. When submitting, please print this **Form 2** on light green paper if available.
3. **Send this Form 2 and One (1) Complete Paper Copy and One (1) Electronic Digital CD (documents and maps) of the Adopted Amendment to the address in number 6:**
4. **Electronic Submittals: Form 2 – Notice of Adoption will not be accepted via email or any electronic or digital format at this time.**
5. The Adopted Materials must include the final decision signed by the official designated by the jurisdiction. The Final Decision must include approved signed ordinance(s), finding(s), exhibit(s), and any map(s).
6. **DLCD Notice of Adoption must be submitted in One (1) Complete Paper Copy and One (1) Electronic Digital CD via United States Postal Service, Common Carrier or Hand Carried to the DLCD Salem Office and stamped with the incoming date stamp.** (for submittal instructions, also see # 5)] MAIL the PAPER COPY and CD of the Adopted Amendment to:

**ATTENTION: PLAN AMENDMENT SPECIALIST
DEPARTMENT OF LAND CONSERVATION AND DEVELOPMENT
635 CAPITOL STREET NE, SUITE 150
SALEM, OREGON 97301-2540**

7. Submittal of this Notice of Adoption must include the signed ordinance(s), finding(s), exhibit(s) and any other supplementary information (see ORS 197.615).
8. Deadline to appeals to LUBA is calculated **twenty-one (21) days** from the receipt (postmark date) of adoption (see ORS 197.830 to 197.845).

CITY OF UKIAH
ORDINANCE NO. 45

**An Ordinance Establishing Flood Plain Management Regulations in Areas of Ukiah
Impacted by Flood Hazards**

WHEREAS, this Ordinance repeals Ordinance 27A, 1987 Flood Hazard Amendments:
and

WHEREAS, the City of Ukiah wishes to comply with the Department of Homeland Security's Federal Emergency Management Agency (FEMA) recent re-evaluation of the flood hazards in Ukiah; and

WHEREAS, FEMA has completed the assessment of the City of Ukiah's possible flood hazards and has identified the areas most likely to be impacted; and

WHEREAS, FEMA has provided the City of Ukiah with a map indicating those areas within the floodplain, and

WHEREAS, in order for Ukiah to continue to be eligible in the National Flood Insurance Program (NFIP) we must adopt the following floodplain management ordinance that meets the standards of Paragraph 60.3 (b) of the NFIP regulations (44 CFR59, etc.), and

WHEREAS, the Public Hearing for this Ordinance was duly advertised in the East Oregonian, a newspaper of general circulation; and

WHEREAS, notice has been sent to the Department of Land Conservation and Development 45 days prior to the first reading of this Ordinance on July 13, 2010.

NOW THEREFORE BE IT HEREBY ORDINANED that the City Council of the City of Ukiah adopts the following ordinance and map. The Council also declares an emergency exists due to FEMA's September 3, 2010 deadline for submittal of revised Floodplain management regulations and that this Ordinance is effective immediately upon adoption of the City Council and signature of the Mayor.

Notes

Base Flood Elevation = Design Flood Elevation: The NFIP uses the term Base Flood Elevation for the elevation of the 1% annual flood. Oregon building codes use the term Design Flood Elevation. The terms are equivalent. The building-code-required one-foot of freeboard is added to Design Flood Elevation to establish the required elevation of the lowest floor.

Manufactured Dwellings: NFIP regulations exempt “infill” manufactured dwellings in existing manufactured dwelling parks from the requirement to elevate above base flood elevation. Oregon building codes make no distinction between new, existing, or pre-FIRM manufactured dwelling parks. Because the more restrictive building code takes precedence, all new or substantially damaged/improved manufactured dwellings must comply with building code requirements to elevate.

A new Oregon Manufactured Dwelling Specialty Code became effective April 1, 2010. The new code eliminates the requirement that manufactured dwellings be elevated a minimum of 18 inches above BASE FLOOD ELEVATION and points to the Oregon Residential Specialty Code for elevation requirements. While the Oregon Residential Specialty Code requires that the lowest floor be elevated at least 12 inches above base flood elevation, the Oregon Manufactured Dwelling Specialty Code requires that all electrical crossover connections shall be a minimum of 12 inches above the base flood level. The electrical cross connection requirement may be the more restrictive of the two requirements and takes precedence.

I. DEFINITIONS

Unless specifically defined in Chapter I, words or phrases used in this ordinance shall be interpreted according to the meaning they have in common usage.

“**Base Flood**” means the flood having a one percent chance of being equaled or exceeded in any given year. [59.2]

“**Base Flood Elevation (BFE)**” means the water surface elevation during the base flood in relation to a specified datum. The Base Flood Elevation is depicted on the FIRM to the nearest foot and in the FIS to the nearest 0.1-foot.

“**Basement**” means the portion of a structure with its floor sub grade (below ground level) on all sides. [59.2]

“**Below-grade Crawlspace**” means an enclosed area below the base flood elevation in which the interior grade is not more than two feet below the lowest adjacent exterior grade and the height, measured from the interior grade of the crawlspace to the top of the crawlspace foundation, does not exceed 4 feet at any point.

“**Building Codes**” means the combined specialty codes adopted under ORS 446.062, 446.185, 447.020 (2), 455.020 (2), 455.496, 455.610, 455.680, 460.085, 460.360, 479.730 (1) or 480.545, but does not include regulations adopted by the State Fire Marshal pursuant to ORS chapter 476 or ORS 479.015 to 479.200 and 479.210 to 479.220. {Tribes substitute International Building Code}

“Development” means any man-made change to improved or unimproved real estate, including but not limited to buildings or other structures, mining, dredging, filling, grading, paving, excavation or drilling operations or storage of equipment or materials located within the area of special flood hazard. [59.2]

“Flood” or “flooding” means a general and temporary condition of partial or complete inundation of normally dry land areas from:

- (a) the overflow of inland or tidal waters; or
- (b) the unusual and rapid accumulation or runoff of surface waters from any source.

[59.2]

“Flood Insurance Rate Map (FIRM)” means an official map of a community, issued by the Federal Insurance Administration, delineating the Areas of Special Flood Hazard and/or risk premium zones applicable to the community. [59.2]

“Flood Insurance Study (FIS)” means the official report by the Federal Insurance Administration evaluating flood hazards and containing flood profiles, floodway boundaries and water surface elevations of the base flood. [59.2, *modified*]

A new Oregon Manufactured Dwelling Specialty Code became effective April 1, 2010. The new code eliminates the requirement that manufactured dwellings be elevated a minimum of 18 inches above BASE FLOOD ELEVATION and points to the Oregon Residential Specialty Code for elevation requirements. While the Oregon Residential Specialty Code requires that the lowest floor be elevated at least 12 inches above base flood elevation, the Oregon Manufactured Dwelling Specialty Code requires that all electrical crossover connections shall be a minimum of 12 inches above the base flood level. The electrical cross connection requirement may be the more restrictive of the two requirements and takes precedence.

“Floodway” means the channel of a river or other watercourse and those portions of the floodplain adjoining the channel required to discharge and store the floodwater or flood flows associated with the regulatory flood. [59.2]

“Historic Structure” means a structure that is:

- (a) Listed individually in the National Register of Historic Places (a listing maintained by the U.S. Department of Interior) or preliminarily determined by the Secretary of the Interior as meeting the requirements for individual listing on the National Register;
- (b) Certified or preliminarily determined by the Secretary of the Interior as contributing to the historical significance of a registered historic district or to a district preliminarily determined by the Secretary to qualify as a registered historic district;
- (c) Individually listed on a state inventory of historic places and determined as eligible by states with historic preservation programs which have been approved by the Secretary of the Interior, or;
- (d) Individually listed on a local inventory of historic places and determined as eligible by communities with historic preservation programs that have been certified either:

- i. By an approved state program as determined by the Secretary of the Interior, or;
- ii. Directly by the Secretary of the Interior in states without approved programs. [59.2]

“Lowest Floor” means the lowest floor of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure used solely for parking of vehicles, building access, or storage, in an area other than a basement, is not considered a structure's lowest floor provided that the enclosed area is built and maintained in accordance with the applicable design requirements of the Building Code. [59.2, *modified for clarity*]

“Manufactured Dwelling,” means a structure, transportable in one or more sections, built on a permanent chassis and designed to be used with or without a permanent foundation when connected to the required utilities. The term “Manufactured Dwelling” does not include a “Recreational Vehicle.” [59.2, *modified to replace “home” with “dwelling” to match building code*]

“Recreational Vehicle” means a vehicle that is:

- (a) Built on a single chassis;
- (b) 400 square feet or less when measured at the largest horizontal projection;
- (c) Designed to be self-propelled or permanently towed by a light duty truck, and;
- (d) Designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use. [59.2]

“Start of construction” includes substantial improvement and means the date the building permit was issued, provided the actual start of construction, repair, reconstruction, or improvement was within 180 days of the permit date. The actual start means either the first placement of permanent construction of a structure on a site, such as the pouring of slab or footings, the installation of piles, the construction of columns, or any work beyond the stage of excavation; or the placement of a manufactured home on a foundation. Permanent construction does not include land preparation, such as clearing, grading, and filling; nor does it include the installation of streets and/or walkways; nor does it include excavation for a basement, footings, piers, or foundations or the erection of temporary forms; nor does it include the installation on the property of accessory buildings, such as garages or sheds not occupied as dwelling units or not part of the main structure. For a substantial improvement, the actual start of construction means the first alteration of any wall, ceiling, floor, or other structural part of a building, whether or not the alteration affects the external dimensions of a building. [59.2]

“Structure” means a walled and roofed building, a manufactured dwelling, or a gas or liquid storage tank that is principally above ground. [59.2, *modified for clarity*]

“Substantial Damage” means damage of any origin sustained by a structure whereby the cost of restoring the structure to its before-damaged condition would equal or exceed 50 percent of its market value before the damage occurred. [59.2]

“Substantial Improvement” means reconstruction, rehabilitation, addition, or other improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure before the “start of construction” of the improvement. This term

includes structures, which have incurred “substantial damage,” regardless of the actual repair work performed. The market value of the structure should be:

- (1) The appraised real market value of the structure prior to the start of the initial repair or improvement, or
- (2) In the case of damage, the appraised real market value of the structure prior to the damage occurring. The term does not include either:
 - (a) A project for improvement of a structure to correct existing violations of state or local health, sanitary, or safety code specifications, which have been identified by the local code enforcement official and which are the minimum necessary to assure safe living conditions, or
 - (b) Alteration of a Historic Structure provided that the alteration would not preclude the structure's continued designation as a Historic Structure. [59.2]

II. GENERAL PROVISIONS

A. Basis for Area of Special Flood Hazard

The Area of Special Flood Hazard identified by the Federal Emergency Management Agency in its Flood Insurance Study (FIS) for Umatilla County, Oregon and incorporated areas, dated September 3, 2010, with accompanying Flood Insurance Rate Maps (FIRM) or Digital Flood Insurance Rate Maps (DFIRM), and other supporting data, are adopted by reference and declared a part of this ordinance. The FIS and the FIRM are on file at the office of the City Recorder and may be viewed by calling the City of Ukiah at 541-427-3900 to schedule an appointment. [44 CFR Part 60.3(b)(1), (c)(1) and (d (2))]

B. Coordination with Building Codes.

Pursuant to the requirement established in ORS 455 that the State of Oregon administers and enforces the Building Codes, the City Council of Ukiah does hereby acknowledge that the Building Codes contain certain provisions that apply to the design and construction of buildings and structures located in Areas of Special Flood Hazard. Therefore, this ordinance is intended to be administered and enforced in conjunction with the Building Codes. [ORS 455 establishes statewide building code in Oregon; tribes substitute implementing statute]

C. Establishment of Floodplain Development Permit

A Floodplain Development Permit shall be required prior to initiating development activities in any Areas of Special Flood Hazard established in Chapter II, Section A. [44 CFR Part 60.3(a)]

Any Floodplain Development Permit that requires an engineering certification or engineering analysis, calculations or modeling to process shall be considered a land use action requiring a quasi-judicial land use hearing. [LUBA No. 2009-007 and ORS 197.763]

III. ADMINISTRATION

A. Designation of Floodplain Ordinance Administrator

The City Council designates the City Recorder as the Floodplain Administrator who is responsible for administering and implementing the provisions of this ordinance. [59.22(b)] However, the City Recorder will rely on the State Building Official to administer, enforce and implement the requirements contained within the State Building Code for all structures located within the Flood Hazard area as the State Building Official is responsible for issuance of general building permits for Ukiah.

B. Duties and Responsibilities of the Administrator

Duties of the Floodplain Administrator shall include, but shall not be limited to:

- (1) Review all development permit applications to determine whether proposed new development will be located in Areas of Special Flood Hazard; [44 CFR 60.3(a)(1)]
- (2) Review applications for modifications of any existing development in Areas of Special Flood Hazard for compliance with the requirements of this ordinance; [44 CFR 60.3(a)(1)]
- (3) Interpret Areas of Special Flood Hazard boundaries, provide available flood hazard information, and provide Base Flood Elevations, where they exist; [44 CFR 60.3(b)(4)]
- (4) Review proposed development to assure that necessary permits have been received from governmental agencies from which approval is required by federal or state law, including but not limited to section 404 of the Federal Water Pollution Control Act Amendments of 1972, 33 U.S.C. 1334; the Endangered Species Act of 1973, 16 U.S.C. 1531-1544; and State of Oregon Removal-Fill permits. Copies of such permits shall be maintained on file. [44 CFR 60.3(a)(2)]
- (5) Review all development permit applications to determine if the proposed development is located in the floodway, and if so, ensure that the encroachment standards of Chapter IV, Section B are met. [44 CFR 60.3(d)(1)]
- (6) When Base Flood Elevation data or floodway data are not available, then the Floodplain Administrator shall obtain, review and reasonably utilize any base flood elevation and floodway data available from a federal, state or other authoritative source in order to administer the provisions of this ordinance. [44 CFR 60.3(b)(4)]
- (7) When Base Flood Elevations or other engineering data are not available from an authoritative source, the Floodplain Administrator shall take into account the flood hazards, to the extent they are known, to determine whether a proposed building site or subdivision will be reasonably safe from flooding. [44 CFR 60.3(a)(3) and 60.3(a)(4)] *Note: Oregon Residential Specialty Code R324.1.3 authorizes the building official to require the applicant to determine a base flood elevation where none exists.*
- (8) Issue Floodplain Development Permits when the provisions of this ordinance have been met, or disapprove the same in the event of noncompliance; [44 CFR 59.24]

- (9) Coordinate with the Building Official to assure that applications for building permits comply with the requirements of this ordinance; [44 CFR 59.24]
- (10) Obtain, verify and record the actual elevation in relation to the vertical datum used on the effective FIRM, or highest adjacent grade where no Base Flood Elevation is available, of the lowest floor level, including basement, of all new construction or substantially improved buildings and structures. [44 CFR 60.3(b)(5), amended to address no BASE FLOOD ELEVATION]
- (11) Obtain, verify and record the actual elevation, in relation to the vertical datum used on the effective FIRM, or highest adjacent grade where no Base Flood Elevation is available, to which any new or substantially improved buildings or structures have been flood-proofed. When flood proofing is utilized for a structure, the Floodplain Administrator shall obtain certification of design criteria from a registered professional engineer or architect; [44 CFR 60.3(b)(5), amended to address no BFE]
- (12) Ensure that all records pertaining to the provisions of this ordinance are permanently maintained in the office of the city/county clerk or his/her designee and shall be open for public inspection. [44 CFR 60.3(b)(5)]
- (13) Make inspections in Areas of Special Flood Hazard to determine whether development has been undertaken without issuance of a floodplain development permit, ensure that development is undertaken in accordance with a the floodplain development permit and this ordinance, and verify that existing buildings and structures maintain compliance with this ordinance; [44 CFR 59.24]
- (14) Coordinate with the Building Official to inspect areas where buildings and structures in Areas of Special Flood Hazard have been damaged, regardless of the cause of damage, and notify owners that permits may be required prior to repair, rehabilitation, demolition, relocation, or reconstruction of the building or structure; [44 CFR 59.24]
- (15) Make Substantial Improvement or Substantial Damage determinations. [44 CFR 59.24]

C. Permit Procedures

The State of Oregon recommends that applicants be required to submit an Elevation Certificate (FEMA form 81-31) for proposed structures at the time of application for a floodplain development permit, for buildings under construction at the time of the inspection required by the Oregon Residential Specialty Code, Section R109, and upon building completion prior to issuance of a Certificate of Occupancy.

Application for a Floodplain Development Permit shall be made to the Floodplain Administrator on forms furnished by the Administrator or the Administrator's designee prior to starting development activities. [44 CFR Part 60.3(a)(1) and (b)(1)] Specifically, the following information is required:

(1) Application Stage

- (a) Plans in duplicate drawn to scale with elevations of the project area and the nature, location, dimensions of existing and proposed structures, earthen fill placement, storage of materials or equipment and drainage facilities; [Oregon

Residential Specialty Code R106.5 requires one set to be retained and the second to be returned to the applicant]

- (b) Delineation of Areas of Special Flood Hazard, floodway boundaries including Base Flood Elevations, or flood depth in AO zones, where available; *[Oregon Residential Specialty Code R106.1.3]*
- (c) Elevation to which any non-residential structure will be flood-proofed; *[44 CFR Part 60.3(b)(5)]*
- (d) Certification from a registered professional engineer or architect that any proposed non-residential flood-proofed structure will meet the flood-proofing criteria of the NFIP and building codes; *[44 CFR Part 60.3 (c)(4)]*
- (e) Description of the extent to which any watercourse will be altered or relocated as a result of a proposed development; *[44 CFR Part 60.3(b)(6)]*

(2) Certificate of Occupancy

- (a) In addition to the requirements of the building codes pertaining to certificate of occupancy, prior to the final inspection the owner or authorized agent shall submit the following documentation that has been prepared and sealed by a registered surveyor or engineer, *[44 CFR Part 60.3(b)(5)]*:
 - i. For elevated buildings and structures in Areas of Special Flood Hazard, the as-built elevation of the lowest floor, including basement or where no base flood elevation is available the height above highest adjacent grade of the lowest floor, and;
 - ii. For buildings and structures that have been flood-proofed, the elevation to which the building or structure was flood-proofed.

(4) Expiration of Floodplain Development Permit

- (a) A Floodplain Development Permit shall expire 180 days after issuance unless the permitted activity has been substantially begun and thereafter is pursued to completion. *[44 CFR 59.1]*
- (b) Commencement of work includes start of construction, when the permitted work requires a building permit. *[44 CFR 59.1]*

IV. PROVISIONS FOR FLOOD HAZARD REDUCTION

A. Site Improvements and Subdivisions

- (1) All proposed new development and subdivisions shall be consistent with the need to minimize flood damage and ensure that building sites will be reasonably safe from flooding. *[44 CFR 60.3(a)(3) and (4)]*
- (2) Base flood elevation data shall be generated and/or provided for subdivision proposals and all other proposed development, including manufactured home parks and subdivisions, greater than fifty lots or five acres, whichever is less. *[44 CFR 60.3(a)(4)]*
- (3) New development and subdivisions shall have public utilities and facilities such as sewer, gas, electric and water systems located and constructed to minimize flood damage. *[44 CFR 60.3(a)(4) and (5)]*

(4) On-site waste disposal systems shall be located and constructed to avoid functional impairment, or contamination from them, during flooding. [44 CFR 60.3(a)(6)]

(5) Subdivisions shall have adequate drainage provided to reduce exposure to flood hazards. [44 CFR 60.3(a)(4) and 60.3(c)(1)]. In AO and AH zones, drainage paths shall be provided to guide floodwater around and away from all proposed and existing structures. [44 CFR 60.3(c)(11)]

B. Floodways

(1) Encroachments, including fill, new construction, substantial improvements, and other development are prohibited unless certification by a registered professional civil engineer is provided demonstrating through hydrologic and hydraulic analyses performed in accordance with standard engineering practice that such encroachment shall not result in any increase in flood levels during the occurrence of the base flood discharge. [44 CFR Part 60.3(d)(3)]

(2) Applicants shall obtain a Conditional Letter of Map Revision (CLOMR) from FEMA before an encroachment, including fill, new construction, substantial improvement, and other development, into the floodway is permitted that will cause any increase in the base flood elevation. [44 CFR Part 60.3(d)(4)].

C. Zones with Base Flood Elevations but No Floodway

This section required only if there is a Zone A1 – A30, or AE with no floodway defined within the community jurisdiction.

(1) In areas within Zones A1-30 and AE on the community's FIRM with a Base Flood Elevation, but where no regulatory floodway has been designated, new construction, substantial improvements, or other development (including fill) shall be prohibited, unless it is demonstrated that the cumulative effect of the proposed development, when combined with all other existing and anticipated development, will not increase the water surface elevation of the base flood more than one foot at any point within the community. [44 CFR 60.3(c)(10)]

(2) Applicants of proposed projects that increase the Base Flood Elevation more than one foot shall obtain from FEMA a Conditional Letter of Map Revision before the project may be permitted. [44 CFR Part 60.3(c)(13)]

D. Zones Without Base Flood Elevations

When Areas of Special Flood Hazard have been delineated on a FIRM, but Base Flood Elevation or floodway data have not been identified, the Floodplain Administrator shall obtain, review, and reasonably utilize any scientific or historic base flood elevation and floodway data available from a federal, state, or other source, in order to administer this ordinance. [44 CFR 60.3(b)(4)]

E. Building Design and Construction

Buildings and structures, including manufactured dwellings, within the scope of the Building Codes, including repair of Substantial Damage and Substantial Improvement of such existing buildings and structures, shall be designed and constructed in accordance with the flood-

resistant construction provisions of these codes, including but not limited to Section R324 of the Residential Specialty Code and Section 1612 of the Structural Specialty Code. *[This Section links local ordinance to building codes. Communities may substitute Specific Building Design and Construction Standards (Appendix A) for this section.]*

F. Manufactured Dwellings

(1) New and replacement manufactured dwellings are within the scope of the building codes; and,

(2) All new manufactured dwellings and replacement manufactured dwellings shall be installed using methods and practices which minimize flood damage and shall be securely anchored to an adequately anchored foundation system to resist flotation, collapse and lateral movement. Methods of anchoring include, but are not limited to, use of over-the-top or frame ties to ground anchors. This requirement is in addition to applicable state and local anchoring requirements for resisting wind forces.

G. Recreational Vehicles

In all Areas of Special Flood Hazard, Recreational Vehicles that are an allowed use or structure under the zoning ordinance must either: *[44 CFR 60.3(e)(9) and 44 CFR 60.3(c)(14)]* Note: *44 CFR Part 60.3(c)(14) does not include AO zones. Application of this section in AO Zones is considered a good practice.*

(1) Be placed on the site for fewer than 180 consecutive days;

(2) Be fully licensed and ready for highway use, on its wheels or jacking system, attached to the site only by quick disconnect type utilities and security devices, and have no permanently attached structures or addition, or

(3) Meet all the requirements of Chapter IV, Section F: Manufactured Dwellings, including the anchoring and elevation requirements.

H. Other Development in Areas of Special Flood Hazard

All development in Areas of Special Flood Hazard for which specific provisions are not specified in this ordinance or in Building Codes, shall:

(1) Be located and constructed to minimize flood damage; *[44 CFR 60.3(a)(3)]*

(2) Be designed so as not to impede flow of floodwaters under base flood conditions; *[Good practice]*

(3) If located in a floodway, meet the limitations of Chapter IV, Section B of this ordinance; *[44 CFR 60.3(d)(3)]*

(4) Be anchored to prevent flotation or lateral movement resulting from hydrostatic loads, including the effects of buoyancy, during conditions of the design flood; *[44 CFR 60.3(a)(3)]*

(5) Be constructed of flood damage-resistant materials; *[44 CFR 60.3(a)(3)]* and

(6) Have electric service and or mechanical equipment elevated above the base flood elevation (or depth number in AO zones), except for minimum electric service required to address life safety and electric code requirements. [44 CFR 60.3(a)(3)]

I. Requirement to Submit New Technical Data

An applicant who obtains an approved CLOMR from FEMA, or whose development modifies floodplain boundaries or base flood elevations shall obtain from FEMA a Letter of Map Revision (LOMR) reflecting the as-built changes to the FIRM. [44 CFR Part 65.3]

J. Watercourse Alterations

A water course is considered altered when any change occurs within its banks, including installation of new culverts and bridges, or size modifications to existing culverts and bridges as shown on effective FIRM.

- (1) Adjacent communities, the U.S. Army Corps of Engineers, Oregon Department of State Lands, and Oregon Department of Land Conservation and Development must be notified prior to any alteration or relocation of a water source. Evidence of notification must be submitted to the floodplain administrator and to the Federal Emergency Management Agency. [44 CFR 60.3(b)(6)]
- (2) (2) The applicant shall be responsible for providing the necessary maintenance for the altered or relocated portion of the watercourse so that the flood carrying capacity will not be diminished. [44 CFR 60.3(b)(7)]

V. SEVERABILITY

The ordinance is hereby declared to be severable. Should any portion of this ordinance be declared invalid by a court of competent jurisdiction, the remaining provisions shall continue in full force and effect and shall be read to carry out the purpose(s) of the ordinance before the declaration of partial invalidity. [FEMA Region X]

It is hereby declared and adjudged that existing conditions are such that this Ordinance is necessary for the immediate preservation of the public peace, health and safety and an **emergency is hereby declared** to exist and this Ordinance shall take effect and be in full force and effect from and after its passage by the City Council and approval by Mayor.

Adopted as an Emergency Ordinance this 3rd day of August 2010.



Carole Picard, Mayor

Attest:

Donna L. Neumann, City Recorder

CERTIFICATE OF MAILING

I, Donna Neumann, City Recorder, City of Ukiah, certify that I deposited in the US Mail the attached Notice of Adoption, Floodplain Ordinance #45 and CD on **August 9, 2010** at Ukiah, Oregon.

Date: 8-9-10

Signed: Donna L. Neumann
Donna L. Neumann, City Recorder

Print postage online - Go to usps.com/postageonline

PLEASE PRESS FIRMLY



UNITED STATES POSTAL SERVICE

Flat Rate Mailing Envelope

For Domestic and International

Visit us at usps.com



0310 0480 0001 5687 5862



www.usps.com

From *City of Ukiah*
P.O. Box 265
Ukiah, OR 97880

TO

Attention: Plan Amendment Specialist
Department of Land Conservation &
Development
635 Capitol Street, NE, Suite 150
Salem, OR 97301-2540

Label 228, February 2006



USPS packaging products have been awarded Cradle to Cradle CertificationSM for their ecologically-intelligent design. For more information go to mbdc.com/usps



Recycled Paper

Please recycle.



EP14F