

# Revised<sup>3.99</sup> Report on the Algorithmic Language Scheme

William Clinger and Jonathan Rees (Editors)

CIS-TR-90-02

\*This is a widely disseminated draft of the fourth revised report on Scheme. The final version of the report has been delayed for a variety of reasons, chiefly by the writing of an appendix on macros. To avoid further delays in the printing of this technical report, we are substituting this draft. When the final version is available, it will be made into a technical report that replaces this one. The major changes that are expected in the final version are:

- \* an appendix on macros;
- \* a more up-to-date bibliography;
- \* editorial changes that presume the empty list is not a boolean but counts as true in boolean contexts (as in the IEEE standard), but with a note that the empty list may count as false in some implementations of Scheme. In effect the many notes dealing with that issue in this draft will be collapsed into a single note.

Department of Computer and Information Science  
University of Oregon

# Revised<sup>3.99</sup> Report on the Algorithmic Language Scheme

WILLIAM CLINGER AND JONATHAN REES (*Editors*)

H. ABELSON  
N. I. ADAMS IV  
D. H. BARTLEY  
G. BROOKS

R. K. DYBVIK  
D. P. FRIEDMAN  
R. HALSTEAD  
C. HANSON

C. T. HAYNES  
E. KOHLBECKER  
D. OXLEY  
K. M. PITMAN

G. J. ROZAS  
G. L. STEELE JR.  
G. J. SUSSMAN  
M. WAND

*Dedicated to the Memory of ALGOL 60*

\*\*\* DRAFT — August 31, 1989 \*\*\*

## SUMMARY

The report gives a defining description of the programming language Scheme. Scheme is a statically scoped and properly tail-recursive dialect of the Lisp programming language invented by Guy Lewis Steele Jr. and Gerald Jay Sussman. It was designed to have an exceptionally clear and simple semantics and few different ways to form expressions. A wide variety of programming paradigms, including imperative, functional, and message passing styles, find convenient expression in Scheme.

The introduction offers a brief history of the language and of the report.

The first three chapters present the fundamental ideas of the language and describe the notational conventions used for describing the language and for writing programs in the language.

Chapters 4 and 5 describe the syntax and semantics of expressions, programs, and definitions.

Chapter 6 describes Scheme's built-in procedures, which include all of the language's data manipulation and input/output primitives.

Chapter 7 provides a formal syntax for Scheme written in extended BNF, along with a formal denotational semantics.

The report concludes with an example of the use of the language and an alphabetic index.

## CONTENTS

Introduction . . . . .	2
1. Overview of Scheme . . . . .	3
1.1. Semantics . . . . .	3
1.2. Syntax . . . . .	3
1.3. Notation and terminology . . . . .	3
2. Lexical conventions . . . . .	5
2.1. Identifiers . . . . .	5
2.2. Whitespace and comments . . . . .	5
2.3. Other notations . . . . .	5
3. Basic concepts . . . . .	6
3.1. Variables and regions . . . . .	6
3.2. True and false . . . . .	6
3.3. External representations . . . . .	6
3.4. Disjointness of types . . . . .	7
3.5. Storage model . . . . .	7
4. Expressions . . . . .	7
4.1. Primitive expression types . . . . .	7
4.2. Derived expression types . . . . .	9
5. Program structure . . . . .	12
5.1. Programs . . . . .	12
5.2. Definitions . . . . .	12
6. Standard procedures . . . . .	13
6.1. Booleans . . . . .	13
6.2. Equivalence predicates . . . . .	13
6.3. Pairs and lists . . . . .	15
6.4. Symbols . . . . .	18
6.5. Numbers . . . . .	19
6.6. Characters . . . . .	24
6.7. Strings . . . . .	25
6.8. Vectors . . . . .	26
6.9. Control features . . . . .	27
6.10. Input and output . . . . .	29
7. Formal syntax and semantics . . . . .	32
7.1. Formal syntax . . . . .	32
7.2. Formal semantics . . . . .	34
7.3. Derived expression types . . . . .	36
Notes . . . . .	38
Example . . . . .	39
Bibliography and references . . . . .	40
Alphabetic index of definitions of concepts, keywords, and procedures . . . . .	43

\*\*\* DRAFT\*\*\*  
August 31, 1989

## INTRODUCTION

Programming languages should be designed not by piling feature on top of feature, but by removing the weaknesses and restrictions that make additional features appear necessary. Scheme demonstrates that a very small number of rules for forming expressions, with no restrictions on how they are composed, suffice to form a practical and efficient programming language that is flexible enough to support most of the major programming paradigms in use today.

Scheme was one of the first programming languages to incorporate first class procedures as in the lambda calculus, thereby proving the usefulness of static scope rules and block structure in a dynamically typed language. Scheme was the first major dialect of Lisp to distinguish procedures from lambda expressions and symbols, to use a single lexical environment for all variables, and to evaluate the operator position of a procedure call in the same way as an operand position. By relying entirely on procedure calls to express iteration, Scheme emphasized the fact that tail-recursive procedure calls are essentially goto's that pass arguments. Scheme was the first widely used programming language to embrace first class escape procedures, from which all known sequential control structures can be synthesized. More recently, building upon the design of generic arithmetic in Common Lisp, Scheme introduced the concept of exact and inexact numbers.

### Background

The first description of Scheme was written in 1975 [51]. A revised report [46] appeared in 1978, which described the evolution of the language as its MIT implementation was upgraded to support an innovative compiler [43]. Three distinct projects began in 1981 and 1982 to use variants of Scheme for courses at MIT, Yale, and Indiana University [31,24,10]. An introductory computer science textbook using Scheme was published in 1984 [1].

As Scheme became more widespread, local dialects began to diverge until students and researchers occasionally found it difficult to understand code written at other sites. Fifteen representatives of the major implementations of Scheme therefore met in October 1984 to work toward a better and more widely accepted standard for Scheme. Their report [4] was published at MIT and Indiana University in the summer of 1985. Another round of revision took place in the spring of 1986 [33]. The present report reflects further revisions agreed upon in a meeting that preceded the 1988 ACM Conference on Lisp and Functional Programming and in subsequent electronic mail.

We intend this report to belong to the entire Scheme community, and so we grant permission to copy it in whole or in part without fee. In particular, we encourage implementors of Scheme to use this report as a starting point for manuals and other documentation, modifying it as necessary.

### Acknowledgements

We would like to thank the following people for their help: Alan Bawden, Michael Blair, George Carrette, Andy Cromarty, Pavel Curtis, Jeff Dalton, Olivier Danvy, Ken Dickey, Andy Freeman, Richard Gabriel, Yekta Gürsel, Ken Haase, Robert Hieb, Paul Hudak, Richard Kelsey, Morry Katz, Chris Lindblad, Mark Meyer, Jim Miller, Jim Philbin, John Ramsdell, Mike Shaff, Jonathan Shapiro, Julie Sussman, Perry Wagle, Daniel Weise, and Henry Wu. We thank Carol Fessenden, Daniel Friedman, and Christopher Haynes for permission to use text from the Scheme 311 version 4 reference manual. We thank Texas Instruments, Inc. for permission to use text from the *TI Scheme Language Reference Manual*. We gladly acknowledge the influence of manuals for MIT Scheme, T, Scheme 84, Common Lisp, and Algol 60.

We also thank Betty Dexter for the extreme effort she put into setting this report in T<sub>E</sub>X, and Donald Knuth for designing the program that caused her troubles.

The Artificial Intelligence Laboratory of the Massachusetts Institute of Technology, the Computer Science Department of Indiana University, and the Computer and Information Sciences Department of the University of Oregon supported the preparation of this report. Support for the MIT work was provided in part by the Advanced Research Projects Agency of the Department of Defense under Office of Naval Research contract N00014-80-C-0505. Support for the Indiana University work was provided by NSF grants NCS 83-04567 and NCS 83-03325.

## DESCRIPTION OF THE LANGUAGE

### 1. Overview of Scheme

#### 1.1. Semantics

This section gives an overview of Scheme's semantics. A detailed informal semantics is the subject of chapters 3 through 6. For reference purposes, section 7.2 provides a formal semantics of Scheme.

Following Algol, Scheme is a statically scoped programming language. Each use of a variable is associated with a lexically apparent binding of that variable.

Scheme has latent as opposed to manifest types. Types are associated with values (also called objects) rather than with variables. (Some authors refer to languages with latent types as weakly typed or dynamically typed languages.) Other languages with latent types are APL, Snobol, and other dialects of Lisp. Languages with manifest types (sometimes referred to as strongly typed or statically typed languages) include Algol 60, Pascal, and C.

All objects created in the course of a Scheme computation, including procedures and continuations, have unlimited extent. No Scheme object is ever destroyed. The reason that implementations of Scheme do not (usually!) run out of storage is that they are permitted to reclaim the storage occupied by an object if they can prove that the object cannot possibly matter to any future computation. Other languages in which most objects have unlimited extent include APL and other Lisp dialects.

Implementations of Scheme are required to be properly tail-recursive. This allows the execution of an iterative computation in constant space, even if the iterative computation is described by a syntactically recursive procedure. Thus with a tail-recursive implementation, iteration can be expressed using the ordinary procedure-call mechanics, so that special iteration constructs are useful only as syntactic sugar.

Scheme procedures are objects in their own right. Procedures can be created dynamically, stored in data structures, returned as results of procedures, and so on. Other languages with these properties include Common Lisp and ML.

One distinguishing feature of Scheme is that continuations, which in most other languages only operate behind the scenes, also have "first-class" status. Continuations are useful for implementing a wide variety of advanced control constructs, including non-local exits, backtracking, and coroutines. See section 6.9.

Arguments to Scheme procedures are always passed by value, which means that the actual argument expressions are evaluated before the procedure gains control, whether the procedure needs the result of the evaluation or not.

ML, C, and APL are three other languages that always pass arguments by value. This is distinct from the lazy-evaluation semantics of Haskell, or the call-by-name semantics of Algol 60, where an argument expression is not evaluated unless its value is needed by the procedure.

Scheme's model of arithmetic is designed to remain as independent as possible of the particular ways in which numbers are represented within a computer. In Scheme, every integer is a rational number, every rational is a real, and every real is a complex number. Thus the distinction between integer and real arithmetic, so important to many programming languages, does not appear in Scheme. In its place is a distinction between exact arithmetic, which corresponds to the mathematical ideal, and inexact arithmetic on approximations. As in Common Lisp, exact arithmetic is not limited to integers.

#### 1.2. Syntax

Scheme, like most dialects of Lisp, employs a fully parenthesized prefix notation for programs and (other) data; the grammar of Scheme generates a sublanguage of the language used for data. An important consequence of this simple, uniform representation is the susceptibility of Scheme programs and data to uniform treatment by other Scheme programs.

The `read` procedure performs syntactic as well as lexical decomposition of the data it reads. The `read` procedure parses its input as data (section 7.1.2), not as program.

The formal syntax of Scheme is described in section 7.1.

#### 1.3. Notation and terminology

##### 1.3.1. Essential and non-essential features

It is required that every implementation of Scheme support features that are marked as being *essential*. Features not explicitly marked as essential are not essential. Implementations are free to omit non-essential features of Scheme or to add extensions, provided the extensions are not in conflict with the language reported here. In particular, implementations must support portable code by providing a syntactic mode that preempts no lexical conventions of this report and reserves no identifiers other than those listed as syntactic keywords in section 2.1.

##### 1.3.2. Error situations and unspecified behavior

When speaking of an error situation, this report uses the phrase "an error is signalled" to indicate that implementations must detect and report the error. If such wording does not appear in the discussion of an error, then implementations are not required to detect or report the error,

though they are encouraged to do so. An error situation that implementations are not required to detect is usually referred to simply as “an error.”

For example, it is an error for a procedure to be passed an argument that the procedure is not explicitly specified to handle, even though such domain errors are seldom mentioned in this report. Implementations may extend a procedure’s domain of definition to include such arguments.

This report uses the phrase “may report a violation of an implementation restriction” to indicate circumstances under which an implementation is permitted to report that it is unable to continue execution of a correct program because of some restriction imposed by the implementation. Implementation restrictions are of course discouraged, but implementations are encouraged to report violations of implementation restrictions.

For example, an implementation may report a violation of an implementation restriction if it does not have enough storage to run a program.

If the value of an expression is said to be “unspecified,” then the expression must evaluate to some object without signalling an error, but the value depends on the implementation; this report explicitly does not say what value should be returned.

### 1.3.3. Entry format

Chapters 4 and 6 are organized into entries. Each entry describes one language feature or a group of related features, where a feature is either a syntactic construct or a built-in procedure. An entry begins with one or more header lines of the form

*template* essential *category*

if the feature is an essential feature, or simply

*template* *category*

if the feature is not an essential feature.

If *category* is “syntax”, the entry describes an expression type, and the header line gives the syntax of the expression type. Components of expressions are designated by syntactic variables, which are written using angle brackets, for example,  $\langle \text{expression} \rangle$ ,  $\langle \text{variable} \rangle$ . Syntactic variables should be understood to denote segments of program text; for example,  $\langle \text{expression} \rangle$  stands for any string of characters which is a syntactically valid expression. The notation

$\langle \text{thing}_1 \rangle \dots$

indicates zero or more occurrences of a  $\langle \text{thing} \rangle$ , and

$\langle \text{thing}_1 \rangle \langle \text{thing}_2 \rangle \dots$

indicates one or more occurrences of a  $\langle \text{thing} \rangle$ .

If *category* is “procedure”, then the entry describes a procedure, and the header line gives a template for a call to the

procedure. Argument names in the template are *italicized*. Thus the header line

(*vector-ref* *vector* *k*) essential procedure

indicates that the essential built-in procedure *vector-ref* takes two arguments, a vector *vector* and an exact non-negative integer *k* (see below). The header lines

(*make-vector* *k*) essential procedure

(*make-vector* *k* *fill*) procedure

indicate that in all implementations, the *make-vector* procedure must be defined to take one argument, and some implementations will extend it to take two arguments.

It is an error for an operation to be presented with an argument that it is not specified to handle. For succinctness, we follow the convention that if an argument name is also the name of a type listed in section 3.4, then that argument must be of the named type. For example, the header line for *vector-ref* given above dictates that the first argument to *vector-ref* must be a vector. The following naming conventions also imply type restrictions:

<i>obj</i>	any object
<i>list</i> , <i>list</i> <sub>1</sub> , ... <i>list</i> <sub><i>j</i></sub> , ...	list (see section 6.3)
<i>z</i> , <i>z</i> <sub>1</sub> , ... <i>z</i> <sub><i>j</i></sub> , ...	complex number
<i>x</i> , <i>x</i> <sub>1</sub> , ... <i>x</i> <sub><i>j</i></sub> , ...	real number
<i>y</i> , <i>y</i> <sub>1</sub> , ... <i>y</i> <sub><i>j</i></sub> , ...	real number
<i>q</i> , <i>q</i> <sub>1</sub> , ... <i>q</i> <sub><i>j</i></sub> , ...	rational number
<i>n</i> , <i>n</i> <sub>1</sub> , ... <i>n</i> <sub><i>j</i></sub> , ...	integer
<i>k</i> , <i>k</i> <sub>1</sub> , ... <i>k</i> <sub><i>j</i></sub> , ...	exact non-negative integer

### 1.3.4. Evaluation examples

The symbol “ $\Rightarrow$ ” used in program examples should be read “evaluates to.” For example,

$( * 5 8 ) \quad \Rightarrow \quad 40$

means that the expression  $( * 5 8 )$  evaluates to the object 40. Or, more precisely: the expression given by the sequence of characters “ $( * 5 8 )$ ” evaluates, in the initial environment, to an object that may be represented externally by the sequence of characters “40”. See section 3.5 for a discussion of external representations of objects.

### 1.3.5. Naming conventions

By convention, the names of procedures that always return a boolean value usually end in “?”. Such procedures are called predicates.

By convention, the names of procedures that store values into previously allocated locations (see section 3.5) usually end in “!”. Such procedures are called mutation procedures. By convention, the value returned by a mutation procedure is unspecified.

By convention, “ $\rightarrow$ ” appears within the names of procedures that take an object of one type and return an analogous object of another type. For example, *list* $\rightarrow$ *vector*

takes a list and returns a vector whose elements are the same as those of the list.

## 2. Lexical conventions

This section gives an informal account of some of the lexical conventions used in writing Scheme programs. For a formal syntax of Scheme, see section 7.1.

Upper and lower case forms of a letter are never distinguished except within character and string constants. For example, `Foo` is the same identifier as `FOO`, and `#x1AB` is the same number as `#X1ab`.

### 2.1. Identifiers

Most identifiers allowed by other programming languages are also acceptable to Scheme. The precise rules for forming identifiers vary among implementations of Scheme, but in all implementations a sequence of letters, digits, and “extended alphabetic characters” that begins with a character that cannot begin a number is an identifier. In addition, `+`, `-`, and `...` are identifiers. Here are some examples of identifiers:

```
lambda          q
list->vector    soup
+              V17a
<=?           a34kTMNs
the-word-recursion-has-many-meanings
```

Extended alphabetic characters may be used within identifiers as if they were letters. The following are extended alphabetic characters:

```
+ - . * / < = > ! ? : $ % _ & ~ `
```

See section 7.1.1 for a formal syntax of identifiers.

Identifiers have several uses within Scheme programs:

- Certain identifiers are reserved for use as syntactic keywords (see below).
- Any identifier that is not a syntactic keyword may be used as a variable (see section 3.1).
- When an identifier appears as a literal or within a literal (see section 4.1.2), it is being used to denote a *symbol* (see section 6.4).

The following identifiers are syntactic keywords, and should not be used as variables:

```
=>          do          or
and         else       quasiquote
begin      if         quote
case       lambda     set!
cond       let        unquote
define     let*       unquote-splicing
delay     letrec
```

Some implementations allow all identifiers, including syntactic keywords, to be used as variables. This is a compatible extension to the language, but ambiguities in the language result when the restriction is relaxed, and the ways in which these ambiguities are resolved vary between implementations.

### 2.2. Whitespace and comments

*Whitespace* characters are spaces and newlines. (Implementations typically provide additional whitespace characters such as tab or page break.) Whitespace is used for improved readability and as necessary to separate tokens from each other, a token being an indivisible lexical unit such as an identifier or number, but is otherwise insignificant. Whitespace may occur between any two tokens, but not within a token. Whitespace may also occur inside a string, where it is significant.

A semicolon (`;`) indicates the start of a comment. The comment continues to the end of the line on which the semicolon appears. Comments are invisible to Scheme, but the end of the line is visible as whitespace. This prevents a comment from appearing in the middle of an identifier or number.

```
;;; The FACT procedure computes the factorial
;;; of a non-negative integer.
(define fact
  (lambda (n)
    (if (= n 0)
        1 ;Base case: return 1
        (* n (fact (- n 1))))))
```

### 2.3. Other notations

For a description of the notations used for numbers, see section 6.5.

- `+` `-` These are used in numbers, and may also occur anywhere in an identifier except as the first character. A delimited plus or minus sign by itself is also an identifier. A delimited period (not occurring within a number or identifier) is used in the notation for pairs (section 6.3), and to indicate a rest-parameter in a formal parameter list (section 4.1.4). A delimited sequence of three successive periods is also an identifier.
- ( ) Parentheses are used for grouping and to notate lists (section 6.3).
- ' The single quote character is used to indicate literal data (section 4.1.2).
- ` The backquote character is used to indicate almost-constant data (section 4.2.6).
- , ,@ The character comma and the sequence comma at-sign are used in conjunction with backquote (section 4.2.6).

- " The double quote character is used to delimit strings (section 6.7).
- \ Backslash is used in the syntax for character constants (section 6.6) and as an escape character within string constants (section 6.7).
- [ ] { } Left and right square brackets and curly braces are reserved for possible future extensions to the language.
- # Sharp sign is used for a variety of purposes depending on the character that immediately follows it:
  - #t #f These are the boolean constants (section 6.1).
  - #\ This introduces a character constant (section 6.6).
  - #( This introduces a vector constant (section 6.8). Vector constants are terminated by ) .
  - #e #i #b #o #d #x These are used in the notation for numbers (section 6.5.4).

### 3. Basic concepts

#### 3.1. Variables and regions

Any identifier that is not a syntactic keyword (see section 2.1) may be used as a variable. A variable may name a location where a value can be stored. A variable that does so is said to be *bound* to the location. The set of all visible bindings in effect at some point in a program is known as the *environment* in effect at that point. The value stored in the location to which a variable is bound is called the variable's value. By abuse of terminology, the variable is sometimes said to name the value or to be bound to the value. This is not quite accurate, but confusion rarely results from this practice.

Certain expression types are used to create new locations and to bind variables to those locations. The most fundamental of these *binding constructs* is the lambda expression, because all other binding constructs can be explained in terms of lambda expressions. The other binding constructs are **let**, **let\***, **letrec**, and **do** expressions (see sections 4.1.4, 4.2.2, and 4.2.4).

Like Algol and Pascal, and unlike most other dialects of Lisp except for Common Lisp, Scheme is a statically scoped language with block structure. To each place where a variable is bound in a program there corresponds a *region* of the program text within which the binding is effective. The region is determined by the particular binding construct that establishes the binding; if the binding is established by a lambda expression, for example, then its region is the entire lambda expression. Every reference to or assignment of a variable refers to the binding of the variable that established the innermost of the regions containing the use.

If there is no binding of the variable whose region contains the use, then the use refers to the binding for the variable in the top level environment, if any (section 6); if there is no binding for the identifier, it is said to be *unbound*.

#### 3.2. True and false

Any Scheme value can be used as a boolean value for the purpose of a conditional test. As explained in section 6.1, all values count as true in such a test except for **#f** and possibly the empty list. The only value that is guaranteed to count as false is **#f**. It is explicitly unspecified whether the empty list counts as true or as false. This report uses the word "true" to refer to any Scheme value that counts as true, and the word "false" to refer to any Scheme value that counts as false.

#### 3.3. External representations

An important concept in Scheme (and Lisp) is that of the *external representation* of an object as a sequence of characters. For example, an external representation of the integer 28 is the sequence of characters "28", and an external representation of a list consisting of the integers 8 and 13 is the sequence of characters "(8 13)".

The external representation of an object is not necessarily unique. The integer 28 also has representations "#e28.000" and "#x1c", and the list in the previous paragraph also has the representations "( 08 13 )" and "(8 . (13 . ()))" (see section 6.3).

Many objects have standard external representations, but some, such as procedures, do not have standard representations (although particular implementations may define representations for them).

An external representation may be written in a program to obtain the corresponding object (see **quote**, section 4.1.2).

External representations can also be used for input and output. The procedure **read** (section 6.10.2) parses external representations, and the procedure **write** (section 6.10.3) generates them. Together, they provide an elegant and powerful input/output facility.

Note that the sequence of characters "(+ 2 6)" is *not* an external representation of the integer 8, even though it is an expression evaluating to the integer 8; rather, it is an external representation of a three-element list, the elements of which are the symbol + and the integers 2 and 6. Scheme's syntax has the property that any sequence of characters which is an expression is also the external representation of some object. This can lead to confusion, since it may not be obvious out of context whether a given sequence of characters is intended to denote data or program, but it is also a source of power, since it facilitates writing programs such as interpreters and compilers which treat programs as data (or vice versa).

The syntax of external representations of various kinds of objects accompanies the description of the primitives for manipulating the objects in the appropriate sections of chapter 6.

### 3.4. Disjointness of types

No object satisfies more than one of the following predicates:

boolean?	pair?
symbol?	number?
char?	string?
vector?	procedure?

These predicates define the types *boolean*, *pair*, *symbol*, *number*, *char* (or *character*), *string*, *vector*, and *procedure*.

### 3.5. Storage model

Variables and objects such as pairs, vectors, and strings implicitly denote locations or sequences of locations. A string, for example, denotes as many locations as there are characters in the string. (These locations need not correspond to a full machine word.) A new value may be stored into one of these locations using the **string-set!** procedure, but the string continues to denote the same locations as before.

An object fetched from a location, by a variable reference or by a procedure such as **car**, **vector-ref**, or **string-ref**, is equivalent in the sense of **eqv?** (section 6.2) to the object last stored in the location before the fetch.

Every location is marked to show whether it is in use. No variable or object ever refers to a location that is not in use. Whenever this report speaks of storage being allocated for a variable or object, what is meant is that an appropriate number of locations are chosen from the set of locations that are not in use, and the chosen locations are marked to indicate that they are now in use before the variable or object is made to denote them.

In many systems it is desirable for constants (i.e. the values of literal expressions) to reside in read-only-memory. To express this, it is convenient to imagine that every object that denotes locations is associated with a flag telling whether that object is mutable or immutable. The constants and the strings returned by **symbol->string** are then the immutable objects, while all objects created by the other procedures listed in this report are mutable. It is an error to attempt to store a new value into a location that is denoted by an immutable object.

## 4. Expressions

A Scheme expression is a construct that returns a value, such as a variable reference, literal, procedure call, or conditional.

Expression types are categorized as *primitive* or *derived*. Primitive expression types include variables and procedure calls. Derived expression types are not semantically primitive, but can instead be explained in terms of the primitive constructs as in section 7.3. They are redundant in the strict sense of the word, but they capture common patterns of usage, and are therefore provided as convenient abbreviations.

### 4.1. Primitive expression types

#### 4.1.1. Variable references

**<variable>** essential syntax  
An expression consisting of a variable (section 3.1) is a variable reference. The value of the variable reference is the value stored in the location to which the variable is bound. It is an error to reference an unbound variable.

```
(define x 28)
x           => 28
```

#### 4.1.2. Literal expressions

**(quote <datum>)** essential syntax  
**'<datum>** essential syntax  
**<constant>** essential syntax

**(quote <datum>)** evaluates to **<datum>**. **<Datum>** may be any external representation of a Scheme object (see section 3.3). This notation is used to include literal constants in Scheme code.

```
(quote a)           => a
(quote #(a b c))    => #(a b c)
(quote (+ 1 2))     => (+ 1 2)
```

**(quote <datum>)** may be abbreviated as **'<datum>**. The two notations are equivalent in all respects.

```
'a                 => a
'#(a b c)          => #(a b c)
'()                 => ()
'+ 1 2)            => (+ 1 2)
'(quote a)         => (quote a)
''a                => (quote a)
```

Numerical constants, string constants, character constants, and boolean constants evaluate "to themselves"; they need not be quoted.

```
"abc"              => "abc"
'abc               => "abc"
'145932            => 145932
145932             => 145932
'#t                => #t
#t                 => #t
```

As noted in section 3.5, it is an error to alter a constant (i.e. the value of a literal expression) using a mutation procedure like **set-car!** or **string-set!**.



## 4.1.3. Procedure calls

(⟨operator⟩ ⟨operand<sub>1</sub>⟩ ...) essential syntax

A procedure call is written by simply enclosing in parentheses expressions for the procedure to be called and the arguments to be passed to it. The operator and operand expressions are evaluated (in an unspecified order) and the resulting procedure is passed the resulting arguments.

```
(+ 3 4)           ⇒ 7
((if #f + *) 3 4) ⇒ 12
```

A number of procedures are available as the values of variables in the initial environment; for example, the addition and multiplication procedures in the above examples are the values of the variables `+` and `*`. New procedures are created by evaluating lambda expressions (see section 4.1.4).

Procedure calls are also called *combinations*.

*Note:* In contrast to other dialects of Lisp, the order of evaluation is unspecified, and the operator expression and the operand expressions are always evaluated with the same evaluation rules.

*Note:* Although the order of evaluation is otherwise unspecified, the effect of any concurrent evaluation of the operator and operand expressions is constrained to be consistent with some sequential order of evaluation. The order of evaluation may be chosen differently for each procedure call.

*Note:* In many dialects of Lisp, the empty combination, `()`, is a legitimate expression. In Scheme, combinations must have at least one subexpression, so `()` is not a syntactically valid expression.

## 4.1.4. Lambda expressions

(lambda ⟨formals⟩ ⟨body⟩) essential syntax

*Syntax:* ⟨Formals⟩ should be a formal arguments list as described below, and ⟨body⟩ should be a sequence of one or more expressions.

*Semantics:* A lambda expression evaluates to a procedure. The environment in effect when the lambda expression was evaluated is remembered as part of the procedure. When the procedure is later called with some actual arguments, the environment in which the lambda expression was evaluated will be extended by binding the variables in the formal argument list to fresh locations, the corresponding actual argument values will be stored in those locations, and the expressions in the body of the lambda expression will be evaluated sequentially in the extended environment. The result of the last expression in the body will be returned as the result of the procedure call.

```
(lambda (x) (+ x x))           ⇒ a procedure
((lambda (x) (+ x x)) 4)      ⇒ 8
```

```
(define reverse-subtract
```

```
(lambda (x y) (- y x)))
(reverse-subtract 7 10)      ⇒ 3
```

```
(define foo
  (let ((x 4))
    (lambda (y) (+ x y))))
(foo 6)                      ⇒ 10
```

⟨Formals⟩ should have one of the following forms:

- (⟨variable<sub>1</sub>⟩ ...): The procedure takes a fixed number of arguments; when the procedure is called, the arguments will be stored in the bindings of the corresponding variables.
- ⟨variable⟩: The procedure takes any number of arguments; when the procedure is called, the sequence of actual arguments is converted into a newly allocated list, and the list is stored in the binding of the ⟨variable⟩.
- (⟨variable<sub>1</sub>⟩ ... ⟨variable<sub>n-1</sub>⟩ . ⟨variable<sub>n</sub>⟩): If space-delimited period precedes the last variable, the value stored in the binding of the last variable will be a newly allocated list of the actual arguments left over after all the other actual arguments have been matched up against the other formal arguments.

It is an error for a ⟨variable⟩ to appear more than once in ⟨formals⟩.

```
((lambda x x) 3 4 5 6)      ⇒ (3 4 5 6)
((lambda (x y . z) z)
 3 4 5 6)                  ⇒ (5 6)
```

Each procedure created as the result of evaluating a lambda expression is tagged with a storage location, in order to make `eqv?` and `eq?` work on procedures (see section 6.2).

## 4.1.5. Conditionals

(if ⟨test⟩ ⟨consequent⟩ ⟨alternate⟩) essential syntax  
(if ⟨test⟩ ⟨consequent⟩) syntax

*Syntax:* ⟨Test⟩, ⟨consequent⟩, and ⟨alternate⟩ may be arbitrary expressions.

*Semantics:* An `if` expression is evaluated as follows: first ⟨test⟩ is evaluated. If it yields a true value (see section 6.1), then ⟨consequent⟩ is evaluated and its value is returned. Otherwise ⟨alternate⟩ is evaluated and its value is returned. If ⟨test⟩ yields a false value and no ⟨alternate⟩ is specified then the result of the expression is unspecified.

```
(if (> 3 2) 'yes 'no)      ⇒ yes
(if (> 2 3) 'yes 'no)      ⇒ no
(if (> 3 2)
  (- 3 2)
  (+ 3 2))                 ⇒ 1
```

### 4.1.6. Assignments

(set! (variable) (expression)) essential syntax

(Expression) is evaluated, and the resulting value is stored in the location to which (variable) is bound. (Variable) must be bound either in some region enclosing the set! expression or at top level. The result of the set! expression is unspecified.

```
(define x 2)
(+ x 1)           => 3
(set! x 4)        => unspecified
(+ x 1)           => 5
```

## 4.2. Derived expression types

For reference purposes, section 7.3 gives rewrite rules that will convert constructs described in this section into the primitive constructs described in the previous section.

### 4.2.1. Conditionals

(cond (clause<sub>1</sub>) (clause<sub>2</sub>) ...) essential syntax

*Syntax:* Each (clause) should be of the form

((test) (expression) ...)

where (test) is any expression. The last (clause) may be an "else clause," which has the form

(else (expression<sub>1</sub>) (expression<sub>2</sub>) ...).

*Semantics:* A cond expression is evaluated by evaluating the (test) expressions of successive (clause)s in order until one of them evaluates to a true value (see section 6.1). When a (test) evaluates to a true value, then the remaining (expression)s in its (clause) are evaluated in order, and the result of the last (expression) in the (clause) is returned as the result of the entire cond expression. If the selected (clause) contains only the (test) and no (expression)s, then the value of the (test) is returned as the result. If all (test)s evaluate to false values, and there is no else clause, then the result of the conditional expression is unspecified; if there is an else clause, then its (expression)s are evaluated, and the value of the last one is returned.

```
(cond ((> 3 2) 'greater)
      ((< 3 2) 'less)) => greater
(cond ((> 3 3) 'greater)
      ((< 3 3) 'less)
      (else 'equal)) => equal
```

Some implementations support an alternative (clause) syntax, ((test) => (recipient)), where (recipient) is an expression. If (test) evaluates to a true value, then (recipient) is evaluated. Its value must be a procedure of one argument; this procedure is then invoked on the value of the (test).

```
(cond ((assv 'b '((a 1) (b 2))) => cadr)
      (else #f)) => 2
```

(case (key) (clause<sub>1</sub>) (clause<sub>2</sub>) ...) essential syntax

*Syntax:* (Key) may be any expression. Each (clause) should have the form

((datum<sub>1</sub>) ...) (expression<sub>1</sub>) (expression<sub>2</sub>) ...),

where each (datum) is an external representation of some object. All the (datum)s must be distinct. The last (clause) may be an "else clause," which has the form

(else (expression<sub>1</sub>) (expression<sub>2</sub>) ...).

*Semantics:* A case expression is evaluated as follows. (Key) is evaluated and its result is compared against each (datum). If the result of evaluating (key) is equivalent (in the sense of eqv?; see section 6.2) to a (datum), then the expressions in the corresponding (clause) are evaluated from left to right and the result of the last expression in the (clause) is returned as the result of the case expression. If the result of evaluating (key) is different from every (datum), then if there is an else clause its expressions are evaluated and the result of the last is the result of the case expression; otherwise the result of the case expression is unspecified.

```
(case (* 2 3)
      ((2 3 5 7) 'prime)
      ((1 4 6 8 9) 'composite)) => composite
(case (car '(c d))
      ((a) 'a)
      ((b) 'b)) => unspecified
(case (car '(c d))
      ((a e i o u) 'vowel)
      ((w y) 'semivowel)
      (else 'consonant)) => consonant
```

(and (test<sub>1</sub>) ...) essential syntax

The (test) expressions are evaluated from left to right, and the value of the first expression that evaluates to a false value (see section 6.1) is returned. Any remaining expressions are not evaluated. If all the expressions evaluate to true values, the value of the last expression is returned. If there are no expressions then #t is returned.

```
(and (= 2 2) (> 2 1)) => #t
(and (= 2 2) (< 2 1)) => #f
(and 1 2 'c '(f g)) => (f g)
(and) => #t
```

(or (test<sub>1</sub>) ...) essential syntax

The (test) expressions are evaluated from left to right, and the value of the first expression that evaluates to a true value (see section 6.1) is returned. Any remaining expressions are not evaluated. If all expressions evaluate to false values, the value of the last expression is returned. If there are no expressions then #f is returned.

```
(or (= 2 2) (> 2 1))    => #t
(or (= 2 2) (< 2 1))    => #t
(or #f #f #f)           => #f
(or (memq 'b '(a b c))
    (/ 3 0))            => (b c)
```

#### 4.2.2. Binding constructs

The three binding constructs `let`, `let*`, and `letrec` give Scheme a block structure, like Algol 60. The syntax of the three constructs is identical, but they differ in the regions they establish for their variable bindings. In a `let` expression, the initial values are computed before any of the variables become bound; in a `let*` expression, the bindings and evaluations are performed sequentially; while in a `letrec` expression, all the bindings are in effect while their initial values are being computed, thus allowing mutually recursive definitions.

`(let (bindings) (body))` essential syntax

*Syntax:* (Bindings) should have the form

```
((variable1) (init1)) ...),
```

where each (init) is an expression, and (body) should be a sequence of one or more expressions. It is an error for a (variable) to appear more than once in the list of variables being bound.

*Semantics:* The (init)s are evaluated in the current environment (in some unspecified order), the (variable)s are bound to fresh locations holding the results, the (body) is evaluated in the extended environment, and the value of the last expression of (body) is returned. Each binding of a (variable) has (body) as its region.

```
(let ((x 2) (y 3))
    (* x y))           => 6
```

```
(let ((x 2) (y 3))
    (let ((x 7)
          (z (+ x y)))
      (* z x)))       => 35
```

See also named `let`, section 4.2.4.

`(let* (bindings) (body))` syntax

*Syntax:* (Bindings) should have the form

```
((variable1) (init1)) ...),
```

and (body) should be a sequence of one or more expressions.

*Semantics:* `let*` is similar to `let`, but the bindings are performed sequentially from left to right, and the region of a binding indicated by ((variable) (init)) is that part of the `let*` expression to the right of the binding. Thus the second binding is done in an environment in which the first binding is visible, and so on.

```
(let ((x 2) (y 3))
    (let* ((x 7)
           (z (+ x y)))
      (* z x)))       => 70
```

`(letrec (bindings) (body))` essential syntax

*Syntax:* (Bindings) should have the form

```
((variable1) (init1)) ...),
```

and (body) should be a sequence of one or more expressions. It is an error for a (variable) to appear more than once in the list of variables being bound.

*Semantics:* The (variable)s are bound to fresh locations holding undefined values, the (init)s are evaluated in the resulting environment (in some unspecified order), each (variable) is assigned to the result of the corresponding (init), the (body) is evaluated in the resulting environment, and the value of the last expression in (body) is returned. Each binding of a (variable) has the entire `letrec` expression as its region, making it possible to define mutually recursive procedures.

```
(letrec ((even?
          (lambda (n)
            (if (zero? n)
                #t
                (odd? (- n 1))))))
        (odd?
          (lambda (n)
            (if (zero? n)
                #f
                (even? (- n 1))))))
    (even? 88))       => #t
```

One restriction on `letrec` is very important: it must be possible to evaluate each (init) without assigning or referring to the value of any (variable). If this restriction is violated, then it is an error. The restriction is necessary because Scheme passes arguments by value rather than by name. In the most common uses of `letrec`, all the (init)s are lambda expressions and the restriction is satisfied automatically.

#### 4.2.3. Sequencing

`(begin (expression1) (expression2) ...)` essential syntax

The (expression)s are evaluated sequentially from left to right, and the value of the last (expression) is returned. This expression type is used to sequence side effects such as input and output.

```
(define x 0)
(begin (set! x 5)
      (+ x 1))       => 6
```

```
(begin (display "4 plus 1 equals ")
       (display (+ 4 1))) ⇒ unspecified
                          and prints 4 plus 1 equals 5
```

Note: [1] uses the keyword `sequence` instead of `begin`.

#### 4.2.4. Iteration

```
(do ((⟨variable1⟩ ⟨init1⟩ ⟨step1⟩)
     ...)
     ((test) ⟨expression⟩ ...)
     ⟨command⟩ ...)
```

syntax

`do` is an iteration construct. It specifies a set of variables to be bound, how they are to be initialized at the start, and how they are to be updated on each iteration. When a termination condition is met, the loop exits with a specified result value.

`do` expressions are evaluated as follows: The `(init)` expressions are evaluated (in some unspecified order), the `(variable)s` are bound to fresh locations, the results of the `(init)` expressions are stored in the bindings of the `(variable)s`, and then the iteration phase begins.

Each iteration begins by evaluating `(test)`; if the result is false (see section 6.1), then the `(command)` expressions are evaluated in order for effect, the `(step)` expressions are evaluated in some unspecified order, the `(variable)s` are bound to fresh locations, the results of the `(step)s` are stored in the bindings of the `(variable)s`, and the next iteration begins.

If `(test)` evaluates to a true value, then the `(expression)s` are evaluated from left to right and the value of the last `(expression)` is returned as the value of the `do` expression. If no `(expression)s` are present, then the value of the `do` expression is unspecified.

The region of the binding of a `(variable)` consists of the entire `do` expression except for the `(init)s`. It is an error for a `(variable)` to appear more than once in the list of `do` variables.

A `(step)` may be omitted, in which case the effect is the same as if `((variable) ⟨init⟩ (variable))` had been written instead of `((variable) ⟨init⟩)`.

```
(do ((vec (make-vector 5))
     (i 0 (+ i 1)))
     ((= i 5) vec)
     (vector-set! vec i i)) ⇒ #(0 1 2 3 4)
```

```
(let ((x '(1 3 5 7 9)))
      (do ((x x (cdr x))
           (sum 0 (+ sum (car x))))
          ((null? x) sum))) ⇒ 25
```

```
(let ⟨variable⟩ ⟨bindings⟩ ⟨body⟩) syntax
```

Some implementations of Scheme permit a variant on the syntax of `let` called “named `let`” which provides a more

general looping construct than `do`, and may also be used to express recursions.

Named `let` has the same syntax and semantics as ordinary `let` except that `(variable)` is bound within `(body)` to a procedure whose formal arguments are the bound variables and whose body is `(body)`. Thus the execution of `(body)` may be repeated by invoking the procedure named by `(variable)`.

```
(let loop ((numbers '(3 -2 1 6 -5))
           (nonneg '())
           (neg '()))
  (cond ((null? numbers) (list nonneg neg))
        ((>= (car numbers) 0)
         (loop (cdr numbers)
               (cons (car numbers) nonneg)
               neg))
        ((< (car numbers) 0)
         (loop (cdr numbers)
               nonneg
               (cons (car numbers) neg))))
⇒ ((6 1 3) (-5 -2))
```

#### 4.2.5. Delayed evaluation

```
(delay ⟨expression⟩) syntax
```

The `delay` construct is used together with the procedure `force` to implement *lazy evaluation* or *call by need*. `(delay ⟨expression⟩)` returns an object called a *promise* which at some point in the future may be asked (by the `force` procedure) to evaluate `(expression)` and deliver the resulting value.

See the description of `force` (section 6.9) for a more complete description of `delay`.

#### 4.2.6. Quasiquote

```
(quasiquote ⟨template⟩) essential syntax
`⟨template⟩ essential syntax
```

“Backquote” or “quasiquote” expressions are useful for constructing a list or vector structure when most but not all of the desired structure is known in advance. If no commas appear within the `(template)`, the result of evaluating ``⟨template⟩` is equivalent to the result of evaluating `'⟨template⟩`. If a comma appears within the `(template)`, however, the expression following the comma is evaluated (“unquoted”) and its result is inserted into the structure instead of the comma and the expression. If a comma appears followed immediately by an at-sign (`@`), then the following expression must evaluate to a list; the opening and closing parentheses of the list are then “stripped away” and the elements of the list are inserted in place of the comma at-sign expression sequence.

```

` (list ,(+ 1 2) 4)           ⇒ (list 3 4)
(let ((name 'a)) `(list ,name ,name))
    ⇒ (list a (quote a))
` (a ,(+ 1 2) ,@(map abs '(4 -5 6)) b)
    ⇒ (a 3 4 5 6 b)
` ((foo ,(- 10 3)) ,@(cdr 'c)) . ,(car '(cons)))
    ⇒ ((foo 7) . cons)
` # (10 5 ,(sqrt 4) ,@(map sqrt '(16 9)) 8)
    ⇒ # (10 5 2 4 3 8)

```

Quasiquote forms may be nested. Substitutions are made only for unquoted components appearing at the same nesting level as the outermost backquote. The nesting level increases by one inside each successive quasiquote, and decreases by one inside each unquote.

```

` (a ` (b ,(+ 1 2) ,(foo ,(+ 1 3) d) e) f)
    ⇒ (a ` (b ,(+ 1 2) ,(foo 4 d) e) f)
(let ((name1 'x)
      (name2 'y))
  `(a ` (b ,,name1 ',name2 d) e))
    ⇒ (a ` (b ,x ,y d) e)

```

The notations ``(template)` and `(quasiquote (template))` are identical in all respects. `,(expression)` is identical to `(unquote (expression))`, and `,@(expression)` is identical to `(unquote-splicing (expression))`. The external syntax generated by `write` for two-element lists whose car is one of these symbols may vary between implementations.

```

(quasiquote (list (unquote (+ 1 2)) 4))
    ⇒ (list 3 4)
'(quasiquote (list (unquote (+ 1 2)) 4))
    ⇒ `(list ,(+ 1 2) 4)
i.e., (quasiquote (list (unquote (+ 1 2)) 4))

```

Unpredictable behavior can result if any of the symbols `quasiquote`, `unquote`, or `unquote-splicing` appear in positions within a `(template)` otherwise than as described above.

## 5. Program structure

### 5.1. Programs

A Scheme program consists of a sequence of expressions and definitions. Expressions are described in chapter 4; definitions are the subject of the rest of the present chapter.

Programs are typically stored in files or entered interactively to a running Scheme system, although other paradigms are possible; questions of user interface lie outside the scope of this report. (Indeed, Scheme would still be useful as a notation for expressing computational methods even in the absence of a mechanical implementation.)

Definitions occurring at the top level of a program can be interpreted declaratively. They cause bindings to be created in the top level environment. Expressions occurring at the top level of a program are interpreted imperatively; they are executed in order when the program is invoked or loaded, and typically perform some kind of initialization.

### 5.2. Definitions

Definitions are valid in some, but not all, contexts where expressions are allowed. They are valid only at the top level of a `(program)` and, in some implementations, at the beginning of a `(body)`.

A definition should have one of the following forms:

- `(define (variable) (expression))`

This syntax is essential.

- `(define ((variable) (formals)) (body))`

This syntax is not essential. `(Formals)` should be either a sequence of zero or more variables, or a sequence of one or more variables followed by a space-delimited period and another variable (as in a lambda expression). This form is equivalent to

```

(define (variable)
  (lambda ((formals)) (body)))

```

- `(define ((variable) . (formal)) (body))`

This syntax is not essential. `(Formal)` should be a single variable. This form is equivalent to

```

(define (variable)
  (lambda (formal) (body)))

```

- `(begin (definition1) ...)`

This syntax is essential. This form is equivalent to the set of definitions that form the body of the `begin`.

#### 5.2.1. Top level definitions

At the top level of a program, a definition

```

(define (variable) (expression))

```

has essentially the same effect as the assignment expression

```

(set! (variable) (expression))

```

if `(variable)` is bound. If `(variable)` is not bound, however, then the definition will bind `(variable)` to a new location before performing the assignment, whereas it would be an error to perform a `set!` on an unbound variable.

```

(define add3
  (lambda (x) (+ x 3)))
(add3 3)           ⇒ 6
(define first car)
(first '(1 2))    ⇒ 1

```

All Scheme implementations must support top level definitions.

Some implementations of Scheme use an initial environment in which all possible variables are bound to locations, most of which contain undefined values. Top level definitions in such an implementation are truly equivalent to assignments.

### 5.2.2. Internal definitions

Some implementations of Scheme permit definitions to occur at the beginning of a `<body>` (that is, the body of a `lambda`, `let`, `let*`, `letrec`, or `define` expression). Such definitions are known as *internal definitions* as opposed to the top level definitions described above. The variable defined by an internal definition is local to the `<body>`. That is, `<variable>` is bound rather than assigned, and the region of the binding is the entire `<body>`. For example,

```
(let ((x 5))
  (define foo (lambda (y) (bar x y)))
  (define bar (lambda (a b) (+ (* a b) a)))
  (foo (+ x 3)))           ⇒ 45
```

A `<body>` containing internal definitions can always be converted into a completely equivalent `letrec` expression. For example, the `let` expression in the above example is equivalent to

```
(let ((x 5))
  (letrec ((foo (lambda (y) (bar x y)))
           (bar (lambda (a b) (+ (* a b) a))))
    (foo (+ x 3))))
```

Just as for the equivalent `letrec` expression, it must be possible to evaluate each `<expression>` of every internal definition in a `<body>` without assigning or referring to the value of any `<variable>` being defined.

## 6. Standard procedures

This chapter describes Scheme's built-in procedures. The initial (or "top level") Scheme environment starts out with a number of variables bound to locations containing useful values, most of which are primitive procedures that manipulate data. For example, the variable `abs` is bound to (a location initially containing) a procedure of one argument that computes the absolute value of a number, and the variable `+` is bound to a procedure that computes sums.

### 6.1. Booleans

The standard boolean objects for true and false are written as `#t` and `#f`. What really matters, though, are the objects that the Scheme conditional expressions (`if`, `cond`, `and`, `or`, `do`) treat as true or false. The phrase "a true value" (or sometimes just "true") means any object treated as true by the conditional expressions, and the phrase "a false value" (or "false") means any object treated as false by the conditional expressions.

Of all the standard Scheme values, only `#f` is guaranteed to count as false in conditional expressions. It is not specified whether the empty list counts as false or as true in conditional expressions. Except for `#f` and possibly the empty list, all standard Scheme values, including `#t`, pairs,

symbols, numbers, strings, vectors, and procedures, count as true.

*Rationale:* For historical reasons some implementations regard `#f` and the empty list as the same object. These implementations therefore cannot make the empty list count as true in conditional expressions.

*Note:* Programmers accustomed to other dialects of Lisp should be aware that Scheme distinguishes both `#f` and the empty list from the symbol `nil`.

Boolean constants evaluate to themselves, so they don't need to be quoted in programs.

```
#t           ⇒ #t
#f           ⇒ #f
' #f        ⇒ #f
```

`(not obj)` essential procedure

`Not` returns `#t` if `obj` is false, and returns `#f` otherwise.

```
(not #t)     ⇒ #f
(not 3)      ⇒ #f
(not (list 3)) ⇒ #f
(not #f)     ⇒ #t
(not '())    ⇒ unspecified
(not (list)) ⇒ unspecified
(not 'nil)   ⇒ #f
```

`(boolean? obj)` essential procedure

`Boolean?` returns `#t` if `obj` is either `#t` or `#f` and returns `#f` otherwise.

```
(boolean? #f) ⇒ #t
(boolean? 0)  ⇒ #f
(boolean? '()) ⇒ unspecified
```

### 6.2. Equivalence predicates

A *predicate* is a procedure that always returns a boolean value (`#t` or `#f`). An *equivalence predicate* is the computational analogue of a mathematical equivalence relation (it is symmetric, reflexive, and transitive). Of the equivalence predicates described in this section, `eq?` is the finest or most discriminating, and `equal?` is the coarsest. `Eqv?` is slightly less discriminating than `eq?`.

`(eqv? obj1 obj2)` essential procedure

The `eqv?` procedure defines a useful equivalence relation on objects. Briefly, it returns `#t` if `obj1` and `obj2` should normally be regarded as the same object. This relation is left slightly open to interpretation, but the following partial specification of `eqv?` holds for all implementations of Scheme.

The `eqv?` procedure returns `#t` if:

- $obj_1$  and  $obj_2$  are both #t or both #f.
- $obj_1$  and  $obj_2$  are both symbols and

```
(string=? (symbol->string obj1)
          (symbol->string obj2))
      => #t
```

*Note:* This assumes that neither  $obj_1$  nor  $obj_2$  is an “un-interned symbol” as alluded to in section 6.4. This report does not presume to specify the behavior of `eqv?` on implementation-dependent extensions.

- $obj_1$  and  $obj_2$  are both numbers, are numerically equal (see =, section 6.5), and are either both exact or both inexact.
- $obj_1$  and  $obj_2$  are both characters and are the same character according to the `char=?` procedure (section 6.6).
- both  $obj_1$  and  $obj_2$  are the empty list.
- $obj_1$  and  $obj_2$  are pairs, vectors, or strings that denote the same locations in the store (section 3.5).
- $obj_1$  and  $obj_2$  are procedures whose location tags are equal (section 4.1.4).

The `eqv?` procedure returns #f if:

- $obj_1$  and  $obj_2$  are of different types (section 3.4).
- one of  $obj_1$  and  $obj_2$  is #t but the other is #f.
- $obj_1$  and  $obj_2$  are symbols but
 

```
(string=? (symbol->string obj1)
          (symbol->string obj2))
      => #f
```
- one of  $obj_1$  and  $obj_2$  is an exact number but the other is an inexact number.
- $obj_1$  and  $obj_2$  are numbers for which the = procedure returns #f.
- $obj_1$  and  $obj_2$  are characters for which the `char=?` procedure returns #f.
- one of  $obj_1$  and  $obj_2$  is the empty list but the other is not.
- $obj_1$  and  $obj_2$  are pairs, vectors, or strings that denote distinct locations.
- $obj_1$  and  $obj_2$  are procedures that would behave differently (return a different value or have different side effects) for some arguments.

```
(eqv? 'a 'a)           => #t
(eqv? 'a 'b)           => #f
(eqv? 2 2)             => #t
(eqv? '() '())         => #t
(eqv? 100000000 100000000) => #t
(eqv? (cons 1 2) (cons 1 2)) => #f
(eqv? (lambda () 1)
      (lambda () 2))   => #f
(eqv? #f 'nil)         => #f
(let ((p (lambda (x) x)))
  (eqv? p p))          => #t
```

The following examples illustrate cases in which the above rules do not fully specify the behavior of `eqv?`. All that can be said about such cases is that the value returned by `eqv?` must be a boolean.

```
(eqv? "" "")           => unspecified
(eqv? '#() '#())       => unspecified
(eqv? (lambda (x) x)
      (lambda (x) x))   => unspecified
(eqv? (lambda (x) x)
      (lambda (y) y))   => unspecified
```

The next set of examples shows the use of `eqv?` with procedures that have local state. `Gen-counter` must return a distinct procedure every time, since each procedure has its own internal counter. `Gen-loser`, however, returns equivalent procedures each time, since the local state does not affect the value or side effects of the procedures.

```
(define gen-counter
  (lambda ()
    (let ((n 0))
      (lambda () (set! n (+ n 1)) n))))
(let ((g (gen-counter)))
  (eqv? g g))           => #t
(eqv? (gen-counter) (gen-counter)) => #f

(define gen-loser
  (lambda ()
    (let ((n 0))
      (lambda () (set! n (+ n 1)) 27))))
(let ((g (gen-loser)))
  (eqv? g g))           => #t
(eqv? (gen-loser) (gen-loser))   => unspecified

(letrec ((f (lambda () (if (eqv? f g) 'both 'f)))
         (g (lambda () (if (eqv? f g) 'both 'g))))
  (eqv? f g))           => unspecified

(letrec ((f (lambda () (if (eqv? f g) 'f 'both)))
         (g (lambda () (if (eqv? f g) 'g 'both))))
  (eqv? f g))           => #f
```

Objects of distinct types must never be regarded as the same object, except that #f and the empty list are permitted to be identical.

(eqv? '() #f)  $\Rightarrow$  *unspecified*

Since it is an error to modify constant objects (those returned by literal expressions), implementations are permitted, though not required, to share structure between constants where appropriate. Thus the value of `eqv?` on constants is sometimes implementation-dependent.

```
(let ((x '(a)))
  (eqv? x x)            $\Rightarrow$  #t
  (eqv? '(a) '(a))     $\Rightarrow$  unspecified
  (eqv? "a" "a")       $\Rightarrow$  unspecified
  (eqv? '(b) (cdr '(a b)))  $\Rightarrow$  unspecified)
```

*Rationale:* The above definition of `eqv?` allows implementations latitude in their treatment of procedures and literals: implementations are free either to detect or to fail to detect that two procedures or two literals are equivalent to each other, and can decide whether or not to merge representations of equivalent objects by using the same pointer or bit pattern to represent both.

(eq? *obj*<sub>1</sub> *obj*<sub>2</sub>) essential procedure

`Eq?` is similar to `eqv?` except that in some cases it is capable of discerning distinctions finer than those detectable by `eqv?`.

`Eq?` and `eqv?` are guaranteed to have the same behavior on symbols, booleans, the empty list, pairs, and non-empty strings and vectors. `Eq?`'s behavior on numbers and characters is implementation-dependent, but it will always return either true or false, and will return true only when `eqv?` would also return true. `Eq?` may also behave differently from `eqv?` on empty vectors and empty strings.

```
(eq? 'a 'a)            $\Rightarrow$  #t
(eq? '(a) '(a))       $\Rightarrow$  unspecified
(eq? (list 'a) (list 'a))  $\Rightarrow$  #f
(eq? "a" "a")         $\Rightarrow$  unspecified
(eq? "" "")            $\Rightarrow$  unspecified
(eq? '() '())         $\Rightarrow$  #t
(eq? 2 2)              $\Rightarrow$  unspecified
(eq? #\A #\A)          $\Rightarrow$  unspecified
(eq? car car)          $\Rightarrow$  #t
(let ((n (+ 2 3)))
  (eq? n n))           $\Rightarrow$  unspecified
(let ((x '(a)))
  (eq? x x))           $\Rightarrow$  #t
(let ((x '#()))
  (eq? x x))           $\Rightarrow$  #t
(let ((p (lambda (x) x)))
  (eq? p p))           $\Rightarrow$  #t
```

*Rationale:* It will usually be possible to implement `eq?` much more efficiently than `eqv?`, for example, as a simple pointer comparison instead of as some more complicated operation. One reason is that it may not be possible to compute `eqv?` of two numbers in constant time, whereas `eq?` implemented as pointer comparison will always finish in constant time. `Eq?` may be used

like `eqv?` in applications using procedures to implement objects with state since it obeys the same constraints as `eqv?`.

(equal? *obj*<sub>1</sub> *obj*<sub>2</sub>) essential procedure

`Equal?` recursively compares the contents of pairs, vectors, and strings, applying `eqv?` on other objects such as numbers and symbols. A rule of thumb is that objects are generally `equal?` if they print the same. `Equal?` may fail to terminate if its arguments are circular data structures.

```
(equal? 'a 'a)            $\Rightarrow$  #t
(equal? '(a) '(a))       $\Rightarrow$  #t
(equal? '(a (b) c)
        '(a (b) c))      $\Rightarrow$  #t
(equal? "abc" "abc")     $\Rightarrow$  #t
(equal? 2 2)              $\Rightarrow$  #t
(equal? (make-vector 5 'a)
        (make-vector 5 'a))  $\Rightarrow$  #t
(equal? (lambda (x) x)
        (lambda (y) y))  $\Rightarrow$  unspecified
```

### 6.3. Pairs and lists

A *pair* (sometimes called a *dotted pair*) is a record structure with two fields called the *car* and *cdr* fields (for historical reasons). Pairs are created by the procedure `cons`. The *car* and *cdr* fields are accessed by the procedures `car` and `cdr`. The *car* and *cdr* fields are assigned by the procedures `set-car!` and `set-cdr!`.

Pairs are used primarily to represent lists. A list can be defined recursively as either the empty list or a pair whose *cdr* is a list. More precisely, the set of lists is defined as the smallest set  $X$  such that

- The empty list is in  $X$ .
- If *list* is in  $X$ , then any pair whose *cdr* field contains *list* is also in  $X$ .

The objects in the *car* fields of successive pairs of a list are the elements of the list. For example, a two-element list is a pair whose *car* is the first element and whose *cdr* is a pair whose *car* is the second element and whose *cdr* is the empty list. The length of a list is the number of elements, which is the same as the number of pairs.

The empty list is a special object of its own type (it is not a pair); it has no elements and its length is zero.

*Note:* The above definitions imply that all lists have finite length and are terminated by the empty list.

The most general notation (external representation) for Scheme pairs is the "dotted" notation ( $c_1 . c_2$ ) where  $c_1$  is the value of the *car* field and  $c_2$  is the value of the *cdr* field. For example (4 . 5) is a pair whose *car* is 4 and whose *cdr* is 5. Note that (4 . 5) is the external representation of a pair, not an expression that evaluates to a pair.



A more streamlined notation can be used for lists: the elements of the list are simply enclosed in parentheses and separated by spaces. The empty list is written `()`. For example,

```
(a b c d e)
```

and

```
(a . (b . (c . (d . (e . ())))))
```

are equivalent notations for a list of symbols.

A chain of pairs not ending in the empty list is called an *improper list*. Note that an improper list is not a list. The list and dotted notations can be combined to represent improper lists:

```
(a b c . d)
```

is equivalent to

```
(a . (b . (c . d)))
```

Whether a given pair is a list depends upon what is stored in the cdr field. When the `set-cdr!` procedure is used, an object can be a list one moment and not the next:

```
(define x (list 'a 'b 'c))
(define y x)
y                => (a b c)
(list? y)        => #t
(set-cdr! x 4)   => unspecified
x                => (a . 4)
(eqv? x y)      => #t
y                => (a . 4)
(list? y)        => #f
(set-cdr! x x)   => unspecified
(list? x)        => #f
```

Within literal expressions and representations of objects read by the `read` procedure, the forms `'(datum)`, ``(datum)`, `,(datum)`, and `@(datum)` denote two-element lists whose first elements are the symbols `quote`, `quasiquote`, `unquote`, and `unquote-splicing`, respectively. The second element in each case is `(datum)`. This convention is supported so that arbitrary Scheme programs may be represented as lists. That is, according to Scheme's grammar, every `(expression)` is also a `(datum)` (see section 7.1.2). Among other things, this permits the use of the `read` procedure to parse Scheme programs. See section 3.3.

**(pair? obj)** essential procedure

Pair? returns `#t` if `obj` is a pair, and otherwise returns `#f`.

```
(pair? '(a . b))    => #t
(pair? '(a b c))    => #t
(pair? '())         => #f
(pair? '#(a b))     => #f
```

**(cons obj<sub>1</sub> obj<sub>2</sub>)** essential procedure

Returns a newly allocated pair whose car is `obj1` and whose cdr is `obj2`. The pair is guaranteed to be different (in the sense of `eqv?`) from every existing object.

```
(cons 'a '())       => (a)
(cons '(a) '(b c d)) => ((a) b c d)
(cons "a" '(b c))  => ("a" b c)
(cons 'a 3)        => (a . 3)
(cons '(a b) 'c)   => ((a b) . c)
```

**(car pair)** essential procedure

Returns the contents of the car field of `pair`. Note that it is an error to take the car of the empty list.

```
(car '(a b c))      => a
(car '((a) b c d)) => (a)
(car '(1 . 2))      => 1
(car '())           => error
```

**(cdr pair)** essential procedure

Returns the contents of the cdr field of `pair`. Note that it is an error to take the cdr of the empty list.

```
(cdr '((a) b c d))  => (b c d)
(cdr '(1 . 2))      => 2
(cdr '())           => error
```

**(set-car! pair obj)** essential procedure

Stores `obj` in the car field of `pair`. The value returned by `set-car!` is unspecified.

```
(define (f) (list 'not-a-constant-list))
(define (g) '(constant-list))
(set-car! (f) 3)    => unspecified
(set-car! (g) 3)    => error
```

**(set-cdr! pair obj)** essential procedure

Stores `obj` in the cdr field of `pair`. The value returned by `set-cdr!` is unspecified.

**(caar pair)** essential procedure

**(cadr pair)** essential procedure

⋮

**(caddr pair)** essential procedure

**(caddr pair)** essential procedure

These procedures are compositions of `car` and `cdr`, where for example `caddr` could be defined by

```
(define caddr (lambda (x) (car (cdr (cdr x))))).
```

Arbitrary compositions, up to four deep, are provided. There are twenty-eight of these procedures in all.

`(null? obj)` essential procedure

Returns `#t` if `obj` is the empty list, otherwise returns `#f`.

*Note:* In implementations in which the empty list is the same as `#f`, `null?` will return `#t` if `obj` is `#f`.

`(list? obj)` essential procedure

Returns `#t` if `obj` is a list, otherwise returns `#f`. By definition, all lists have finite length and are terminated by the empty list.

```
(list '(a b c))    => #t
(list '())        => #t
(list '(a . b))   => #f
(let ((x (list 'a)))
  (set-cdr! x x)
  (list? x))      => #f
```

`(list obj ...)` essential procedure

Returns a list of its arguments.

```
(list 'a (+ 3 4) 'c) => (a 7 c)
(list)                => ()
```

`(length list)` essential procedure

Returns the length of `list`.

```
(length '(a b c))    => 3
(length '(a (b) (c d e))) => 3
(length '())         => 0
```

`(append list ...)` essential procedure

Returns a list consisting of the elements of the first `list` followed by the elements of the other `lists`.

```
(append '(x) '(y))    => (x y)
(append '(a) '(b c d)) => (a b c d)
(append '(a (b)) '((c))) => (a (b) (c))
```

The resulting list is always newly allocated, except that it shares structure with the last `list` argument. The last argument may actually be any object; an improper list results if the last argument is not a proper list.

```
(append '(a b) '(c . d)) => (a b c . d)
(append '() 'a)         => a
```

`(reverse list)` essential procedure

Returns a newly allocated list consisting of the elements of `list` in reverse order.

```
(reverse '(a b c))    => (c b a)
(reverse '(a (b c) d (e (f))))
=> ((e (f)) d (b c) a)
```

`(list-tail list k)` procedure

Returns the sublist of `list` obtained by omitting the first `k` elements. `List-tail` could be defined by

```
(define list-tail
  (lambda (x k)
    (if (zero? k)
        x
        (list-tail (cdr x) (- k 1)))))
```

`(list-ref list k)` essential procedure

Returns the `k`th element of `list`. (This is the same as the `car` of `(list-tail list k)`.)

```
(list-ref '(a b c d) 2) => c
(list-ref '(a b c d)
  (inexact->exact (round 1.8)))
=> c
```

`(memq obj list)` essential procedure

`(memv obj list)` essential procedure

`(member obj list)` essential procedure

These procedures return the first sublist of `list` whose `car` is `obj`, where the sublists of `list` are the non-empty lists returned by `(list-tail list k)` for `k` less than the length of `list`. If `obj` does not occur in `list`, `#f` (n.b.: not the empty list) is returned. `Memq` uses `eq?` to compare `obj` with the elements of `list`, while `memv` uses `eqv?` and `member` uses `equal?`.

```
(memq 'a '(a b c))    => (a b c)
(memq 'b '(a b c))    => (b c)
(memq 'a '(b c d))    => #f
(memq (list 'a) '(b (a) c)) => #f
(member (list 'a)
  '(b (a) c))          => ((a) c)
(memq 101 '(100 101 102)) => unspecified
(memv 101 '(100 101 102)) => (101 102)
```

`(assq obj alist)` essential procedure

`(assv obj alist)` essential procedure

`(assoc obj alist)` essential procedure

*Alist* (for "association list") must be a list of pairs. These procedures find the first pair in *alist* whose *car* field is *obj*, and returns that pair. If no pair in *alist* has *obj* as its *car*, `#f` is returned. `Assq` uses `eq?` to compare *obj* with the *car* fields of the pairs in *alist*, while `assv` uses `eqv?` and `assoc` uses `equal?`.

```

(define e '((a 1) (b 2) (c 3)))
(assq 'a e)           => (a 1)
(assq 'b e)           => (b 2)
(assq 'd e)           => #f
(assq (list 'a) '(((a)) ((b)) ((c))))
                    => #f
(assoc (list 'a) '(((a)) ((b)) ((c))))
                    => ((a))
(assq 5 '((2 3) (5 7) (11 13)))
                    => unspecified
(assv 5 '((2 3) (5 7) (11 13)))
                    => (5 7)

```

*Rationale:* Although they are ordinarily used as predicates, `memq`, `memv`, `member`, `assq`, `assv`, and `assoc` do not have question marks in their names because they return useful values rather than just `#t` or `#f`.

## 6.4. Symbols

Symbols are objects whose usefulness rests on the fact that two symbols are identical (in the sense of `eqv?`) if and only if their names are spelled the same way. This is exactly the property needed to represent identifiers in programs, and so most implementations of Scheme use them internally for that purpose. Symbols are useful for many other applications; for instance, they may be used the way enumerated values are used in Pascal.

The rules for writing a symbol are exactly the same as the rules for writing an identifier; see sections 2.1 and 7.1.1.

It is guaranteed that any symbol that has been returned as part of a literal expression, or read using the `read` procedure, and subsequently written out using the `write` procedure, will read back in as the identical symbol (in the sense of `eqv?`). The `string->symbol` procedure, however, can create symbols for which this write/read invariance may not hold because their names contain special characters or letters in the non-standard case.

*Note:* Some implementations of Scheme have a feature known as “slashification” in order to guarantee write/read invariance for all symbols, but historically the most important use of this feature has been to compensate for the lack of a string data type.

Some implementations also have “uninterned symbols”, which defeat write/read invariance even in implementations with slashification, and also generate exceptions to the rule that two symbols are the same if and only if their names are spelled the same.

```
(symbol? obj)
```

 essential procedure

Returns `#t` if *obj* is a symbol, otherwise returns `#f`.

```

(symbol? 'foo)           => #t
(symbol? (car '(a b)))  => #t
(symbol? "bar")         => #f

```

```

(symbol? 'nil)          => #t
(symbol? '())           => #f
(symbol? #f)            => #f

```

```
(symbol->string symbol)
```

 essential procedure

Returns the name of *symbol* as a string. If the symbol was part of an object returned as the value of a literal expression (section 4.1.2) or by a call to the `read` procedure, and its name contains alphabetic characters, then the string returned will contain characters in the implementation's preferred standard case—some implementations will prefer upper case, others lower case. If the symbol was returned by `string->symbol`, the case of characters in the string returned will be the same as the case in the string that was passed to `string->symbol`. It is an error to apply mutation procedures like `string-set!` to strings returned by this procedure.

The following examples assume that the implementation's standard case is lower case:

```

(symbol->string 'flying-fish) => "flying-fish"
(symbol->string 'Martin)      => "martin"
(symbol->string
  (string->symbol "Malvina")) => "Malvina"

```

```
(string->symbol string)
```

 essential procedure

Returns the symbol whose name is *string*. This procedure can create symbols with names containing special characters or letters in the non-standard case, but it is usually a bad idea to create such symbols because in some implementations of Scheme they cannot be read as themselves. See `symbol->string`.

The following examples assume that the implementation's standard case is lower case:

```

(eq? 'mISSISSIppi 'mississippi)
  => #t
(string->symbol "mISSISSIppi")
  => the symbol with name "mISSISSIppi"
(eq? 'bitBlt (string->symbol "bitBlt"))
  => #f
(eq? 'JollyWog
  (string->symbol
    (symbol->string 'JollyWog)))
  => #t
(string=? "K. Harper, M.D."
  (symbol->string
    (string->symbol "K. Harper, M.D.")))
  => #t

```

## 6.5. Numbers

Numerical computation has traditionally been neglected by the Lisp community. Until Common Lisp there was no carefully thought out strategy for organizing numerical computation, and with the exception of the MacLisp system [29] little effort was made to execute numerical code efficiently. This report recognizes the excellent work of the Common Lisp committee and accepts many of their recommendations. In some ways this report simplifies and generalizes their proposals in a manner consistent with the purposes of Scheme.

It is important to distinguish between the mathematical numbers, the Scheme numbers that attempt to model them, the machine representations used to implement the Scheme numbers, and notations used to write numbers. This report uses the types *number*, *complex*, *real*, *rational*, and *integer* to refer to both mathematical numbers and Scheme numbers. Machine representations such as fixed point and floating point are referred to by names such as *fixnum* and *flonum*.

### 6.5.1. Numerical types

Mathematically, numbers may be arranged into a tower of subtypes in which each level is a subset of the level above it:

```

number
complex
real
rational
integer

```

For example, 3 is an integer. Therefore 3 is also a rational, a real, and a complex. The same is true of the Scheme numbers that model 3. For Scheme numbers, these types are defined by the predicates *number?*, *complex?*, *real?*, *rational?*, and *integer?*.

There is no simple relationship between a number's type and its representation inside a computer. Although most implementations of Scheme will offer at least two different representations of 3, these different representations denote the same integer.

Scheme's numerical operations treat numbers as abstract data, as independent of their representation as possible. Although an implementation of Scheme may use *fixnum*, *flonum*, and perhaps other representations for numbers, this should not be apparent to a casual programmer writing simple programs.

It is necessary, however, to distinguish between numbers that are represented exactly and those that may not be. For example, indexes into data structures must be known exactly, as must some polynomial coefficients in a symbolic algebra system. On the other hand, the results of measurements are inherently inexact, and irrational numbers may

be approximated by rational and therefore inexact approximations. In order to catch uses of inexact numbers where exact numbers are required, Scheme explicitly distinguishes exact from inexact numbers. This distinction is orthogonal to the dimension of type.

### 6.5.2. Exactness

Scheme numbers are either *exact* or *inexact*. A number is exact if it was written as an exact constant or was derived from exact numbers using only exact operations. A number is inexact if it was written as an inexact constant, if it was derived using inexact ingredients, or if it was derived using inexact operations. Thus inexactness is a contagious property of a number.

If two implementations produce exact results for a computation that did not involve inexact intermediate results, the two ultimate results will be mathematically equivalent. This is generally not true of computations involving inexact numbers since approximate methods such as floating point arithmetic may be used, but it is the duty of each implementation to make the result as close as practical to the mathematically ideal result.

Rational operations such as + should always produce exact results when given exact arguments. If the operation is unable to produce an exact result, then it may either report the violation of an implementation restriction or it may silently coerce its result to an inexact value. See section 6.5.3.

With the exception of *inexact*->*exact*, the operations described in this section must generally return inexact results when given any inexact arguments. An operation may, however, return an exact result if it can prove that the value of the result is unaffected by the inexactness of its arguments. For example, multiplication of any number by an exact zero may produce an exact zero result, even if the other argument is inexact.

### 6.5.3. Implementation restrictions

Implementations of Scheme are not required to implement the whole tower of subtypes given in section 6.5.1, but they must implement a coherent subset consistent with both the purposes of the implementation and the spirit of the Scheme language. For example, an implementation in which all numbers are real may still be quite useful.

Implementations may also support only a limited range of numbers of any type, subject to the requirements of this section. The supported range for exact numbers of any type may be different from the supported range for inexact numbers of that type. For example, an implementation that uses *flonums* to represent all its inexact real numbers may support a practically unbounded range of exact integers and rationals while limiting the range of inexact reals

(and therefore the range of inexact integers and rationals) to the dynamic range of the flonum format. Furthermore the gaps between the representable inexact integers and rationals are likely to be very large in such an implementation as the limits of this range are approached.

An implementation of Scheme must support exact integers throughout the range of numbers that may be used for indexes of lists, vectors, and strings or that may result from computing the length of a list, vector, or string. The `length`, `vector-length`, and `string-length` procedures must return an exact integer, and it is an error to use anything but an exact integer as an index. Furthermore any integer constant within the index range, if expressed by an exact integer syntax, will indeed be read as an exact integer, regardless of any implementation restrictions that may apply outside this range. Finally, the procedures listed below will always return an exact integer result provided all their arguments are exact integers and the mathematically expected result is representable as an exact integer within the implementation:

<code>+</code>	<code>-</code>	<code>*</code>
<code>quotient</code>	<code>remainder</code>	<code>modulo</code>
<code>max</code>	<code>min</code>	<code>abs</code>
<code>numerator</code>	<code>denominator</code>	<code>gcd</code>
<code>lcm</code>	<code>floor</code>	<code>ceiling</code>
<code>truncate</code>	<code>round</code>	<code>rationalize</code>
<code>expt</code>		

Implementations are encouraged, but not required, to support exact integers and exact rationals of practically unlimited size and precision, and to implement the above procedures and the `/` procedure in such a way that they always return exact results when given exact arguments. If one of these procedures is unable to deliver an exact result when given exact arguments, then it may either report a violation of an implementation restriction or it may silently coerce its result to an inexact number. Such a coercion may cause an error later.

An implementation may use floating point and other approximate representation strategies for inexact numbers. This report recommends, but does not require, that the IEEE 32-bit and 64-bit floating point standards be followed by implementations that use flonum representations, and that implementations using other representations should match or exceed the precision achievable using these floating point standards [19].

In particular, implementations that use flonum representations must follow these rules: A flonum result must be represented with at least as much precision as is used to express any of the inexact arguments to that operation. It is desirable (but not required) for potentially inexact operations such as `sqrt`, when applied to exact arguments, to produce exact answers whenever possible (for example the square root of an exact 4 ought to be an exact 2). If, however, an exact number is operated upon so as to produce an

inexact result (as by `sqrt`), and if the result is represented as a flonum, then the most precise flonum format available must be used; but if the result is represented in some other way then the representation must have at least as much precision as the most precise flonum format available.

Although Scheme allows a variety of written notations for numbers, any particular implementation may support only some of them. For example, an implementation in which all numbers are real need not support the rectangular and polar notations for complex numbers. If an implementation encounters an exact numerical constant that it cannot represent as an exact number, then it may either report a violation of an implementation restriction or it may silently represent the constant by an inexact number.

#### 6.5.4. Syntax of numerical constants

The syntax of the written representations for numbers is described formally in section 7.1.1.

A number may be written in binary, octal, decimal, or hexadecimal by the use of a radix prefix. The radix prefixes are `#b` (binary), `#o` (octal), `#d` (decimal), and `#x` (hexadecimal). With no radix prefix, a number is assumed to be expressed in decimal.

A numerical constant may be specified to be either exact or inexact by a prefix. The prefixes are `#e` for exact, and `#i` for inexact. An exactness prefix may appear before or after any radix prefix that is used. If the written representation of a number has no exactness prefix, the constant may be either inexact or exact. It is inexact if it contains a decimal point, an exponent, or a “#” character in the place of a digit, otherwise it is exact.

In systems with inexact numbers of varying precisions it may be useful to specify the precision of a constant. For this purpose, numerical constants may be written with an exponent marker that indicates the desired precision of the inexact representation. The letters `s`, `f`, `d`, and `l` specify the use of *short*, *single*, *double*, and *long* precision, respectively. (When fewer than four internal inexact representations exist, the four size specifications are mapped onto those available. For example, an implementation with two internal representations may map short and single together and long and double together.) In addition, the exponent marker `e` specifies the default precision for the implementation. The default precision has at least as much precision as *double*, but implementations may wish to allow this default to be set by the user.

`3.14159265358979F0`

Round to single — `3.141593`

`0.6L0`

Extend to long — `.6000000000000000`

### 6.5.5. Numerical operations

The reader is referred to section 1.3.3 for a summary of the naming conventions used to specify restrictions on the types of arguments to numerical routines. The examples used in this section assume that any numerical constant written using an exact notation is indeed represented as an exact number. Some examples also assume that certain numerical constants written using an inexact notation can be represented without loss of accuracy; the inexact constants were chosen so that this is likely to be true in implementations that use flonums to represent inexact numbers.

<code>(number? obj)</code>	essential procedure
<code>(complex? obj)</code>	essential procedure
<code>(real? obj)</code>	essential procedure
<code>(rational? obj)</code>	essential procedure
<code>(integer? obj)</code>	essential procedure

These numerical type predicates can be applied to any kind of argument, including non-numbers. They return `#t` if the object is of the named type, and otherwise they return `#f`. In general, if a type predicate is true of a number then all higher type predicates are also true of that number. Consequently, if a type predicate is false of a number, then all lower type predicates are also false of that number.

If  $z$  is an inexact complex number, then `(real? z)` is true if and only if `(zero? (imag-part z))` is true. If  $x$  is an inexact real number, then `(integer? x)` is true if and only if `(= x (round x))`.

<code>(complex? 3+4i)</code>	$\Rightarrow$	<code>#t</code>
<code>(complex? 3)</code>	$\Rightarrow$	<code>#t</code>
<code>(real? 3)</code>	$\Rightarrow$	<code>#t</code>
<code>(real? -2.5+0.0i)</code>	$\Rightarrow$	<code>#t</code>
<code>(real? #e1e10)</code>	$\Rightarrow$	<code>#t</code>
<code>(rational? 6/10)</code>	$\Rightarrow$	<code>#t</code>
<code>(rational? 6/3)</code>	$\Rightarrow$	<code>#t</code>
<code>(integer? 3+0i)</code>	$\Rightarrow$	<code>#t</code>
<code>(integer? 3.0)</code>	$\Rightarrow$	<code>#t</code>
<code>(integer? 8/4)</code>	$\Rightarrow$	<code>#t</code>

*Note:* The behavior of these type predicates on inexact numbers is unreliable, since any inaccuracy may affect the result.

*Note:* In many implementations the `rational?` procedure will be the same as `real?`, and the `complex?` procedure will be the same as `number?`, but unusual implementations may be able to represent some irrational numbers exactly or may extend the number system to support some kind of non-complex numbers.

<code>(exact? z)</code>	essential procedure
<code>(inexact? z)</code>	essential procedure

These numerical predicates provide tests for the exactness of a quantity. For any Scheme number, precisely one of these predicates is true.

<code>(= z<sub>1</sub> z<sub>2</sub> z<sub>3</sub> ...)</code>	essential procedure
<code>(&lt; x<sub>1</sub> x<sub>2</sub> x<sub>3</sub> ...)</code>	essential procedure
<code>(&gt; x<sub>1</sub> x<sub>2</sub> x<sub>3</sub> ...)</code>	essential procedure
<code>(&lt;= x<sub>1</sub> x<sub>2</sub> x<sub>3</sub> ...)</code>	essential procedure
<code>(&gt;= x<sub>1</sub> x<sub>2</sub> x<sub>3</sub> ...)</code>	essential procedure

These procedures return `#t` if their arguments are (respectively): equal, monotonically increasing, monotonically decreasing, monotonically nondecreasing, or monotonically nonincreasing.

These predicates are required to be transitive.

*Note:* The traditional implementations of these predicates in Lisp-like languages are not transitive.

*Note:* While it is not an error to compare inexact numbers using these predicates, the results may be unreliable because a small inaccuracy may affect the result; this is especially true of `=` and `zero?`. When in doubt, consult a numerical analyst.

<code>(zero? z)</code>	essential procedure
<code>(positive? x)</code>	essential procedure
<code>(negative? x)</code>	essential procedure
<code>(odd? n)</code>	essential procedure
<code>(even? n)</code>	essential procedure

These numerical predicates test a number for a particular property, returning `#t` or `#f`. See note above.

<code>(max x<sub>1</sub> x<sub>2</sub> ...)</code>	essential procedure
<code>(min x<sub>1</sub> x<sub>2</sub> ...)</code>	essential procedure

These procedures return the maximum or minimum of their arguments.

<code>(max 3 4)</code>	$\Rightarrow$	4	; exact
<code>(max 3.9 4)</code>	$\Rightarrow$	4.0	; inexact

*Note:* If any argument is inexact, then the result will also be inexact (unless the procedure can prove that the inaccuracy is not large enough to affect the result, which is possible only in unusual implementations). If `min` or `max` is used to compare numbers of mixed exactness, and the numerical value of the result cannot be represented as an inexact number without loss of accuracy, then the procedure may report a violation of an implementation restriction.

<code>(+ z<sub>1</sub> ...)</code>	essential procedure
<code>(* z<sub>1</sub> ...)</code>	essential procedure

These procedures return the sum or product of their arguments.

<code>(+ 3 4)</code>	$\Rightarrow$	7
<code>(+ 3)</code>	$\Rightarrow$	3
<code>(+)</code>	$\Rightarrow$	0
<code>(* 4)</code>	$\Rightarrow$	4
<code>(*)</code>	$\Rightarrow$	1

(-  $z_1 z_2$ ) essential procedure  
 (-  $z$ ) essential procedure  
 (-  $z_1 z_2 \dots$ ) procedure  
 (/  $z_1 z_2$ ) essential procedure  
 (/  $z$ ) essential procedure  
 (/  $z_1 z_2 \dots$ ) procedure

With two or more arguments, these procedures return the difference or quotient of their arguments, associating to the left. With one argument, however, they return the additive or multiplicative inverse of their argument.

(- 3 4)  $\Rightarrow$  -1  
 (- 3 4 5)  $\Rightarrow$  -6  
 (- 3)  $\Rightarrow$  -3  
 (/ 3 4 5)  $\Rightarrow$  3/20  
 (/ 3)  $\Rightarrow$  1/3

(abs  $x$ ) essential procedure  
 Abs returns the magnitude of its argument.

(abs -7)  $\Rightarrow$  7

(quotient  $n_1 n_2$ ) essential procedure  
 (remainder  $n_1 n_2$ ) essential procedure  
 (modulo  $n_1 n_2$ ) essential procedure

These procedures implement number-theoretic (integer) division: For positive integers  $n_1$  and  $n_2$ , if  $n_3$  and  $n_4$  are integers such that  $n_1 = n_2 n_3 + n_4$  and  $0 \leq n_4 < n_2$ , then

(quotient  $n_1 n_2$ )  $\Rightarrow$   $n_3$   
 (remainder  $n_1 n_2$ )  $\Rightarrow$   $n_4$   
 (modulo  $n_1 n_2$ )  $\Rightarrow$   $n_4$

For integers  $n_1$  and  $n_2$  with  $n_2$  not equal to 0,

(=  $n_1$  (+ (\*  $n_2$  (quotient  $n_1 n_2$ ))  
 (remainder  $n_1 n_2$ )))  
 $\Rightarrow$  #t

provided all numbers involved in that computation are exact.

The value returned by `quotient` always has the sign of the product of its arguments. `Remainder` and `modulo` differ on negative arguments—the `remainder` always has the sign of the dividend, the `modulo` always has the sign of the divisor:

(modulo 13 4)  $\Rightarrow$  1  
 (remainder 13 4)  $\Rightarrow$  1  
  
 (modulo -13 4)  $\Rightarrow$  3  
 (remainder -13 4)  $\Rightarrow$  -1  
  
 (modulo 13 -4)  $\Rightarrow$  -3  
 (remainder 13 -4)  $\Rightarrow$  1  
  
 (modulo -13 -4)  $\Rightarrow$  -1  
 (remainder -13 -4)  $\Rightarrow$  -1  
  
 (remainder -13 -4.0)  $\Rightarrow$  -1.0 ; inexact

(gcd  $n_1 \dots$ ) essential procedure  
 (lcm  $n_1 \dots$ ) essential procedure

These procedures return the greatest common divisor or least common multiple of their arguments. The result is always non-negative.

(gcd 32 -36)  $\Rightarrow$  4  
 (gcd)  $\Rightarrow$  0  
 (lcm 32 -36)  $\Rightarrow$  288  
 (lcm 32.0 -36)  $\Rightarrow$  288.0 ; inexact  
 (lcm)  $\Rightarrow$  1

(numerator  $q$ ) procedure  
 (denominator  $q$ ) procedure

These procedures return the numerator or denominator of their argument; the result is computed as if the argument was represented as a fraction in lowest terms. The denominator is always positive. The denominator of 0 is defined to be 1.

(numerator (/ 6 4))  $\Rightarrow$  3  
 (denominator (/ 6 4))  $\Rightarrow$  2  
 (denominator  
 (exact->inexact (/ 6 4)))  $\Rightarrow$  2.0

(floor  $x$ ) essential procedure  
 (ceiling  $x$ ) essential procedure  
 (truncate  $x$ ) essential procedure  
 (round  $x$ ) essential procedure

These procedures return integers. `Floor` returns the largest integer not larger than  $x$ . `Ceiling` returns the smallest integer not smaller than  $x$ . `Truncate` returns the integer closest to  $x$  whose absolute value is not larger than the absolute value of  $x$ . `Round` returns the integer closest to  $x$ , rounding to even when  $x$  is halfway between two integers.

*Rationale:* Round rounds to even for consistency with rounding modes required by the IEEE floating point standard.

*Note:* If the argument to one of these procedures is inexact then the result will also be inexact. If an exact value is needed the result should be passed to the `inexact->exact` procedure.

(floor -4.3)  $\Rightarrow$  -5.0  
 (ceiling -4.3)  $\Rightarrow$  -4.0  
 (truncate -4.3)  $\Rightarrow$  -4.0  
 (round -4.3)  $\Rightarrow$  -4.0  
  
 (floor 3.5)  $\Rightarrow$  3.0  
 (ceiling 3.5)  $\Rightarrow$  4.0  
 (truncate 3.5)  $\Rightarrow$  3.0  
 (round 3.5)  $\Rightarrow$  4.0 ; inexact  
  
 (round 7/2)  $\Rightarrow$  4 ; exact  
 (round 7)  $\Rightarrow$  7

(rationalize  $x y$ )

procedure

**Rationalize** returns the *simplest* rational number differing from  $x$  by no more than  $y$ . A rational number  $r_1$  is *simpler* than another rational number  $r_2$  if  $r_1 = p_1/q_1$  and  $r_2 = p_2/q_2$  (in lowest terms) and  $|p_1| \leq |p_2|$  and  $|q_1| \leq |q_2|$ . Thus  $3/5$  is simpler than  $4/7$ . Although not all rationals are comparable in this ordering (consider  $2/7$  and  $3/5$ ) any interval contains a rational number that is simpler than every other rational number in that interval (the simpler  $2/5$  lies between  $2/7$  and  $3/5$ ). Note that  $0 = 0/1$  is the simplest rational of all.

```
(rationalize
  (inexact->exact .3) 1/10) => 1/3 ; exact
(rationalize .3 1/10)    => #i1/3 ; inexact
```

(exp $z$ )	procedure
(log $z$ )	procedure
(sin $z$ )	procedure
(cos $z$ )	procedure
(tan $z$ )	procedure
(asin $z$ )	procedure
(acos $z$ )	procedure
(atan $z$ )	procedure
(atan $y x$ )	procedure

These procedures are part of every implementation that supports general real numbers; they compute the usual transcendental functions. **Log** computes the natural logarithm of  $z$  (not the base ten logarithm). **Asin**, **acos**, and **atan** compute arcsine ( $\sin^{-1}$ ), arccosine ( $\cos^{-1}$ ), and arctangent ( $\tan^{-1}$ ), respectively. The two-argument variant of **atan** computes (**angle** (**make-rectangular**  $x y$ )) (see below), even in implementations that don't support general complex numbers.

In general, the mathematical functions **log**, **arcsine**, **arccosine**, and **arctangent** are multiply defined. For nonzero real  $x$ , the value of **log**  $x$  is defined to be the one whose imaginary part lies in the range  $-\pi$  (exclusive) to  $\pi$  (inclusive). **log** 0 is undefined. The value of **log**  $z$  when  $z$  is complex is defined according to the formula

$$\log z = \log \text{magnitude}(z) + i \text{angle}(z)$$

With **log** defined this way, the values of  $\sin^{-1} z$ ,  $\cos^{-1} z$ , and  $\tan^{-1} z$  are according to the following formulae:

$$\sin^{-1} z = -i \log(iz + \sqrt{1 - z^2})$$

$$\cos^{-1} z = \pi/2 - \sin^{-1} z$$

$$\tan^{-1} z = (\log(1 + iz) - \log(1 - iz))/(2i)$$

The above specification follows [45], which in turn cites [27]; refer to these sources for more detailed discussion of branch cuts, boundary conditions, and implementation of these functions. When it is possible these procedures produce a real result from a real argument.

(sqrt  $z$ )

procedure

Returns the principal square root of  $z$ . The result will have either positive real part, or zero real part and non-negative imaginary part.

(expt  $z_1 z_2$ )

procedure

Returns  $z_1$  raised to the power  $z_2$ :

$$z_1^{z_2} = e^{z_2 \log z_1}$$

$0^0$  is defined to be equal to 1.

(make-rectangular  $x_1 x_2$ )

procedure

(make-polar  $x_3 x_4$ )

procedure

(real-part  $z$ )

procedure

(imag-part  $z$ )

procedure

(magnitude  $z$ )

procedure

(angle  $z$ )

procedure

These procedures are part of every implementation that supports general complex numbers. Suppose  $x_1$ ,  $x_2$ ,  $x_3$ , and  $x_4$  are real numbers and  $z$  is a complex number such that

$$z = x_1 + x_2 i = x_3 \cdot e^{i x_4}$$

Then **make-rectangular** and **make-polar** return  $z$ , **real-part** returns  $x_1$ , **imag-part** returns  $x_2$ , **magnitude** returns  $x_3$ , and **angle** returns  $x_4$ . In the case of **angle**, whose value is not uniquely determined by the preceding rule, the value returned will be the one in the range  $-\pi$  (exclusive) to  $\pi$  (inclusive).

*Rationale:* **Magnitude** is the same as **abs** for a real argument, but **abs** must be present in all implementations, whereas **magnitude** need only be present in implementations that support general complex numbers.

(exact->inexact  $z$ )

procedure

(inexact->exact  $z$ )

procedure

**Exact->inexact** returns an inexact representation of  $z$ . The value returned is the inexact number that is numerically closest to the argument. If an exact argument has no reasonably close inexact equivalent, then a violation of an implementation restriction may be reported.

**Inexact->exact** returns an exact representation of  $z$ . The value returned is the exact number that is numerically closest to the argument. If an inexact argument has no reasonably close exact equivalent, then a violation of an implementation restriction may be reported.

These procedures implement the natural one-to-one correspondence between exact and inexact integers throughout an implementation-dependent range. See section 6.5.3.



### 6.5.6. Numerical input and output

(number->string *number*)           essential procedure  
 (number->string *number radix*)   essential procedure

*Radix* must be an exact integer, either 2, 8, 10, or 16. If omitted, *radix* defaults to 10. The procedure `number->string` takes a number and a radix and returns as a string an external representation of the given number in the given radix such that

```
(let ((number number)
      (radix radix))
  (eqv? number
        (string->number (number->string number
                          radix))))
```

is true. It is an error if no possible result makes this expression true.

If *number* is inexact, the radix is 10, and the above expression can be satisfied by a result that contains a decimal point, then the result contains a decimal point and is expressed using the minimum number of digits (exclusive of exponent and trailing zeroes) needed to make the above expression true [50]; otherwise the format of the result is unspecified.

The result returned by `number->string` never contains an explicit radix prefix.

*Note:* The error case can occur only when *number* is not a complex number or is a complex number with a non-rational real or imaginary part.

*Rationale:* If *number* is an inexact number represented using flonums, and the radix is 10, then the above expression is normally satisfied by a result containing a decimal point. The unspecified case allows for infinities, NaNs, and non-flonum representations.

(string->number *string*)           essential procedure  
 (string->number *string radix*)   essential procedure

Returns a number of the maximally precise representation expressed by the given *string*. *Radix* must be an exact integer, either 2, 8, 10, or 16. If supplied, *radix* is a default radix that may be overridden by an explicit radix prefix in *string* (e.g. "#o177"). If *radix* is not supplied, then the default radix is 10. If *string* is not a syntactically valid notation for a number, then `string->number` returns #f.

```
(string->number "100")           ⇒ 100
(string->number "100" 16)       ⇒ 256
(string->number "1e2")           ⇒ 100.0
(string->number "15##")         ⇒ 1500.0
```

*Note:* Although `string->number` is an essential procedure, an implementation may restrict its domain in the following ways.

`String->number` is permitted to return #f whenever *string* contains an explicit radix prefix. If all numbers supported by an implementation are real, then `string->number` is permitted to return #f whenever *string* uses the polar or rectangular notations for complex numbers. If all numbers are integers, then `string->number` may return #f whenever the fractional notation is used. If all numbers are exact, then `string->number` may return #f whenever an exponent marker or explicit exactness prefix is used, or if a # appears in place of a digit. If all inexact numbers are integers, then `string->number` may return #f whenever a decimal point is used.

## 6.6. Characters

Characters are objects that represent printed characters such as letters and digits. Characters are written using the notation #\*(character)* or #\*(character name)*. For example:

```
#\a           ; lower case letter
#\A           ; upper case letter
#\ (          ; left parenthesis
#\            ; the space character
#\space       ; the preferred way to write a space
#\newline     ; the newline character
```

Case is significant in #\*(character)*, but not in #\*(character name)*. If *(character)* in #\*(character)* is alphabetic, then the character following *(character)* must be a delimiter character such as a space or parenthesis. This rule resolves the ambiguous case where, for example, the sequence of characters "#\space" could be taken to be either a representation of the space character or a representation of the character "#\s" followed by a representation of the symbol "pace."

Characters written in the #\*(character)* notation are self-evaluating. That is, they do not have to be quoted in programs.

Some of the procedures that operate on characters ignore the difference between upper case and lower case. The procedures that ignore case have "-ci" (for "case insensitive") embedded in their names.

(char? *obj*)                           essential procedure

Returns #t if *obj* is a character, otherwise returns #f.

```
(char=? char1 char2)           essential procedure
(char<? char1 char2)           essential procedure
(char>? char1 char2)           essential procedure
(char<=? char1 char2)       essential procedure
(char>=? char1 char2)       essential procedure
```

These procedures impose a total ordering on the set of characters. It is guaranteed that under this ordering:

- The upper case characters are in order. For example, `(char<? #\A #\B)` returns `#t`.
- The lower case characters are in order. For example, `(char<? #\a #\b)` returns `#t`.
- The digits are in order. For example, `(char<? #\0 #\9)` returns `#t`.
- Either all the digits precede all the upper case letters, or vice versa.
- Either all the digits precede all the lower case letters, or vice versa.

Some implementations may generalize these procedures to take more than two arguments, as with the corresponding numerical predicates.

<code>(char-ci=? char<sub>1</sub> char<sub>2</sub>)</code>	essential procedure
<code>(char-ci&lt;? char<sub>1</sub> char<sub>2</sub>)</code>	essential procedure
<code>(char-ci&gt;? char<sub>1</sub> char<sub>2</sub>)</code>	essential procedure
<code>(char-ci&lt;=? char<sub>1</sub> char<sub>2</sub>)</code>	essential procedure
<code>(char-ci&gt;=? char<sub>1</sub> char<sub>2</sub>)</code>	essential procedure

These procedures are similar to `char=?` et cetera, but they treat upper case and lower case letters as the same. For example, `(char-ci=? #\A #\a)` returns `#t`. Some implementations may generalize these procedures to take more than two arguments, as with the corresponding numerical predicates.

<code>(char-alphabetic? char)</code>	essential procedure
<code>(char-numeric? char)</code>	essential procedure
<code>(char-whitespace? char)</code>	essential procedure
<code>(char-upper-case? letter)</code>	essential procedure
<code>(char-lower-case? letter)</code>	essential procedure

These procedures return `#t` if their arguments are alphabetic, numeric, whitespace, upper case, or lower case characters, respectively, otherwise they return `#f`. The following remarks, which are specific to the ASCII character set, are intended only as a guide: The alphabetic characters are the 52 upper and lower case letters. The numeric characters are the ten decimal digits. The whitespace characters are space, tab, line feed, form feed, and carriage return.

<code>(char-&gt;integer char)</code>	essential procedure
<code>(integer-&gt;char n)</code>	essential procedure

Given a character, `char->integer` returns an exact integer representation of the character. Given an exact integer that is the image of a character under `char->integer`, `integer->char` returns that character. These procedures implement injective order isomorphisms between the set of characters under the `char<=?` ordering and some subset of the integers under the `<=` ordering. That is, if

$$(\text{char}<=? a b) \implies \#t \text{ and } (<= x y) \implies \#t$$

and  $x$  and  $y$  are in the domain of `integer->char`, then

$$(<= (\text{char}>\text{integer } a) (\text{char}>\text{integer } b)) \implies \#t$$

$$(\text{char}<=? (\text{integer}>\text{char } x) (\text{integer}>\text{char } y)) \implies \#t$$

<code>(char-upcase char)</code>	essential procedure
<code>(char-downcase char)</code>	essential procedure

These procedures return a character  $char_2$  such that `(char-ci=? char char2)`. In addition, if  $char$  is alphabetic, then the result of `char-upcase` is upper case and the result of `char-downcase` is lower case.

## 6.7. Strings

Strings are sequences of characters. Strings are written as sequences of characters enclosed within doublequotes (""). A doublequote can be written inside a string only by escaping it with a backslash (\), as in

"The word \"recursion\" has many meanings."

A backslash can be written inside a string only by escaping it with another backslash. Scheme does not specify the effect of a backslash within a string that is not followed by a doublequote or backslash.

A string constant may continue from one line to the next, but the exact contents of such a string are unspecified.

The *length* of a string is the number of characters that it contains. This number is a non-negative integer that is fixed when the string is created. The *valid indexes* of a string are the exact non-negative integers less than the length of the string. The first character of a string has index 0, the second has index 1, and so on.

In phrases such as "the characters of *string* beginning with index *start* and ending with index *end*," it is understood that the index *start* is inclusive and the index *end* is exclusive. Thus if *start* and *end* are the same index, a null substring is referred to, and if *start* is zero and *end* is the length of *string*, then the entire string is referred to.

Some of the procedures that operate on strings ignore the difference between upper and lower case. The versions that ignore case have "-ci" (for "case insensitive") embedded in their names.

<code>(string? obj)</code>	essential procedure
----------------------------	---------------------

Returns `#t` if  $obj$  is a string, otherwise returns `#f`.

<code>(make-string k)</code>	essential procedure
<code>(make-string k char)</code>	essential procedure

**Make-string** returns a newly allocated string of length  $k$ . If  $char$  is given, then all elements of the string are initialized to  $char$ , otherwise the contents of the  $string$  are unspecified.

**(string char ...)** essential procedure

Returns a newly allocated string composed of the arguments.

**(string-length string)** essential procedure

Returns the number of characters in the given  $string$ .

**(string-ref string k)** essential procedure

$k$  must be a valid index of  $string$ . **String-ref** returns character  $k$  of  $string$  using zero-origin indexing.

**(string-set! string k char)** essential procedure

$k$  must be a valid index of  $string$ . **String-set!** stores  $char$  in element  $k$  of  $string$  and returns an unspecified value.

```
(define (f) (make-string 3 #\*))
(define (g) "****")
(string-set! (f) 0 #\?)    => unspecified
(string-set! (g) 0 #\?)    => error
(string-set! (symbol->string 'immutable)
             0
             #\?)         => error
```

**(string=? string<sub>1</sub> string<sub>2</sub>)** essential procedure

**(string-ci=? string<sub>1</sub> string<sub>2</sub>)** essential procedure

Returns  $\#t$  if the two strings are the same length and contain the same characters in the same positions, otherwise returns  $\#f$ . **String-ci=?** treats upper and lower case letters as though they were the same character, but **string=?** treats upper and lower case as distinct characters.

**(string<? string<sub>1</sub> string<sub>2</sub>)** essential procedure

**(string>? string<sub>1</sub> string<sub>2</sub>)** essential procedure

**(string<=? string<sub>1</sub> string<sub>2</sub>)** essential procedure

**(string>=? string<sub>1</sub> string<sub>2</sub>)** essential procedure

**(string-ci<? string<sub>1</sub> string<sub>2</sub>)** essential procedure

**(string-ci>? string<sub>1</sub> string<sub>2</sub>)** essential procedure

**(string-ci<=? string<sub>1</sub> string<sub>2</sub>)** essential procedure

**(string-ci>=? string<sub>1</sub> string<sub>2</sub>)** essential procedure

These procedures are the lexicographic extensions to strings of the corresponding orderings on characters. For example, **string<?** is the lexicographic ordering on strings induced by the ordering **char<?** on characters. If two strings differ in length but are the same up to the length of the shorter string, the shorter string is considered to be lexicographically less than the longer string.

Implementations may generalize these and the **string=?** and **string-ci=?** procedures to take more than two arguments, as with the corresponding numerical predicates.

**(substring string start end)** essential procedure

$String$  must be a string, and  $start$  and  $end$  must be exact integers satisfying

$$0 \leq start \leq end \leq (\text{string-length } string).$$

**Substring** returns a newly allocated string formed from the characters of  $string$  beginning with index  $start$  (inclusive) and ending with index  $end$  (exclusive).

**(string-append string ...)** essential procedure

Returns a newly allocated string whose characters form the concatenation of the given strings.

**(string->list string)** essential procedure

**(list->string chars)** essential procedure

**String->list** returns a newly allocated list of the characters that make up the given string. **List->string** returns a newly allocated string formed from the characters in the list  $chars$ . **String->list** and **list->string** are inverses so far as **equal?** is concerned.

**(string-copy string)** procedure

Returns a newly allocated copy of the given  $string$ .

**(string-fill! string char)** procedure

Stores  $char$  in every element of the given  $string$  and returns an unspecified value.

## 6.8. Vectors

Vectors are heterogeneous structures whose elements are indexed by integers. A vector typically occupies less space than a list of the same length, and the average time required to access a randomly chosen element is typically less for the vector than for the list.

The *length* of a vector is the number of elements that it contains. This number is a non-negative integer that is fixed when the vector is created. The *valid indexes* of a vector are the exact non-negative integers less than the length of the vector. The first element in a vector is indexed by zero, and the last element is indexed by one less than the length of the vector.

Vectors are written using the notation  $\#(obj \dots)$ . For example, a vector of length 3 containing the number zero in element 0, the list (2 2 2 2) in element 1, and the string "Anna" in element 2 can be written as following:

```
#(0 (2 2 2 2) "Anna")
```

Note that this is the external representation of a vector, not an expression evaluating to a vector. Like list constants, vector constants must be quoted:

```
'#(0 (2 2 2 2) "Anna")
  ⇒ #(0 (2 2 2 2) "Anna")
```

```
(vector? obj)          essential procedure
```

Returns #t if *obj* is a vector, otherwise returns #f.

```
(make-vector k)          essential procedure
(make-vector k fill)    procedure
```

Returns a newly allocated vector of *k* elements. If a second argument is given, then each element is initialized to *fill*. Otherwise the initial contents of each element is unspecified.

```
(vector obj ...)        essential procedure
```

Returns a newly allocated vector whose elements contain the given arguments. Analogous to `list`.

```
(vector 'a 'b 'c)       ⇒ #(a b c)
```

```
(vector-length vector) essential procedure
```

Returns the number of elements in *vector*.

```
(vector-ref vector k) essential procedure
```

*k* must be a valid index of *vector*. `Vector-ref` returns the contents of element *k* of *vector*.

```
(vector-ref '#(1 1 2 3 5 8 13 21)
            5)
  ⇒ 8
(vector-ref '#(1 1 2 3 5 8 13 21)
            (inexact->exact
             (round (* 2 (acos -1)))))
  ⇒ 13
```

```
(vector-set! vector k obj) essential procedure
```

*k* must be a valid index of *vector*. `Vector-set!` stores *obj* in element *k* of *vector*. The value returned by `vector-set!` is unspecified.

```
(let ((vec (vector 0 '(2 2 2 2) "Anna")))
  (vector-set! vec 1 '("Sue" "Sue")))
  vec)
  ⇒ #(0 ("Sue" "Sue") "Anna")
```

```
(vector-set! '#(0 1 2) 1 "doe")
  ⇒ error ; constant vector
```

```
(vector->list vector)    essential procedure
(list->vector list)     essential procedure
```

`Vector->list` returns a newly allocated list of the objects contained in the elements of *vector*. `List->vector` returns a newly created vector initialized to the elements of the list *list*.

```
(vector->list '#(dah dah didah))
  ⇒ (dah dah didah)
(list->vector '(dididit dah))
  ⇒ #(dididit dah)
```

```
(vector-fill! vector fill) procedure
```

Stores *fill* in every element of *vector*. The value returned by `vector-fill!` is unspecified.

## 6.9. Control features

This chapter describes various primitive procedures which control the flow of program execution in special ways. The `procedure?` predicate is also described here.

```
(procedure? obj)        essential procedure
```

Returns #t if *obj* is a procedure, otherwise returns #f.

```
(procedure? car)          ⇒ #t
(procedure? 'car)         ⇒ #f
(procedure? (lambda (x) (* x x)))
  ⇒ #t
(procedure? '(lambda (x) (* x x)))
  ⇒ #f
(call-with-current-continuation procedure?)
  ⇒ #t
```

```
(apply proc args)      essential procedure
```

```
(apply proc arg1 ... argn) procedure
```

*Proc* must be a procedure and *args* must be a list. The first (essential) form calls *proc* with the elements of *args* as the actual arguments. The second form is a generalization of the first that calls *proc* with the elements of the list `(append (list arg1 ...) args)` as the actual arguments.

```
(apply + (list 3 4))     ⇒ 7
```

```
(define compose
  (lambda (f g)
    (lambda args
      (f (apply g args)))))
```

```
((compose sqrt *) 12 75) ⇒ 30
```

```
(map proc list1 list2 ...) essential procedure
```

The *lists* must be lists, and *proc* must be a procedure taking as many arguments as there are *lists*. If more than one *list*

is given, then they must all be the same length. `Map` applies *proc* element-wise to the elements of the *lists* and returns a list of the results, in order from left to right. The dynamic order in which *proc* is applied to the elements of the *lists* is unspecified.

```
(map cadr '((a b) (d e) (g h)))
  ⇒ (b e h)

(map (lambda (n) (expt n n))
     '(1 2 3 4 5))
  ⇒ (1 4 27 256 3125)

(map + '(1 2 3) '(4 5 6)) ⇒ (5 7 9)

(let ((count 0))
  (map (lambda (ignored)
        (set! count (+ count 1))
        count)
       '(a b c))) ⇒ unspecified
```

`(for-each proc list1 list2 ...)` essential procedure

The arguments to `for-each` are like the arguments to `map`, but `for-each` calls *proc* for its side effects rather than for its values. Unlike `map`, `for-each` is guaranteed to call *proc* on the elements of the *lists* in order from the first element to the last, and the value returned by `for-each` is unspecified.

```
(let ((v (make-vector 5)))
  (for-each (lambda (i)
             (vector-set! v i (* i i)))
           '(0 1 2 3 4))
  v) ⇒ #(0 1 4 9 16)
```

`(force promise)` procedure

Forces the value of *promise* (see `delay`, section 4.2.5). If no value has been computed for the promise, then a value is computed and returned. The value of the promise is cached (or “memoized”) so that if it is forced a second time, the previously computed value is returned without any recomputation.

```
(force (delay (+ 1 2))) ⇒ 3
(let ((p (delay (+ 1 2))))
  (list (force p) (force p)))
  ⇒ (3 3)
```

```
(define a-stream
  (letrec ((next
            (lambda (n)
              (cons n (delay (next (+ n 1)))))))
    (next 0)))
(define head car)
(define tail
  (lambda (stream) (force (cdr stream))))
(head (tail (tail a-stream)))
  ⇒ 2
```

`Force` and `delay` are mainly intended for programs written in functional style. The following examples should not be considered to illustrate good programming style, but they illustrate the property that the value of a promise is computed at most once.

```
(define count 0)
(define p (delay (begin (set! count (+ count 1))
                       (* x 3))))

(define x 5)
count ⇒ 0
p ⇒ a promise
(force p) ⇒ 15
p ⇒ a promise, still
count ⇒ 1
(force p) ⇒ 15
count ⇒ 1
```

Here is a possible implementation of `delay` and `force`. We define the expression

```
(delay (expression))
```

to have the same meaning as the procedure call

```
(make-promise (lambda () (expression))),
```

where `make-promise` is defined as follows:

```
(define make-promise
  (lambda (proc)
    (let ((already-run? #f) (result #f))
      (lambda ()
        (cond ((not already-run?)
              (set! result (proc))
                (set! already-run? #t)))
              result))))
```

Promises are implemented here as procedures of no arguments, and `force` simply calls its argument.

```
(define force
  (lambda (object)
    (object)))
```

Various extensions to this semantics of `delay` and `force` are supported in some implementations:

- Calling `force` on an object that is not a promise may simply return the object.
- It may be the case that there is no means by which a promise can be operationally distinguished from its forced value. That is, expressions like the following may evaluate to either `#t` or to `#f`, depending on the implementation:
 

```
(eqv? (delay 1) 1) ⇒ unspecified
(pair? (delay (cons 1 2))) ⇒ unspecified
```
- Some implementations will implement “implicit forcing,” where the value of a promise is forced by primitive procedures like `cdr` and `+`:

```
(+ (delay (* 3 7)) 13) ⇒ 34
```

```
(call-with-current-continuation proc)
                                essential procedure
```

*Proc* must be a procedure of one argument. The procedure `call-with-current-continuation` packages up the current continuation (see the rationale below) as an “escape procedure” and passes it as an argument to *proc*. The escape procedure is a Scheme procedure of one argument that, if it is later passed a value, will ignore whatever continuation is in effect at that later time and will give the value instead to the continuation that was in effect when the escape procedure was created.

The escape procedure that is passed to *proc* has unlimited extent just like any other procedure in Scheme. It may be stored in variables or data structures and may be called as many times as desired.

The following examples show only the most common uses of `call-with-current-continuation`. If all real programs were as simple as these examples, there would be no need for a procedure with the power of `call-with-current-continuation`.

```
(call-with-current-continuation
 (lambda (exit)
  (for-each (lambda (x)
             (if (negative? x)
                 (exit x)))
           '(54 0 37 -3 245 19))
 #t)) ⇒ -3
```

```
(define list-length
 (lambda (obj)
  (call-with-current-continuation
   (lambda (return)
    (letrec ((r
              (lambda (obj)
                (cond ((null? obj) 0)
                      ((pair? obj)
                       (+ (r (cdr obj)) 1))
                      (else (return #f))))))
     (r obj))))))
```

```
(list-length '(1 2 3 4)) ⇒ 4
```

```
(list-length '(a b . c)) ⇒ #f
```

#### Rationale:

A common use of `call-with-current-continuation` is for structured, non-local exits from loops or procedure bodies, but in fact `call-with-current-continuation` is extremely useful for implementing a wide variety of advanced control structures.

Whenever a Scheme expression is evaluated there is a *continuation* wanting the result of the expression. The continuation represents an entire (default) future for the computation. If the expression is evaluated at top level, for example, then the

continuation will take the result, print it on the screen, prompt for the next input, evaluate it, and so on forever. Most of the time the continuation includes actions specified by user code, as in a continuation that will take the result, multiply it by the value stored in a local variable, add seven, and give the answer to the top level continuation to be printed. Normally these ubiquitous continuations are hidden behind the scenes and programmers don't think much about them. On rare occasions, however, a programmer may need to deal with continuations explicitly. `Call-with-current-continuation` allows Scheme programmers to do that by creating a procedure that acts just like the current continuation.

Most programming languages incorporate one or more special-purpose escape constructs with names like `exit`, `return`, or even `goto`. In 1965, however, Peter Landin [22] invented a general purpose escape operator called the J-operator. John Reynolds [34] described a simpler but equally powerful construct in 1972. The `catch` special form described by Sussman and Steele in the 1975 report on Scheme is exactly the same as Reynolds's construct, though its name came from a less general construct in MacLisp. Several Scheme implementors noticed that the full power of the `catch` construct could be provided by a procedure instead of by a special syntactic construct, and the name `call-with-current-continuation` was coined in 1982. This name is descriptive, but opinions differ on the merits of such a long name, and some people use the name `call/cc` instead.

## 6.10. Input and output

### 6.10.1. Ports

Ports represent input and output devices. To Scheme, an input port is a Scheme object that can deliver characters upon command, while an output port is a Scheme object that can accept characters.

```
(call-with-input-file string proc)
                                essential procedure
(call-with-output-file string proc)
                                essential procedure
```

*Proc* should be a procedure of one argument, and *string* should be a string naming a file. For `call-with-input-file`, the file must already exist; for `call-with-output-file`, the effect is unspecified if the file already exists. These procedures call *proc* with one argument: the port obtained by opening the named file for input or output. If the file cannot be opened, an error is signalled. If the procedure returns, then the port is closed automatically and the value yielded by the procedure is returned. If the procedure does not return, then the port will not be closed automatically unless it is possible to prove that the port will never again be used for a read or write operation.

*Rationale:* Because Scheme's escape procedures have unlimited extent, it is possible to escape from the current continuation but later to escape back in. If implementations were permitted to close the port on any escape from the current continuation, then it would be impossible to write portable code using both `call-with-current-continuation` and `call-with-input-file` or `call-with-output-file`.

(`input-port? obj`)                    essential procedure  
(`output-port? obj`)                   essential procedure

Returns `#t` if `obj` is an input port or output port respectively, otherwise returns `#f`.

(`current-input-port`)                   essential procedure  
(`current-output-port`)                essential procedure

Returns the current default input or output port.

(`with-input-from-file string thunk`)    procedure  
(`with-output-to-file string thunk`)    procedure

*Thunk* must be a procedure of no arguments, and *string* must be a string naming a file. For `with-input-from-file`, the file must already exist; for `with-output-to-file`, the effect is unspecified if the file already exists. The file is opened for input or output, an input or output port connected to it is made the default value returned by `current-input-port` or `current-output-port`, and the *thunk* is called with no arguments. When the *thunk* returns, the port is closed and the previous default is restored. `with-input-from-file` and `with-output-to-file` return the value yielded by *thunk*. If an escape procedure is used to escape from the continuation of these procedures, their behavior is implementation dependent.

(`open-input-file filename`)            essential procedure

Takes a string naming an existing file and returns an input port capable of delivering characters from the file. If the file cannot be opened, an error is signalled.

(`open-output-file filename`)           essential procedure

Takes a string naming an output file to be created and returns an output port capable of writing characters to a new file by that name. If the file cannot be opened, an error is signalled. If a file with the given name already exists, the effect is unspecified.

(`close-input-port port`)                essential procedure  
(`close-output-port port`)               essential procedure

Closes the file associated with *port*, rendering the *port* incapable of delivering or accepting characters. These routines have no effect if the file has already been closed. The value returned is unspecified.

## 6.10.2. Input

(`read`)                                    essential procedure  
(`read port`)                              essential procedure

`Read` converts external representations of Scheme objects into the objects themselves. That is, it is a parser for the nonterminal `(datum)` (see sections 7.1.2 and 6.3). `Read` returns the next object parsable from the given input *port*, updating *port* to point to the first character past the end of the external representation of the object.

If an end of file is encountered in the input before any characters are found that can begin an object, then an end of file object is returned. The port remains open, and further attempts to read will also return an end of file object. If an end of file is encountered after the beginning of an object's external representation, but the external representation is incomplete and therefore not parsable, an error is signalled.

The *port* argument may be omitted, in which case it defaults to the value returned by `current-input-port`. It is an error to read from a closed port.

(`read-char`)                              essential procedure  
(`read-char port`)                        essential procedure

Returns the next character available from the input *port*, updating the *port* to point to the following character. If no more characters are available, an end of file object is returned. *Port* may be omitted, in which case it defaults to the value returned by `current-input-port`.

(`peek-char`)                              essential procedure  
(`peek-char port`)                        essential procedure

Returns the next character available from the input *port*, *without* updating the *port* to point to the following character. If no more characters are available, an end of file object is returned. *Port* may be omitted, in which case it defaults to the value returned by `current-input-port`.

*Note:* The value returned by a call to `peek-char` is the same as the value that would have been returned by a call to `read-char` with the same *port*. The only difference is that the very next call to `read-char` or `peek-char` on that *port* will return the value returned by the preceding call to `peek-char`. In particular, a call to `peek-char` on an interactive port will hang waiting for input whenever a call to `read-char` would have hung.

(`eof-object? obj`)                        essential procedure

Returns `#t` if *obj* is an end of file object, otherwise returns `#f`. The precise set of end of file objects will vary among implementations, but in any case no end of file object will ever be an object that can be read in using `read`.

(char-ready?) procedure  
 (char-ready? port) procedure

Returns #t if a character is ready on the input *port* and returns #f otherwise. If `char-ready` returns #t then the next `read-char` operation on the given *port* is guaranteed not to hang. If the *port* is at end of file then `char-ready?` returns #t. *Port* may be omitted, in which case it defaults to the value returned by `current-input-port`.

*Rationale:* Char-ready? exists to make it possible for a program to accept characters from interactive ports without getting stuck waiting for input. Any input editors associated with such ports must ensure that characters whose existence has been asserted by `char-ready?` cannot be rubbed out. If `char-ready?` were to return #f at end of file, a port at end of file would be indistinguishable from an interactive port that has no ready characters.

### 6.10.3. Output

(write obj) essential procedure  
 (write obj port) essential procedure

Writes a written representation of *obj* to the given *port*. Strings that appear in the written representation are enclosed in doublequotes, and within those strings backslash and doublequote characters are escaped by backslashes. `Write` returns an unspecified value. The *port* argument may be omitted, in which case it defaults to the value returned by `current-output-port`.

(display obj) essential procedure  
 (display obj port) essential procedure

Writes a representation of *obj* to the given *port*. Strings that appear in the written representation are not enclosed in doublequotes, and no characters are escaped within those strings. Character objects appear in the representation as if written by `write-char` instead of by `write`. `Display` returns an unspecified value. The *port* argument may be omitted, in which case it defaults to the value returned by `current-output-port`.

*Rationale:* `Write` is intended for producing machine-readable output and `display` is for producing human-readable output. Implementations that allow "slashification" within symbols will probably want `write` but not `display` to slashify funny characters in symbols.

(newline) essential procedure  
 (newline port) essential procedure

Writes an end of line to *port*. Exactly how this is done differs from one operating system to another. Returns an unspecified value. The *port* argument may be omitted, in which case it defaults to the value returned by `current-output-port`.

(write-char char) essential procedure  
 (write-char char port) essential procedure

Writes the character *char* (not an external representation of the character) to the given *port* and returns an unspecified value. The *port* argument may be omitted, in which case it defaults to the value returned by `current-output-port`.

### 6.10.4. System interface

Questions of system interface generally fall outside of the domain of this report. However, the following operations are important enough to deserve description here.

(load filename) essential procedure

*Filename* should be a string naming an existing file containing Scheme source code. The `load` procedure reads expressions and definitions from the file and evaluates them sequentially. It is unspecified whether the results of the expressions are printed. The `load` procedure does not affect the values returned by `current-input-port` and `current-output-port`. `Load` returns an unspecified value.

*Rationale:* For portability, `load` must operate on source files. Its operation on other kinds of files necessarily varies among implementations.

(transcript-on filename) procedure  
 (transcript-off) procedure

*Filename* must be a string naming an output file to be created. The effect of `transcript-on` is to open the named file for output, and to cause a transcript of subsequent interaction between the user and the Scheme system to be written to the file. The transcript is ended by a call to `transcript-off`, which closes the transcript file. Only one transcript may be in progress at any time, though some implementations may relax this restriction. The values returned by these procedures are unspecified.



## 7. Formal syntax and semantics

This chapter provides formal descriptions of what has already been described informally in previous chapters of this report.

### 7.1. Formal syntax

This section provides a formal syntax for Scheme written in an extended BNF. The syntax for the entire language, including features which are not essential, is given here.

All spaces in the grammar are for legibility. Case is insignificant; for example, #x1A and #X1a are equivalent. <empty> stands for the empty string.

The following extensions to BNF are used to make the description more concise: <thing>\* means zero or more occurrences of <thing>; and <thing>+ means at least one <thing>.

#### 7.1.1. Lexical structure

This section describes how individual tokens (identifiers, numbers, etc.) are formed from sequences of characters. The following sections describe how expressions and programs are formed from sequences of tokens.

<Intertoken space> may occur on either side of any token, but not within a token.

Tokens which require implicit termination (identifiers, numbers, characters, and dot) may be terminated by any <delimiter>, but not necessarily by anything else.

```

<token> → <identifier> | <boolean> | <number>
        | <character> | <string>
        | ( | ) | # ( | ' | ` | , | . | @ | .
<delimiter> → <whitespace> | ( | ) | " | ;
<whitespace> → <space or newline>
<comment> → ; <all subsequent characters up to a
            line break>
<atmosphere> → <whitespace> | <comment>
<intertoken space> → <atmosphere>*

<identifier> → <initial> <subsequent>*
             | <peculiar identifier>
<initial> → <letter> | <special initial>
<letter> → a | b | c | ... | z
<special initial> → ! | $ | % | & | * | / | : | < | =
                 | > | ? | ~ | _ | ^
<subsequent> → <initial> | <digit>
             | <special subsequent>
<digit> → 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9
<special subsequent> → . | + | -
<peculiar identifier> → + | - | ...
<syntactic keyword> → <expression keyword>
                    | else | => | define
                    | unquote | unquote-splicing
<expression keyword> → quote | lambda | if

```

```

| set! | begin | cond | and | or | case
| let | let* | letrec | do | delay
| quasiquote

```

```

<variable> → <any <identifier> that isn't
             also a <syntactic keyword>>

```

```

<boolean> → #t | #f
<character> → #\ <any character>
             | #\ <character name>
<character name> → space | newline

<string> → " <string element>* "
<string element> → <any character other than " or \>
                 | \" | \\

<number> → <num 2> | <num 8>
           | <num 10> | <num 16>

```

The following rules for <num R>, <complex R>, <real R>, <ureal R>, <uinteger R>, and <prefix R> should be replicated for R = 2, 8, 10, and 16. There are no rules for <decimal 2>, <decimal 8>, and <decimal 16>, which means that numbers containing decimal points or exponents must be in decimal radix.

```

<num R> → <prefix R> <complex R>
<complex R> → <real R> | <real R> @ <real R>
             | <real R> + <ureal R> i | <real R> - <ureal R> i
             | <real R> + i | <real R> - i
             | + <ureal R> i | - <ureal R> i | + i | - i
<real R> → <sign> <ureal R>
<ureal R> → <uinteger R>
           | <uinteger R> / <uinteger R>
           | <decimal R>
<decimal 10> → <uinteger 10> <suffix>
              | . <digit 10>+ ## <suffix>
              | <digit 10>+ . <digit 10>* ## <suffix>
              | <digit 10>+ #+ . ## <suffix>
<uinteger R> → <digit R>+ ##
<prefix R> → <radix R> <exactness>
            | <exactness> <radix R>

```

```

<suffix> → <empty>
          | <exponent marker> <sign> <digit 10>+
<exponent marker> → e | s | f | d | l
<sign> → <empty> | + | -
<exactness> → <empty> | #i | #e
<radix 2> → #b
<radix 8> → #o
<radix 10> → <empty> | #d
<radix 16> → #x
<digit 2> → 0 | 1
<digit 8> → 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7
<digit 10> → <digit>

```

$\langle \text{digit } 16 \rangle \rightarrow \langle \text{digit } 10 \rangle \mid a \mid b \mid c \mid d \mid e \mid f$

### 7.1.2. External representations

$\langle \text{Datum} \rangle$  is what the `read` procedure (section 6.10.2) successfully parses. Note that any string that parses as an  $\langle \text{expression} \rangle$  will also parse as a  $\langle \text{datum} \rangle$ .

$\langle \text{datum} \rangle \rightarrow \langle \text{simple datum} \rangle \mid \langle \text{compound datum} \rangle$

$\langle \text{simple datum} \rangle \rightarrow \langle \text{boolean} \rangle \mid \langle \text{number} \rangle$

$\mid \langle \text{character} \rangle \mid \langle \text{string} \rangle \mid \langle \text{symbol} \rangle$

$\langle \text{symbol} \rangle \rightarrow \langle \text{identifier} \rangle$

$\langle \text{compound datum} \rangle \rightarrow \langle \text{list} \rangle \mid \langle \text{vector} \rangle$

$\langle \text{list} \rangle \rightarrow \langle (\text{datum})^* \rangle \mid \langle (\text{datum})^+ \rangle . \langle \text{datum} \rangle$

$\mid \langle \text{abbreviation} \rangle$

$\langle \text{abbreviation} \rangle \rightarrow \langle \text{abbrev prefix} \rangle \langle \text{datum} \rangle$

$\langle \text{abbrev prefix} \rangle \rightarrow ' \mid ` \mid , \mid , @$

$\langle \text{vector} \rangle \rightarrow \# \langle (\text{datum})^* \rangle$

### 7.1.3. Expressions

$\langle \text{expression} \rangle \rightarrow \langle \text{variable} \rangle$

$\mid \langle \text{literal} \rangle$

$\mid \langle \text{procedure call} \rangle$

$\mid \langle \text{lambda expression} \rangle$

$\mid \langle \text{conditional} \rangle$

$\mid \langle \text{assignment} \rangle$

$\mid \langle \text{derived expression} \rangle$

$\langle \text{literal} \rangle \rightarrow \langle \text{quotation} \rangle \mid \langle \text{self-evaluating} \rangle$

$\langle \text{self-evaluating} \rangle \rightarrow \langle \text{boolean} \rangle \mid \langle \text{number} \rangle$

$\mid \langle \text{character} \rangle \mid \langle \text{string} \rangle$

$\langle \text{quotation} \rangle \rightarrow ' \langle \text{datum} \rangle \mid (\text{quote } \langle \text{datum} \rangle)$

$\langle \text{procedure call} \rangle \rightarrow \langle (\text{operator}) \langle \text{operand} \rangle^* \rangle$

$\langle \text{operator} \rangle \rightarrow \langle \text{expression} \rangle$

$\langle \text{operand} \rangle \rightarrow \langle \text{expression} \rangle$

$\langle \text{lambda expression} \rangle \rightarrow (\text{lambda } \langle \text{formals} \rangle \langle \text{body} \rangle)$

$\langle \text{formals} \rangle \rightarrow \langle (\text{variable})^* \rangle \mid \langle \text{variable} \rangle$

$\mid \langle (\text{variable})^+ \rangle . \langle \text{variable} \rangle$

$\langle \text{body} \rangle \rightarrow \langle \text{definition} \rangle^* \langle \text{sequence} \rangle$

$\langle \text{sequence} \rangle \rightarrow \langle \text{command} \rangle^* \langle \text{expression} \rangle$

$\langle \text{command} \rangle \rightarrow \langle \text{expression} \rangle$

$\langle \text{conditional} \rangle \rightarrow (\text{if } \langle \text{test} \rangle \langle \text{consequent} \rangle \langle \text{alternate} \rangle)$

$\langle \text{test} \rangle \rightarrow \langle \text{expression} \rangle$

$\langle \text{consequent} \rangle \rightarrow \langle \text{expression} \rangle$

$\langle \text{alternate} \rangle \rightarrow \langle \text{expression} \rangle \mid \langle \text{empty} \rangle$

$\langle \text{assignment} \rangle \rightarrow (\text{set! } \langle \text{variable} \rangle \langle \text{expression} \rangle)$

$\langle \text{derived expression} \rangle \rightarrow$

$\langle \text{cond } \langle \text{cond clause} \rangle^+ \rangle$

$\mid \langle \text{cond } \langle \text{cond clause} \rangle^* (\text{else } \langle \text{sequence} \rangle) \rangle$

$\mid \langle \text{case } \langle \text{expression} \rangle$

$\langle \text{case clause} \rangle^+ \rangle$

$\mid \langle \text{case } \langle \text{expression} \rangle$

$\langle \text{case clause} \rangle^*$

$\langle \text{else } \langle \text{sequence} \rangle \rangle$

$\mid \langle \text{and } \langle \text{test} \rangle^* \rangle$

$\mid \langle \text{or } \langle \text{test} \rangle^* \rangle$

$\mid \langle \text{let } \langle (\text{binding spec})^* \rangle \langle \text{body} \rangle \rangle$

$\mid \langle \text{let } \langle \text{variable} \rangle \langle (\text{binding spec})^* \rangle \langle \text{body} \rangle \rangle$

$\mid \langle \text{let}^* \langle (\text{binding spec})^* \rangle \langle \text{body} \rangle \rangle$

$\mid \langle \text{letrec } \langle (\text{binding spec})^* \rangle \langle \text{body} \rangle \rangle$

$\mid \langle \text{begin } \langle \text{sequence} \rangle \rangle$

$\mid \langle \text{do } \langle (\text{iteration spec})^* \rangle$

$\langle (\text{test} \rangle \langle \text{sequence} \rangle)$

$\langle \text{command} \rangle^*$

$\mid \langle \text{delay } \langle \text{expression} \rangle \rangle$

$\mid \langle \text{quasiquote} \rangle$

$\langle \text{cond clause} \rangle \rightarrow \langle (\text{test} \rangle \langle \text{sequence} \rangle)$

$\mid \langle (\text{test} \rangle)$

$\mid \langle (\text{test} \Rightarrow \langle \text{recipient} \rangle) \rangle$

$\langle \text{recipient} \rangle \rightarrow \langle \text{expression} \rangle$

$\langle \text{case clause} \rangle \rightarrow \langle (\text{datum})^* \rangle \langle \text{sequence} \rangle$

$\langle \text{binding spec} \rangle \rightarrow \langle (\text{variable} \rangle \langle \text{expression} \rangle)$

$\langle \text{iteration spec} \rangle \rightarrow \langle (\text{variable} \rangle \langle \text{init} \rangle \langle \text{step} \rangle)$

$\mid \langle (\text{variable} \rangle \langle \text{init} \rangle)$

$\langle \text{init} \rangle \rightarrow \langle \text{expression} \rangle$

$\langle \text{step} \rangle \rightarrow \langle \text{expression} \rangle$

### 7.1.4. Quasiquotations

The following grammar for quasiquote expressions is not context-free. It is presented as a recipe for generating an infinite number of production rules. Imagine a copy of the following rules for  $D = 1, 2, 3, \dots$ .  $D$  keeps track of the nesting depth.

$\langle \text{quasiquote} \rangle \rightarrow \langle \text{quasiquote } 1 \rangle$

$\langle \text{template } 0 \rangle \rightarrow \langle \text{expression} \rangle$

$\langle \text{quasiquote } D \rangle \rightarrow ` \langle \text{template } D \rangle$

$\mid \langle \text{quasiquote } \langle \text{template } D \rangle \rangle$

$\langle \text{template } D \rangle \rightarrow \langle \text{simple datum} \rangle$

$\mid \langle \text{list template } D \rangle$

$\mid \langle \text{vector template } D \rangle$

$\mid \langle \text{unquotation } D \rangle$

$\langle \text{list template } D \rangle \rightarrow \langle (\text{template or splice } D)^* \rangle$

$\mid \langle (\text{template or splice } D)^+ \rangle . \langle \text{template } D \rangle$

$\mid ' \langle \text{template } D \rangle$

$\mid \langle \text{quasiquote } D + 1 \rangle$

$\langle \text{vector template } D \rangle \rightarrow \# \langle (\text{template or splice } D)^* \rangle$

$\langle \text{unquotation } D \rangle \rightarrow , \langle \text{template } D - 1 \rangle$

$\mid \langle \text{unquote } \langle \text{template } D - 1 \rangle \rangle$

$\langle \text{template or splice } D \rangle \rightarrow \langle \text{template } D \rangle$

$\mid \langle \text{splicing unquotation } D \rangle$

$\langle \text{splicing unquotation } D \rangle \rightarrow , @ \langle \text{template } D - 1 \rangle$

$\mid \langle \text{unquote-splicing } \langle \text{template } D - 1 \rangle \rangle$

In ⟨quasiquote⟩s, a ⟨list template  $D$ ⟩ can sometimes be confused with either an ⟨unquote  $D$ ⟩ or a ⟨splice unquote  $D$ ⟩. The interpretation as an ⟨unquote⟩ or ⟨splice unquote  $D$ ⟩ takes precedence.

### 7.1.5. Programs and definitions

⟨program⟩  $\rightarrow$  ⟨command or definition⟩\*  
 ⟨command or definition⟩  $\rightarrow$  ⟨command⟩ | ⟨definition⟩  
 ⟨definition⟩  $\rightarrow$  (define ⟨variable⟩ ⟨expression⟩)  
   | (define (⟨variable⟩ ⟨def formals⟩) ⟨body⟩)  
   | (begin ⟨definition⟩\*)  
 ⟨def formals⟩  $\rightarrow$  ⟨variable⟩\*  
   | ⟨variable⟩<sup>+</sup> . ⟨variable⟩

## 7.2. Formal semantics

This section provides a formal denotational semantics for the primitive expressions of Scheme and selected built-in procedures. The concepts and notation used here are described in [53]; the notation is summarized below:

⟨...⟩    sequence formation  
 $s \downarrow k$      $k$ th member of the sequence  $s$  (1-based)  
 $\#s$     length of sequence  $s$   
 $s \& t$     concatenation of sequences  $s$  and  $t$   
 $s \uparrow k$     drop the first  $k$  members of sequence  $s$   
 $t \rightarrow a, b$     McCarthy conditional "if  $t$  then  $a$  else  $b$ "  
 $\rho[x/i]$     substitution " $\rho$  with  $x$  for  $i$ "  
 $x$  in  $D$     injection of  $x$  into domain  $D$   
 $x | D$     projection of  $x$  to domain  $D$

The reason that expression continuations take sequences of values instead of single values is to simplify the formal treatment of procedure calls and to make it easy to add multiple return values.

The boolean flag associated with pairs, vectors, and strings will be true for mutable objects and false for immutable objects.

The order of evaluation within a call is unspecified. We mimic that here by applying arbitrary permutations *permute* and *unpermute*, which must be inverses, to the arguments in a call before and after they are evaluated. This is not quite right since it suggests, incorrectly, that the order of evaluation is constant throughout a program (for any given number of arguments), but it is a closer approximation to the intended semantics than a left-to-right evaluation would be.

The storage allocator *new* is implementation-dependent, but it must obey the following axiom: if  $new \sigma \in L$ , then  $\sigma (new \sigma | L) \downarrow 2 = false$ .

The definition of  $\mathcal{K}$  is omitted because an accurate definition of  $\mathcal{K}$  would complicate the semantics without being very interesting.

If  $P$  is a program in which all variables are defined before being referenced or assigned, then the meaning of  $P$  is

$$\mathcal{E}[(\text{lambda } (I^*) P') \langle \text{undefined} \rangle \dots]$$

where  $I^*$  is the sequence of variables defined in  $P$ ,  $P'$  is the sequence of expressions obtained by replacing every definition in  $P$  by an assignment, ⟨undefined⟩ is an expression that evaluates to *undefined*, and  $\mathcal{E}$  is the semantic function that assigns meaning to expressions.

### 7.2.1. Abstract syntax

$K \in \text{Con}$     constants, including quotations  
 $I \in \text{Ide}$     identifiers (variables)  
 $E \in \text{Exp}$     expressions  
 $\Gamma \in \text{Com} = \text{Exp}$     commands

Exp  $\rightarrow$   $K$  |  $I$  | ( $E_0 E^*$ )  
   | (lambda ( $I^*$ )  $\Gamma^* E_0$ )  
   | (lambda ( $I^* . I$ )  $\Gamma^* E_0$ )  
   | (lambda  $I \Gamma^* E_0$ )  
   | (if  $E_0 E_1 E_2$ ) | (if  $E_0 E_1$ )  
   | (set!  $I E$ )

### 7.2.2. Domain equations

$\alpha \in L$     locations  
 $\nu \in \mathbb{N}$     natural numbers  
 $T = \{false, true\}$     booleans  
 $Q$     symbols  
 $H$     characters  
 $R$     numbers  
 $E_p = L \times L \times T$     pairs  
 $E_v = L^* \times T$     vectors  
 $E_s = L^* \times T$     strings  
 $M = \{false, true, null, undefined, unspecified\}$   
   miscellaneous  
 $\phi \in F = L \times (E^* \rightarrow K \rightarrow C)$     procedure values  
 $\epsilon \in E = Q + H + R + E_p + E_v + E_s + M + F$   
   expressed values  
 $\sigma \in S = L \rightarrow (E \times T)$     stores  
 $\rho \in U = \text{Ide} \rightarrow L$     environments  
 $\theta \in C = S \rightarrow A$     command continuations  
 $\kappa \in K = E^* \rightarrow C$     expression continuations  
 $A$     answers  
 $X$     errors

### 7.2.3. Semantic functions

$\mathcal{K} : \text{Con} \rightarrow E$   
 $\mathcal{E} : \text{Exp} \rightarrow U \rightarrow K \rightarrow C$   
 $\mathcal{E}^* : \text{Exp}^* \rightarrow U \rightarrow K \rightarrow C$   
 $\mathcal{C} : \text{Com}^* \rightarrow U \rightarrow C \rightarrow C$

Definition of  $\mathcal{K}$  deliberately omitted.

$$\mathcal{E}[K] = \lambda \rho \kappa . send(\mathcal{K}[K]) \kappa$$

$$\mathcal{E}[\Gamma] = \lambda\rho\kappa. \text{hold}(\text{lookup } \rho \text{ I})$$

$$(\text{single}(\lambda\epsilon. \epsilon = \text{undefined} \rightarrow$$

$$\text{wrong "undefined variable",}$$

$$\text{send } \epsilon \kappa))$$

$$\mathcal{E}[(E_0 \ E^*)] =$$

$$\lambda\rho\kappa. \mathcal{E}^*(\text{permute}((E_0) \ \S \ E^*))$$

$$\rho$$

$$(\lambda\epsilon^*. ((\lambda\epsilon. \text{apply}(\epsilon^* \downarrow 1) (\epsilon^* \uparrow 1) \kappa)$$

$$(\text{unpermute } \epsilon^*)))$$

$$\mathcal{E}[(\text{lambda } (I^*) \ \Gamma^* \ E_0)] =$$

$$\lambda\rho\kappa. \lambda\sigma.$$

$$\text{new } \sigma \in L \rightarrow$$

$$\text{send}((\text{new } \sigma \mid L,$$

$$\lambda\epsilon^*\kappa'. \#\epsilon^* = \#\text{I}^* \rightarrow$$

$$\text{tievals}(\lambda\alpha^*. (\lambda\rho'. \mathcal{C}[\Gamma^*]\rho'(\mathcal{E}[E_0]\rho'\kappa'))$$

$$(\text{extends } \rho \ \text{I}^* \ \alpha^*)))$$

$$\epsilon^*,$$

$$\text{wrong "wrong number of arguments"})$$

$$\text{in } E)$$

$$\kappa$$

$$(\text{update}(\text{new } \sigma \mid L) \text{ unspecified } \sigma),$$

$$\text{wrong "out of memory" } \sigma$$

$$\mathcal{E}[(\text{lambda } (I^* \ . \ I) \ \Gamma^* \ E_0)] =$$

$$\lambda\rho\kappa. \lambda\sigma.$$

$$\text{new } \sigma \in L \rightarrow$$

$$\text{send}((\text{new } \sigma \mid L,$$

$$\lambda\epsilon^*\kappa'. \#\epsilon^* \geq \#\text{I}^* \rightarrow$$

$$\text{tievalsrest}$$

$$(\lambda\alpha^*. (\lambda\rho'. \mathcal{C}[\Gamma^*]\rho'(\mathcal{E}[E_0]\rho'\kappa'))$$

$$(\text{extends } \rho \ (\text{I}^* \ \S \ \langle I \rangle) \ \alpha^*)))$$

$$\epsilon^*$$

$$(\#\text{I}^*),$$

$$\text{wrong "too few arguments"}) \text{ in } E)$$

$$\kappa$$

$$(\text{update}(\text{new } \sigma \mid L) \text{ unspecified } \sigma),$$

$$\text{wrong "out of memory" } \sigma$$

$$\mathcal{E}[(\text{lambda } I \ \Gamma^* \ E_0)] = \mathcal{E}[(\text{lambda } (. \ I) \ \Gamma^* \ E_0)]$$

$$\mathcal{E}[(\text{if } E_0 \ E_1 \ E_2)] =$$

$$\lambda\rho\kappa. \mathcal{E}[E_0] \rho (\text{single}(\lambda\epsilon. \text{truish } \epsilon \rightarrow \mathcal{E}[E_1]\rho\kappa,$$

$$\mathcal{E}[E_2]\rho\kappa))$$

$$\mathcal{E}[(\text{if } E_0 \ E_1)] =$$

$$\lambda\rho\kappa. \mathcal{E}[E_0] \rho (\text{single}(\lambda\epsilon. \text{truish } \epsilon \rightarrow \mathcal{E}[E_1]\rho\kappa,$$

$$\text{send unspecified } \kappa))$$

Here and elsewhere, any expressed value other than *undefined* may be used in place of *unspecified*.

$$\mathcal{E}[(\text{set! } I \ E)] =$$

$$\lambda\rho\kappa. \mathcal{E}[E] \rho (\text{single}(\lambda\epsilon. \text{assign}(\text{lookup } \rho \ I)$$

$$\epsilon$$

$$(\text{send unspecified } \kappa))))$$

$$\mathcal{E}^*[\Gamma] = \lambda\rho\kappa. \kappa()$$

$$\mathcal{E}^*[E_0 \ E^*] =$$

$$\lambda\rho\kappa. \mathcal{E}[E_0] \rho (\text{single}(\lambda\epsilon_0. \mathcal{E}^*[E^*] \rho (\lambda\epsilon^*. \kappa((\epsilon_0) \ \S \ \epsilon^*))))$$

$$\mathcal{C}[\Gamma] = \lambda\rho\theta. \theta$$

$$\mathcal{C}[\Gamma_0 \ \Gamma^*] = \lambda\rho\theta. \mathcal{E}[\Gamma_0] \rho (\lambda\epsilon^*. \mathcal{C}[\Gamma^*]\rho\theta)$$

## 7.2.4. Auxiliary functions

$$\text{lookup} : U \rightarrow \text{Ide} \rightarrow L$$

$$\text{lookup} = \lambda\rho I. \rho I$$

$$\text{extends} : U \rightarrow \text{Ide}^* \rightarrow L^* \rightarrow U$$

$$\text{extends} =$$

$$\lambda\rho \text{I}^* \alpha^*. \#\text{I}^* = 0 \rightarrow \rho,$$

$$\text{extends } (\rho[(\alpha^* \downarrow 1)/(\text{I}^* \downarrow 1)]) (\text{I}^* \uparrow 1) (\alpha^* \uparrow 1)$$

$$\text{wrong} : X \rightarrow C \quad [\text{implementation-dependent}]$$

$$\text{send} : E \rightarrow K \rightarrow C$$

$$\text{send} = \lambda\epsilon\kappa. \kappa(\epsilon)$$

$$\text{single} : (E \rightarrow C) \rightarrow K$$

$$\text{single} =$$

$$\lambda\psi\epsilon^*. \#\epsilon^* = 1 \rightarrow \psi(\epsilon^* \downarrow 1),$$

$$\text{wrong "wrong number of return values"}$$

$$\text{new} : S \rightarrow (L + \{\text{error}\}) \quad [\text{implementation-dependent}]$$

$$\text{hold} : L \rightarrow K \rightarrow C$$

$$\text{hold} = \lambda\alpha\kappa\sigma. \text{send}(\sigma\alpha \downarrow 1)\kappa\sigma$$

$$\text{assign} : L \rightarrow E \rightarrow C \rightarrow C$$

$$\text{assign} = \lambda\alpha\epsilon\theta\sigma. \theta(\text{update } \alpha\epsilon\sigma)$$

$$\text{update} : L \rightarrow E \rightarrow S \rightarrow S$$

$$\text{update} = \lambda\alpha\epsilon\sigma. \sigma[(\epsilon, \text{true})/\alpha]$$

$$\text{tievals} : (L^* \rightarrow C) \rightarrow E^* \rightarrow C$$

$$\text{tievals} =$$

$$\lambda\psi\epsilon^*\sigma. \#\epsilon^* = 0 \rightarrow \psi(\ )\sigma,$$

$$\text{new } \sigma \in L \rightarrow \text{tievals}(\lambda\alpha^*. \psi(\langle \text{new } \sigma \mid L \rangle \ \S \ \alpha^*))$$

$$(\epsilon^* \uparrow 1)$$

$$(\text{update}(\text{new } \sigma \mid L)(\epsilon^* \downarrow 1)\sigma),$$

$$\text{wrong "out of memory" } \sigma$$

$$\text{tievalsrest} : (L^* \rightarrow C) \rightarrow E^* \rightarrow N \rightarrow C$$

$$\text{tievalsrest} =$$

$$\lambda\psi\epsilon^*\nu. \text{list}(\text{dropfirst } \epsilon^*\nu)$$

$$(\text{single}(\lambda\epsilon. \text{tievals } \psi((\text{takefirst } \epsilon^*\nu) \ \S \ (\epsilon))))$$

$$\text{dropfirst} = \lambda l n. n = 0 \rightarrow l, \text{dropfirst}(l \uparrow 1)(n - 1)$$

$$\text{takefirst} = \lambda l n. n = 0 \rightarrow \langle \rangle, \langle l \downarrow 1 \rangle \ \S \ (\text{takefirst}(l \uparrow 1)(n - 1))$$

$$\text{truish} : E \rightarrow T$$

$$\text{truish} = \lambda\epsilon. (\epsilon = \text{false} \vee \epsilon = \text{null}) \rightarrow \text{false}, \text{true}$$

$$\text{permute} : \text{Exp}^* \rightarrow \text{Exp}^* \quad [\text{implementation-dependent}]$$

$$\text{unpermute} : E^* \rightarrow E^* \quad [\text{inverse of permute}]$$

$$\text{apply} : E \rightarrow E^* \rightarrow K \rightarrow C$$

$$\text{apply} =$$

$$\lambda\epsilon\epsilon^*\kappa. \epsilon \in F \rightarrow (\epsilon \mid F \downarrow 2)\epsilon^*\kappa, \text{wrong "bad procedure"}$$

$$\text{onearg} : (E \rightarrow K \rightarrow C) \rightarrow (E^* \rightarrow K \rightarrow C)$$

$$\text{onearg} =$$

$$\lambda\zeta\epsilon^*\kappa. \#\epsilon^* = 1 \rightarrow \zeta(\epsilon^* \downarrow 1)\kappa,$$

$$\text{wrong "wrong number of arguments"}$$

$$\text{twoarg} : (E \rightarrow E \rightarrow K \rightarrow C) \rightarrow (E^* \rightarrow K \rightarrow C)$$

$$\text{twoarg} =$$

$$\lambda\zeta\epsilon^*\kappa. \#\epsilon^* = 2 \rightarrow \zeta(\epsilon^* \downarrow 1)(\epsilon^* \downarrow 2)\kappa,$$

$$\text{wrong "wrong number of arguments"}$$

$list : E^* \rightarrow K \rightarrow C$   
 $list =$   
 $\lambda \epsilon^* \kappa . \# \epsilon^* = 0 \rightarrow send\ null\ \kappa,$   
 $list(\epsilon^* \uparrow 1)(single(\lambda \epsilon . cons(\epsilon^* \downarrow 1, \epsilon)\kappa))$

$cons : E^* \rightarrow K \rightarrow C$   
 $cons =$   
 $twoarg(\lambda \epsilon_1 \epsilon_2 \kappa \sigma . new\ \sigma \in L \rightarrow$   
 $(\lambda \sigma' . new\ \sigma' \in L \rightarrow$   
 $send((new\ \sigma \mid L, new\ \sigma' \mid L, true)$   
 $in\ E)$   
 $\kappa$   
 $(update(new\ \sigma' \mid L)\epsilon_2 \sigma'),$   
 $wrong\ "out\ of\ memory"\ \sigma')$   
 $(update(new\ \sigma \mid L)\epsilon_1 \sigma),$   
 $wrong\ "out\ of\ memory"\ \sigma)$

$less : E^* \rightarrow K \rightarrow C$   
 $less =$   
 $twoarg(\lambda \epsilon_1 \epsilon_2 \kappa . (\epsilon_1 \in R \wedge \epsilon_2 \in R) \rightarrow$   
 $send(\epsilon_1 \mid R < \epsilon_2 \mid R \rightarrow true, false)\kappa,$   
 $wrong\ "non-numeric\ argument\ to\ <")$

$add : E^* \rightarrow K \rightarrow C$   
 $add =$   
 $twoarg(\lambda \epsilon_1 \epsilon_2 \kappa . (\epsilon_1 \in R \wedge \epsilon_2 \in R) \rightarrow$   
 $send((\epsilon_1 \mid R + \epsilon_2 \mid R) in\ E)\kappa,$   
 $wrong\ "non-numeric\ argument\ to\ +")$

$car : E^* \rightarrow K \rightarrow C$   
 $car =$   
 $onearg(\lambda \epsilon \kappa . \epsilon \in E_p \rightarrow hold(\epsilon \mid E_p \downarrow 1)\kappa,$   
 $wrong\ "non-pair\ argument\ to\ car")$

$cdr : E^* \rightarrow K \rightarrow C$  [similar to  $car$ ]

$setcar : E^* \rightarrow K \rightarrow C$   
 $setcar =$   
 $twoarg(\lambda \epsilon_1 \epsilon_2 \kappa . \epsilon_1 \in E_p \rightarrow$   
 $(\epsilon_1 \mid E_p \downarrow 3) \rightarrow assign(\epsilon_1 \mid E_p \downarrow 1)$   
 $\epsilon_2$   
 $(send\ unspecified\ \kappa),$   
 $wrong\ "immutable\ argument\ to\ set-car!",$   
 $wrong\ "non-pair\ argument\ to\ set-car!")$

$equiv : E^* \rightarrow K \rightarrow C$   
 $equiv =$   
 $twoarg(\lambda \epsilon_1 \epsilon_2 \kappa . (\epsilon_1 \in M \wedge \epsilon_2 \in M) \rightarrow$   
 $send(\epsilon_1 \mid M = \epsilon_2 \mid M \rightarrow true, false)\kappa,$   
 $(\epsilon_1 \in Q \wedge \epsilon_2 \in Q) \rightarrow$   
 $send(\epsilon_1 \mid Q = \epsilon_2 \mid Q \rightarrow true, false)\kappa,$   
 $(\epsilon_1 \in H \wedge \epsilon_2 \in H) \rightarrow$   
 $send(\epsilon_1 \mid H = \epsilon_2 \mid H \rightarrow true, false)\kappa,$   
 $(\epsilon_1 \in R \wedge \epsilon_2 \in R) \rightarrow$   
 $send(\epsilon_1 \mid R = \epsilon_2 \mid R \rightarrow true, false)\kappa,$   
 $(\epsilon_1 \in E_p \wedge \epsilon_2 \in E_p) \rightarrow$   
 $send((\lambda p_1 p_2 . ((p_1 \downarrow 1) = (p_2 \downarrow 1) \wedge$   
 $(p_1 \downarrow 2) = (p_2 \downarrow 2)) \rightarrow true,$   
 $false)$   
 $(\epsilon_1 \mid E_p)$   
 $(\epsilon_2 \mid E_p)$   
 $\kappa,$   
 $(\epsilon_1 \in E_v \wedge \epsilon_2 \in E_v) \rightarrow \dots,$

$(\epsilon_1 \in E_s \wedge \epsilon_2 \in E_s) \rightarrow \dots,$   
 $(\epsilon_1 \in F \wedge \epsilon_2 \in F) \rightarrow$   
 $send((\epsilon_1 \mid F \downarrow 1) = (\epsilon_2 \mid F \downarrow 1) \rightarrow true, false)$   
 $\kappa,$   
 $send\ false\ \kappa)$

$apply : E^* \rightarrow K \rightarrow C$   
 $apply =$   
 $twoarg(\lambda \epsilon_1 \epsilon_2 \kappa . \epsilon_1 \in F \rightarrow valueslist(\epsilon_2)(\lambda \epsilon^* . applicate\ \epsilon_1 \epsilon^* \kappa),$   
 $wrong\ "bad\ procedure\ argument\ to\ apply")$

$valueslist : E^* \rightarrow K \rightarrow C$   
 $valueslist =$   
 $onearg(\lambda \epsilon \kappa . \epsilon \in E_p \rightarrow$   
 $cdr(\epsilon)$   
 $(\lambda \epsilon^* . valueslist$   
 $\epsilon^*$   
 $(\lambda \epsilon^* . car(\epsilon)(single(\lambda \epsilon . \kappa((\epsilon) \& \epsilon^*))))))$   
 $\epsilon = null \rightarrow \kappa(),$   
 $wrong\ "non-list\ argument\ to\ values-list")$

$cwcc : E^* \rightarrow K \rightarrow C$  [call-with-current-continuation]  
 $cwcc =$   
 $onearg(\lambda \epsilon \kappa . \epsilon \in F \rightarrow$   
 $(\lambda \sigma . new\ \sigma \in L \rightarrow$   
 $applicat\ \epsilon$   
 $\langle\langle new\ \sigma \mid L, \lambda \epsilon^* \kappa' . \kappa \epsilon^* \rangle in\ E\rangle$   
 $\kappa$   
 $(update(new\ \sigma \mid L)$   
 $unspecified$   
 $\sigma),$   
 $wrong\ "out\ of\ memory"\ \sigma,$   
 $wrong\ "bad\ procedure\ argument")$

### 7.3. Derived expression types

This section gives rewrite rules for the derived expression types. By the application of these rules, any expression can be reduced to a semantically equivalent expression in which only the primitive expression types (literal, variable, call, lambda, if, set!) occur.

$(cond\ (\langle test \rangle\ \langle sequence \rangle)$   
 $\langle clause_2 \rangle \dots)$   
 $\equiv (if\ \langle test \rangle$   
 $(begin\ \langle sequence \rangle)$   
 $(cond\ \langle clause_2 \rangle \dots))$

$(cond\ (\langle test \rangle)$   
 $\langle clause_2 \rangle \dots)$   
 $\equiv (or\ \langle test \rangle\ (cond\ \langle clause_2 \rangle \dots))$

$(cond\ (\langle test \rangle \Rightarrow \langle recipient \rangle)$   
 $\langle clause_2 \rangle \dots)$   
 $\equiv (let\ ((test\ result\ \langle test \rangle)$   
 $(thunk2\ (lambda\ ()\ \langle recipient \rangle))$   
 $(thunk3\ (lambda\ ()\ (cond\ \langle clause_2 \rangle \dots))))$   
 $(if\ test\ result$   
 $((thunk2)\ test\ result)$   
 $(thunk3)))$

```

(cond (else (sequence)))
  ≡ (begin (sequence))

(cond)
  ≡ (some expression returning an unspecified value)

(case (key)
  ((d1 ...) (sequence))
  ...)
  ≡ (let ((key (key))
          (thunk1 (lambda () (sequence)))
          ...))
      (cond (((memv) key '(d1 ...)) (thunk1))
            ...))

(case (key)
  ((d1 ...) (sequence))
  ...
  (else f1 f2 ...))
  ≡ (let ((key (key))
          (thunk1 (lambda () (sequence)))
          ...
          (elsethunk (lambda () f1 f2 ...)))
      (cond (((memv) key '(d1 ...)) (thunk1))
            ...
            (else (elsethunk))))

where (memv) is an expression evaluating to the memv procedure.

(and)           ≡ #t
(and (test))    ≡ (test)
(and (test1) (test2) ...)
  ≡ (let ((x (test1))
          (thunk (lambda () (and (test2) ...))))
      (if x (thunk) x))

(or)           ≡ #f
(or (test))    ≡ (test)
(or (test1) (test2) ...)
  ≡ (let ((x (test1))
          (thunk (lambda () (or (test2) ...))))
      (if x x (thunk)))

(let ((variable1) (init1) ...)
  (body))
  ≡ ((lambda ((variable1) ...) (body)) (init1) ...)

(let* () (body))
  ≡ ((lambda () (body)))

(let* ((variable1) (init1)
      (variable2) (init2)
      ...)
  (body))
  ≡ (let ((variable1) (init1))
      (let* ((variable2) (init2)
            ...))
      (body)))

(letrec ((variable1) (init1)
        ...)

```

```

  (body))
  ≡ (let ((variable1) (undefined))
      ...
      (let ((temp1) (init1))
          ...
          (set! (variable1) (temp1))
          ...))
      (body))

```

where  $\langle \text{temp}_1 \rangle$ ,  $\langle \text{temp}_2 \rangle$ , ... are variables, distinct from  $\langle \text{variable}_1 \rangle$ , ..., that do not free occur in the original  $\langle \text{init} \rangle$  expressions, and  $\langle \text{undefined} \rangle$  is an expression which returns something that when stored in a location makes it an error to try to obtain the value stored in the location. (No such expression is defined, but one is assumed to exist for the purposes of this rewrite rule.) The second `let` expression in the expansion is not strictly necessary, but it serves to preserve the property that the  $\langle \text{init} \rangle$  expressions are evaluated in an arbitrary order.

```

(begin (sequence))
  ≡ ((lambda () (sequence)))

```

The following alternative expansion for `begin` does not make use of the ability to write more than one expression in the body of a lambda expression. In any case, note that these rules apply only if  $\langle \text{sequence} \rangle$  contains no definitions.

```

(begin (expression)) ≡ (expression)
(begin (command) (sequence))
  ≡ ((lambda (ignore thunk) (thunk))
     (command)
     (lambda () (begin (sequence))))

```

The following expansion for `do` is simplified by the assumption that no  $\langle \text{step} \rangle$  is omitted. Any `do` expression in which a  $\langle \text{step} \rangle$  is omitted can be replaced by an equivalent `do` expression in which the corresponding  $\langle \text{variable} \rangle$  appears as the  $\langle \text{step} \rangle$ .

```

(do ((variable1) (init1) (step1)
    ...
    ((test) (sequence))
    (command1) ...)
  ≡ (letrec ((loop)
            (lambda ((variable1) ...)
              (if (test)
                  (begin (sequence))
                  (begin (command1)
                        ...
                        ((loop) (step1) ...))))))
      ((loop) (init1) ...))

```

where  $\langle \text{loop} \rangle$  is any variable which is distinct from  $\langle \text{variable}_1 \rangle$ , ..., and which does not occur free in the `do` expression.

```

(let (variable0) ((variable1) (init1) ...)
  (body))
  ≡ ((letrec ((variable0) (lambda ((variable1) ...)

```

```
(body)))
  (variable0)
  (init1 ...)

```

```
(delay (expression))
≡ ((make-promise) (lambda () (expression)))

```

where `(make-promise)` is an expression evaluating to some procedure which behaves appropriately with respect to the `force` procedure; see section 6.9.

## NOTES

### Language changes

This section enumerates the changes that have been made to Scheme since the “Revised<sup>3</sup> report” [33] was published.

- Although implementations may extend Scheme, they must offer a syntactic mode that adds no reserved words and preempts no lexical conventions of Scheme.
- Implementations may report violations of implementation restrictions.
- It is no longer specified whether the empty list counts as true or as false in conditional expressions.
- The sets defined by `boolean?`, `pair?`, `symbol?`, `number?`, `char?`, `string?`, `vector?`, and `procedure?` are required to be disjoint.
- The variables bound by a `lambda`, `let`, `letrec`, and `do` must not contain duplicates.
- Nested `begin` expressions containing definitions are treated as a sequence of definitions.
- The `eqv?` procedure is no longer required to be true of any two empty strings or two empty vectors.
- The syntax of numerical constants has been changed, and the exactness implied by each syntax has been specified.
- The semantics of many numerical procedures have been clarified.
- `Rationalize` has been restricted to two arguments and its specification clarified.
- The `number->string` and `string->number` procedures have been changed.
- `Integer->char` now requires an exact integer argument.
- Variables removed: `t`, `nil`.
- Procedures removed: `approximate`, `last-pair`.

- Procedures added: `list?`, `peek-char`.
- Syntaxes made essential: `case`, `and`, `or`, `quasiquote`.
- Procedures made essential:

<code>reverse</code>	<code>char-ci=?</code>	<code>make-string</code>
<code>max</code>	<code>char-ci&lt;?</code>	<code>string-set!</code>
<code>min</code>	<code>char-ci&gt;?</code>	<code>string-ci=?</code>
<code>modulo</code>	<code>char-ci&lt;=?</code>	<code>string-ci&lt;?</code>
<code>gcd</code>	<code>char-ci&gt;=?</code>	<code>string-ci&gt;?</code>
<code>lcm</code>	<code>char-alphabetic?</code>	<code>string-ci&lt;=?</code>
<code>floor</code>	<code>char-numeric?</code>	<code>string-ci&gt;=?</code>
<code>ceiling</code>	<code>char-whitespace?</code>	<code>string-append</code>
<code>truncate</code>	<code>char-lower-case?</code>	<code>open-input-file</code>
<code>round</code>	<code>char-upper-case?</code>	<code>open-output-file</code>
<code>number-&gt;string</code>	<code>char-upcase</code>	<code>close-input-port</code>
<code>string-&gt;number</code>	<code>char-downcase</code>	<code>close-output-port</code>

- Procedures required to accept more general numbers of arguments: `append`, `+`, `*`, `-` (one argument), `/` (one argument), `=`, `<`, `>`, `<=`, `>=`, `map`, `for-each`.

### Keywords as variable names

Some implementations allow arbitrary syntactic keywords to be used as variable names, instead of reserving them, as this report would have it. But this creates ambiguities in the interpretation of expressions: for example, in the following, it's not clear whether the expression `(if 1 2 3)` should be treated as a procedure call or as a conditional.

```
(define if list)
(if 1 2 3)           ⇒ 2 or (1 2 3)

```

These ambiguities are usually resolved in some consistent way within any given implementation, but no particular treatment stands out as being clearly superior to any other, so these situations were excluded for the purposes of this report.

## EXAMPLE

`Integrate-system` integrates the system

$$y'_k = f_k(y_1, y_2, \dots, y_n), k = 1, \dots, n$$

of differential equations with the method of Runge-Kutta.

The parameter `system-derivative` is a function that takes a system state (a vector of values for the state variables  $y_1, \dots, y_n$ ) and produces a system derivative (the values  $y'_1, \dots, y'_n$ ). The parameter `initial-state` provides an initial system state, and `h` is an initial guess for the length of the integration step.

The value returned by `integrate-system` is an infinite stream of system states.

```
(define integrate-system
  (lambda (system-derivative initial-state h)
    (let ((next (runge-kutta-4 system-derivative h)))
      (letrec ((states
                (cons initial-state
                      (delay (map-streams next
                                         states))))))
        states))))
```

`Runge-Kutta-4` takes a function, `f`, that produces a system derivative from a system state. `Runge-Kutta-4` produces a function that takes a system state and produces a new system state.

```
(define runge-kutta-4
  (lambda (f h)
    (let ((*h (scale-vector h))
          (*2 (scale-vector 2))
          (*1/2 (scale-vector (/ 1 2)))
          (*1/6 (scale-vector (/ 1 6))))
      (lambda (y)
        ;; y is a system state
        (let* ((k0 (*h (f y)))
               (k1 (*h (f (add-vectors y (*1/2 k0))))))
          (k2 (*h (f (add-vectors y (*1/2 k1))))))
          (k3 (*h (f (add-vectors y k2))))))
        (add-vectors y
                     (*1/6 (add-vectors k0
                                         (*2 k1)
                                         (*2 k2)
                                         k3))))))
```

```
(define elementwise
  (lambda (f)
    (lambda vectors
      (generate-vector
       (vector-length (car vectors))
       (lambda (i)
         (apply f
                 (map (lambda (v) (vector-ref v i))
                      vectors))))))
```

```
(define generate-vector
  (lambda (size proc)
```

```
(let ((ans (make-vector size)))
  (letrec ((loop
            (lambda (i)
              (cond ((= i size) ans)
                    (else
                     (vector-set! ans i (proc i))
                     (loop (+ i 1)))))))
    (loop 0))))
```

```
(define add-vectors (elementwise +))
```

```
(define scale-vector
  (lambda (s)
    (elementwise (lambda (x) (* x s)))))
```

`Map-streams` is analogous to `map`: it applies its first argument (a procedure) to all the elements of its second argument (a stream).

```
(define map-streams
  (lambda (f s)
    (cons (f (head s))
          (delay (map-streams f (tail s))))))
```

Infinite streams are implemented as pairs whose `car` holds the first element of the stream and whose `cdr` holds a promise to deliver the rest of the stream.

```
(define head car)
(define tail
  (lambda (stream) (force (cdr stream))))
```

The following illustrates the use of `integrate-system` in integrating the system

$$C \frac{dv_C}{dt} = -i_L - \frac{v_C}{R}$$

$$L \frac{di_L}{dt} = v_C$$

which models a damped oscillator.

```
(define damped-oscillator
  (lambda (R L C)
    (lambda (state)
      (let ((Vc (vector-ref state 0))
            (IL (vector-ref state 1)))
        (vector (- 0 (+ (/ Vc (* R C)) (/ IL C)))
                (/ Vc L))))))
```

```
(define the-states
  (integrate-system
   (damped-oscillator 10000 1000 .001)
   '(1 0)
   .01))
```



## BIBLIOGRAPHY AND REFERENCES

- [1] Harold Abelson and Gerald Jay Sussman with Julie Sussman. *Structure and Interpretation of Computer Programs*. MIT Press, Cambridge, 1985.
- [2] David H. Bartley and John C. Jensen. The implementation of PC Scheme. In *Proceedings of the 1986 ACM Conference on Lisp and Functional Programming*, pages 86–93.
- [3] John Batali, Edmund Goodhue, Chris Hanson, Howie Shrobe, Richard M. Stallman, and Gerald Jay Sussman. The Scheme-81 architecture—system and chip. In *Proceedings, Conference on Advanced Research in VLSI*, pages 69–77. Paul Penfield, Jr., editor. Artech House, 610 Washington Street, Dedham MA, 1982.
- [4] William Clinger, editor. The revised revised report on Scheme, or an uncommon Lisp. MIT Artificial Intelligence Memo 848, August 1985. Also published as Computer Science Department Technical Report 174, Indiana University, June 1985.
- [5] William Clinger. The Scheme 311 compiler: An exercise in denotational semantics. In *Conference Record of the 1984 ACM Symposium on Lisp and Functional Programming*, pages 356–364.
- [6] R. Kent Dybvig, Daniel P. Friedman, and Christopher T. Haynes. Expansion-passing style: Beyond conventional macros. In *Proceedings of the 1986 ACM Conference on Lisp and Functional Programming*, pages 143–150.
- [7] Michael A. Eisenberg. Bochser: an integrated Scheme programming system. MIT Laboratory for Computer Science Technical Report 349, October 1985.
- [8] Marc Feeley. Deux approches à l'implantation du langage Scheme. M.Sc. thesis, Département d'Informatique et de Recherche Opérationnelle, University of Montreal, May 1986.
- [9] Matthias Felleisen, Daniel P. Friedman, Eugene Kohlbecker, and Bruce Duba. Reasoning with continuations. In *Proceedings of the Symposium on Logic in Computer Science*, pages 131–141. IEEE Computer Society Press, Washington DC, 1986.
- [10] Carol Fessenden, William Clinger, Daniel P. Friedman, and Christopher Haynes. Scheme 311 version 4 reference manual. Indiana University Computer Science Technical Report 137, February 1983. Superseded by [13].
- [11] Daniel P. Friedman and Matthias Felleisen. *The Little LISPer*. Science Research Associates, second edition 1986.
- [12] Daniel P. Friedman, Christopher T. Haynes, and Eugene Kohlbecker. Programming with continuations. In *Program Transformation and Programming Environments*, pages 263–274. P. Pepper, editor. Springer-Verlag, 1984.
- [13] D. Friedman, C. Haynes, E. Kohlbecker, and M. Wand. Scheme 84 interim reference manual. Indiana University Computer Science Technical Report 153, January 1985.
- [14] Daniel P. Friedman and Christopher T. Haynes. Constraining control. In *Proceedings of the Twelfth Annual Symposium on Principles of Programming Languages*, pages 245–254. ACM, January 1985.
- [15] Christopher T. Haynes, Daniel P. Friedman, and Mitchell Wand. Continuations and coroutines. In *Conference Record of the 1984 ACM Symposium on Lisp and Functional Programming*, pages 293–298.
- [16] Christopher T. Haynes. Logic continuations. In *Proceedings of the Third International Conference on Logic Programming*, pages 671–685. Springer-Verlag, July 1986.
- [17] Christopher T. Haynes and Daniel P. Friedman. Engines build process abstractions. In *Conference Record of the 1984 ACM Symposium on Lisp and Functional Programming*, pages 18–24.
- [18] Peter Henderson. Functional Geometry. In *Conference Record of the 1982 ACM Symposium on Lisp and Functional Programming*, pages 179–187.
- [19] *IEEE Standard 754-1985. IEEE Standard for Binary Floating-Point Arithmetic*. IEEE, New York, 1985.
- [20] Eugene Edmund Kohlbecker Jr. *Syntactic Extensions in the Programming Language Lisp*. PhD thesis, Indiana University, August 1986.
- [21] David Kranz, Richard Kelsey, Jonathan Rees, Paul Hudak, James Philbin, and Norman Adams. Orbit: An optimizing compiler for Scheme. In *Proceedings of the SIGPLAN '86 Symposium on Compiler Construction*, pages 219–233. ACM, June 1986. Proceedings published as *SIGPLAN Notices* 21(7), July 1986.
- [22] Peter Landin. A correspondence between Algol 60 and Church's lambda notation: Part I. *Communications of the ACM* 8(2):89–101, February 1965.
- [23] Drew McDermott. An efficient environment allocation scheme in an interpreter for a lexically-scoped lisp. In *Conference Record of the 1980 Lisp Conference*, pages 154–162. The Lisp Conference, P.O. Box 487, Redwood Estates CA, 1980. Proceedings reprinted by ACM.

- [24] MIT Department of Electrical Engineering and Computer Science. Scheme manual, seventh edition. September 1984.
- [25] Steven S. Muchnick and Uwe F. Pleban. A semantic comparison of Lisp and Scheme. In *Conference Record of the 1980 Lisp Conference*, pages 56–64. The Lisp Conference, 1980.
- [26] Peter Naur et al. Revised report on the algorithmic language Algol 60. *Communications of the ACM* 6(1):1–17, January 1963.
- [27] Paul Penfield, Jr. Principal values and branch cuts in complex APL. In *APL '81 Conference Proceedings*, pages 248–256. ACM SIGAPL, San Francisco, September 1981. Proceedings published as *APL Quote Quad* 12(1), ACM, September 1981.
- [28] Kent M. Pitman. Exceptional situations in Lisp. MIT Artificial Intelligence Laboratory Working Paper 268, February 1985.
- [29] Kent M. Pitman. The revised MacLisp manual (Saturday evening edition). MIT Laboratory for Computer Science Technical Report 295, May 1983.
- [30] Kent M. Pitman. Special forms in Lisp. In *Conference Record of the 1980 Lisp Conference*, pages 179–187. The Lisp Conference, 1980.
- [31] Jonathan A. Rees and Norman I. Adams IV. T: A dialect of Lisp or, lambda: The ultimate software tool. In *Conference Record of the 1982 ACM Symposium on Lisp and Functional Programming*, pages 114–122.
- [32] Jonathan A. Rees, Norman I. Adams IV, and James R. Meehan. The T manual, fourth edition. Yale University Computer Science Department, January 1984.
- [33] Jonathan Rees and William Clinger, editors. The revised<sup>3</sup> report on the algorithmic language Scheme. In *ACM SIGPLAN Notices* 21(12), ACM, December 1986.
- [34] John Reynolds. Definitional interpreters for higher order programming languages. In *ACM Conference Proceedings*, pages 717–740. ACM, 1972.
- [35] Guillermo J. Rozas. Liar, an Algol-like compiler for Scheme. S. B. thesis, MIT Department of Electrical Engineering and Computer Science, January 1984.
- [36] Brian C. Smith. Reflection and semantics in a procedural language. MIT Laboratory for Computer Science Technical Report 272, January 1982.
- [37] Amitabh Srivastava, Don Oxley, and Aditya Srivastava. An(other) integration of logic and functional programming. In *Proceedings of the Symposium on Logic Programming*, pages 254–260. IEEE, 1985.
- [38] Richard M. Stallman. Phantom stacks—if you look too hard, they aren't there. MIT Artificial Intelligence Memo 556, July 1980.
- [39] Guy Lewis Steele Jr. and Gerald Jay Sussman. Lambda, the ultimate imperative. MIT Artificial Intelligence Memo 353, March 1976.
- [40] Guy Lewis Steele Jr. Lambda, the ultimate declarative. MIT Artificial Intelligence Memo 379, November 1976.
- [41] Guy Lewis Steele Jr. Debunking the “expensive procedure call” myth, or procedure call implementations considered harmful, or lambda, the ultimate GOTO. In *ACM Conference Proceedings*, pages 153–162. ACM, 1977.
- [42] Guy Lewis Steele Jr. Macaroni is better than spaghetti. In *Proceedings of the Symposium on Artificial Intelligence and Programming Languages*, pages 60–66. These proceedings were published as a special joint issue of *SIGPLAN Notices* 12(8) and *SIGART Newsletter* 64, August 1977.
- [43] Guy Lewis Steele Jr. Rabbit: a compiler for Scheme. MIT Artificial Intelligence Laboratory Technical Report 474, May 1978.
- [44] Guy Lewis Steele Jr. An overview of Common Lisp. In *Conference Record of the 1982 ACM Symposium on Lisp and Functional Programming*, pages 98–107.
- [45] Guy Lewis Steele Jr. *Common Lisp: The Language*. Digital Press, Burlington MA, 1984.
- [46] Guy Lewis Steele Jr. and Gerald Jay Sussman. The revised report on Scheme, a dialect of Lisp. MIT Artificial Intelligence Memo 452, January 1978.
- [47] Guy Lewis Steele Jr. and Gerald Jay Sussman. The art of the interpreter, or the modularity complex (parts zero, one, and two). MIT Artificial Intelligence Memo 453, May 1978.
- [48] Guy Lewis Steele Jr. and Gerald Jay Sussman. Design of a Lisp-based processor. *Communications of the ACM* 23(11):628–645, November 1980.
- [49] Guy Lewis Steele Jr. and Gerald Jay Sussman. The dream of a lifetime: a lazy variable extent mechanism. In *Conference Record of the 1980 Lisp Conference*, pages 163–172. The Lisp Conference, 1980.
- [50] Guy Lewis Steele Jr. and Jon L White. Unpublished paper on printing a number heuristically using the minimum number of digits.
- [51] Gerald Jay Sussman and Guy Lewis Steele Jr. Scheme: an interpreter for extended lambda calculus. MIT Artificial Intelligence Memo 349, December 1975.

- [52] Gerald Jay Sussman, Jack Holloway, Guy Lewis Steele Jr., and Alan Bell. Scheme-79—Lisp on a chip. *IEEE Computer* 14(7):10-21, July 1981.
- [53] Joseph E. Stoy. *Denotational Semantics: The Scott-Strachey Approach to Programming Language Theory*. MIT Press, Cambridge, 1977.
- [54] Texas Instruments, Inc. *TI Scheme Language Reference Manual*. Preliminary version 1.0, November 1985.
- [55] Mitchell Wand. Continuation-based program transformation strategies. *Journal of the ACM* 27(1):174-180, 1978.
- [56] Mitchell Wand. Continuation-based multiprocessing. In *Conference Record of the 1980 Lisp Conference*, pages 19-28. The Lisp Conference, 1980.

## ALPHABETIC INDEX OF DEFINITIONS OF CONCEPTS, KEYWORDS, AND PROCEDURES

The principal entry for each term, procedure, or keyword is listed first, separated from the other entries by a semicolon.

- ! 4
- ' 7; 16
- \* 21; 8, 38
- + 21; 5, 8, 13, 19, 28, 36, 38
- , 11; 16
- 22; 5, 38
- > 4; 5
- ... 5
- / 22; 20, 38
- ; 5
- < 21; 36, 38
- <= 21; 25, 38
- = 21; 14, 38
- => 9
- > 21; 38
- >= 21; 38
- ? 4
- ' 12
  
- abs 22; 13, 23
- acos 23
- and 9; 13, 38
- angle 23
- append 17; 38
- apply 27; 36
- approximate 38
- asin 23
- assoc 17; 18
- assq 17; 18
- assv 17; 18
- at-sign 11
- atan 23
  
- #b 20; 32
- backquote 11
- begin 10; 11, 12, 37, 38
- binding 6
- binding construct 6
- boolean? 13; 38
- bound 6
  
- caar 16
- caddr 16
- cadr 16
- call 8
- call by need 11
- call-with-current-continuation 28; 29, 36
- call-with-input-file 29
- call-with-output-file 29
- call/cc 29
  
- car 16; 7, 15, 36
- case 9; 38
- catch 29
- cdddar 16
- cddddr 16
- cdr 16; 15, 28
- ceiling 22
- char->integer 25
- char-alphabetic? 25
- char-ci<=? 25
- char-ci<? 25
- char-ci=? 25
- char-ci>=? 25
- char-ci>? 25
- char-downcase 25
- char-lower-case? 25
- char-numeric? 25
- char-ready 30
- char-ready? 30
- char-upcase 25
- char-upper-case? 25
- char-whitespace? 25
- char<=? 24; 25
- char<? 24; 26
- char=? 24; 14, 25
- char>=? 24
- char>? 24
- char? 24; 38
- close-input-port 30
- close-output-port 30
- combination 8
- comma 11
- comment 5; 32
- complex? 21; 19
- cond 9; 13
- cons 16; 15
- constant 7
- continuation 29
- cos 23
- current-input-port 29; 30, 31
- current-output-port 29; 30, 31
  
- #d 20
- d 20
- define 12; 13
- definition 12
- delay 11; 28
- denominator 22
- display 31
- do 11; 6, 13, 37, 38
- dotted pair 15
  
- #e 20; 32

e 20  
 else 9  
 empty list 15; 13, 14, 16, 17  
 eof-object? 30  
 eq? 15; 8, 13, 17  
 equal? 15; 13, 17, 26  
 equivalence predicate 13  
 eqv? 13; 7, 8, 9, 14, 15, 16, 17, 18, 38  
 error 3  
 escape procedure 28  
 essential 3  
 even? 21  
 exact 14  
 exact->inexact 23  
 exact? 21  
 exactness 19  
 exp 23  
 expt 23  
  
 #f 13  
 f 20  
 false 6; 13  
 floor 22  
 foo 5; 12  
 for-each 28; 38  
 force 28; 11, 38  
  
 gcd 22  
 gen-counter 14  
 gen-loser 14  
  
 #i 20; 32  
 identifier 5; 6, 18, 32  
 if 8; 13, 35, 36  
 imag-part 23  
 immutable 7  
 implementation restriction 4; 19  
 improper list 16  
 inexact 14  
 inexact->exact 23; 19, 22  
 inexact? 21  
 initial environment 13  
 input-port? 29  
 integer->char 25; 38  
 integer? 21; 19  
 integrate-system 39  
 internal definition 13  
  
 keyword 5; 6, 32, 38  
  
 l 20  
 lambda 8; 13, 34, 35, 36, 38  
 lambda expression 6  
 last-pair 38  
 lazy evaluation 11  
 lcm 22  
  
 length 17; 20  
 let 10; 11, 6, 13, 37, 38  
 let\* 10; 6, 13  
 letrec 10; 6, 13, 38  
 list 17; 27  
 list->string 26  
 list->vector 27; 4  
 list-ref 17  
 list-tail 17  
 list? 17; 38  
 load 31  
 location 7  
 log 23  
  
 magnitude 23  
 make-polar 23  
 make-promise 28  
 make-rectangular 23  
 make-string 25  
 make-vector 26  
 map 27; 28, 38, 39  
 map-streams 39  
 max 21  
 member 17; 18  
 memq 17; 18  
 memv 17; 18, 37  
 min 21  
 modulo 22  
 mutable 7  
  
 negative? 21  
 newline 31  
 nil 13; 38  
 not 13  
 null? 17  
 number 19  
 number->string 24; 38  
 number? 21; 19, 38  
 numerator 22  
 numerical types 19  
  
 #o 20; 32  
 object 3  
 odd? 21  
 open-input-file 30  
 open-output-file 30  
 or 9; 13, 38  
 output-port? 29  
  
 pair 15  
 pair? 16; 38  
 peek-char 30; 38  
 port 29  
 positive? 21  
 predicate 13  
 procedure call 8

procedure? 27; 38  
 promise 11; 28  
  
 quasiquote 11; 12, 16, 38  
 quote 7; 6, 16  
 quotient 22  
  
 rational? 21; 19  
 rationalize 23; 38  
 read 30; 3, 6, 16, 18, 33  
 read-char 30  
 real-part 23  
 real? 21; 19  
 region 6; 9, 10, 11  
 remainder 22  
 return 29  
 reverse 17  
 round 22  
 runge-kutta-4 39  
  
 s 20  
 sequence 11  
 set! 9; 12, 35, 36  
 set-car! 16; 7, 15, 36  
 set-cdr! 16; 15  
 simplest rational 23  
 sin 23  
 sqrt 23; 20  
 string 25  
 string->list 26  
 string->number 24; 38  
 string->symbol 18  
 string-append 26  
 string-ci<=? 26  
 string-ci<? 26  
 string-ci=? 26  
 string-ci>=? 26  
 string-ci>? 26  
 string-copy 26  
 string-fill! 26  
 string-length 25; 20  
 string-ref 25; 7  
 string-set! 26; 7, 18  
 string<=? 26  
 string<? 26  
 string=? 26  
 string>=? 26  
 string>? 26  
 string? 25; 38  
 substring 26  
 symbol->string 18; 7  
 symbol? 18; 38  
 syntactic keyword 5; 6, 32, 38  
  
 #t 13  
 t 38  
  
 tan 23  
 token 32  
 top level environment 13; 6  
 transcript-off 31  
 transcript-on 31  
 true 6; 8, 9, 13  
 truncate 22  
 type 7  
  
 unbound 6; 7, 12  
 unquote 12; 16  
 unquote-splicing 12; 16  
 unspecified 4  
  
 valid indexes 25; 26  
 values-list 36  
 variable 6; 5, 7, 32, 38  
 vector 27  
 vector->list 27  
 vector-fill! 27  
 vector-length 27; 20  
 vector-ref 27; 7  
 vector-set! 27  
 vector? 26; 38  
  
 whitespace 5  
 with-input-from-file 30  
 with-output-to-file 30  
 write 31; 6, 12, 18  
 write-char 31  
  
 #x 20; 32  
  
 zero? 21